



Centre Anti-Poison pour le Québec: (800) 463-5060
 Tél. (Qc): (418) 660-8666 / 800-890-8666
 Fax. (Qc): (418) 660-8998

SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier ALUMINUM SULFATE (OCTADECALHYDRATE)		Product Use Laboratory use	
Chemical formula Al ₂ (SO ₄) ₃ ·18H ₂ O		Product code AR-0121	Molar weight 666,42
Chemical name / Commercial name / Synonymous ALUMINUM SULFATE OCTADECALHYDRATE, TRISULFATE D'ALUMINIUM, SULFURIC ACID ALUMINUM SALT, CAKE ALUM, PATENT ALUM			
Supplier's name Laboratoire MAT		Address-Street 610, Adanac Street	
City Québec		Province Québec	
Postal code G1C 7B7	Internet www.labmat.com	Phone number 418-660-8666 / 800-890-8666	
Emergency phone	CANUTEC: 613-996-6666	CENTRE ANTI-POISON DU QUÉBEC 800-463-5060	
Date SDS 10/11/2019	SDS Prepared by Laboratoire MAT	E-Mail labmat@labmat.com	

SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Corrosive to metals-Category 1 Serious eye damage/eye irritation - Eye irritation category 2
Signal Word	WARNING
Hazards statements (H)	H290 May be corrosive to metals. H319 Causes serious eye irritation.
Precautionary statements (P)	P234 Keep only in original container. P264 Wash the areas of the body that have been in contact with the product after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/attention. P390 Absorb spillage to prevent material damage. P406 Store in a corrosion resistant container / or a container with corrosion resistant liner.
PICTOGRAMS	
Other dangers	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)
	Health 2 Fire 1 Reactivity 1 Special danger

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Sulfate d'aluminium octadécahydrate	7784-31-8	<=100

SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	If the person is conscious, rinse the mouth with water. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

SECTION 05 - FIREFIGHTING MEASURES

Flammability	No
Ignition conditions	Non flammable.
Suitable extinguishing media	Water spray, carbon dioxide, dry chemical powder, alcohol or polymer foam.
Unsuitable extinguishing media	Data not available.
Hazardous combustion / decomposition products	Hazardous decomposition products formed under fire conditions. - Sulphur oxides Aluminium oxides.
Special fire and explosion hazards	May react violently with incompatible products (Ref Section 10).
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up / Personnel precautions, protective equipment	Evacuate personnel to safe areas. Ensure adequate ventilation. Avoid breathing vapours, mist or gas. Use personal protective equipment. Pick up with a shovel or broom, taking care not to scatter dust. Dispose of residues in a container provided for the disposal of hazardous materials. Do not let product enter drains.
--	--

SECTION 07 - HANDLING AND STORAGE

Conditions for safe storage	Store in a cool, dry place. Keep container tightly closed and store away from heat, moisture, and incompatible products.
Methods of handling	Avoid inhalation of vapour or mist. Provide appropriate exhaust ventilation at places where dust is formed. Always open containers slowly to allow any excess pressure to vent. Avoid contact with the skin, eyes and clothes.

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

Components	No.-CAS	Control parameters	Value	Basis
ALUMINIUM SULPHATE OCTADECYDRATE	7784-31-8	TWA	2 mg/m ³	Canada. Alberta, Health and Safety Code safety at work (Table 2: ELV)
Remarks : The occupational exposure limit is based on the effects of irritation and its adjustment to compensate for unusual work schedules is not necessary				
		VEMP	2 mg/m ³	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants

Data source	Sigma-Aldrich.
Ventilation	Use fan.
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
Gloves	Handle with gloves.
Eyes	Safety goggles with safety shutters.
Shoes	Safety shoes.
Clothing	Labcoat. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid.
Appearance	Poudre blanche.
Odour	Donnée non disponible.
Odour threshold	Data not available
pH	Solution à 5% = pH 2.5 - 4.0.
Melting point / Freezing point	86°C (dec)
Initial boiling point	Data not available
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Vapour density	Data not available
Relative density	1.69g/cm ³
Solubility	Soluble dans l'eau. Insoluble dans l'alcool.
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Non-reactive under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Stable under normal conditions.
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Heat, flames and sparks. Exposure to the air. Exposure to moisture.
Incompatible material	Strong oxidizing agents. Strong bases. Amines. Ammoniac. Water
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. - Sulphur oxides. Aluminium oxides.

SECTION 11 - TOXICOLOGICAL INFORMATION

ALUMINUM SULFATE (OCTADECALHYDRATE)

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation.
- Skin	Irritation.
- Inhalation	Irritation of the mucous membranes and respiratory tract. Nervous disorders, dizziness, cough, dyspnea, headache, nausea and vomiting.
Acute toxicity (Ingestion)	Irritation of the mucous membranes.
Chronic exposure effects / symptoms	Burning sensation, nervous disorders, chest pain, cough, dyspnoea, laryngitis, headache, dizziness, confusion, irritability, tiredness, nausea and vomiting.
DL50 (specify species and route of entry)	Data based on the anhydrous product: LD50 Oral - Rat - 2000 mg/kg LD50 Dermal - Rabbit - 1 167.5 - 5 000 mg/kg.
CL50 (specify species and route of entry)	LC50 Inhalation - Rat - 4h - 5 - 5.09 mg/L. Data based on the anhydrous product:

SECTION 12 - ECOLOGICAL INFORMATION

Available ecological information	No
---	----

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	3260
UN Proper shipping name	SOLIDE INORGANIQUE CORROSIF, ACIDE, N.S.A. (sulfate d'aluminium)
Transport hazard class(es)	8 Corrosive substances
Packing group	III
Limited quantity index	5kg
ERAP Index	-
Special precautions	16

SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Corrosive to metals-Category 1 Serious eye damage/eye irritation - Eye irritation category 2
--------------	---

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 10/11/2019