

Centre Anti-Poison pour le Québec: (800) 463-5060 Tél. (Qc): (418) 660-8666 / 800-890-8666 Fax. (Qc): (418) 660-8998

## SAFETY DATA SHEET

## **SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION**

Product Identifier			Product Use		
AMMONIUM CITRATE (DIBASIC)			Laboratory use		
Chemical formula				Product code	Molar weight
C6H14N2O7				AR-0135	226,19
Chemical name / Commercial name / Synonymous  AMMONIUM CITRATE DIBASIC, DIAMMONIUM CITRATE, CITRIC ACI  DIAMMONIUM HYDROGEN CITRATE, AMMONIUM MONOHYDROG				JM SALT, AMMONIUM HYDROGEN C	ITRATE,
Supplier's name			Address-Street		
Laboratoire MAT			610, Adanac Street		
City		Province			
Québec			Québec		
Postal code	Postal code Internet		Phone number		
G1C 7B7 www.labmat.com		418-660-8666 / 800-890-8666			
Emergency phone	CANUTEC: 613-996-6666		CENTRE ANTI-POISON DU QUÉBEC 800-463-5060		
Date SDS	SDS Prepared by		•	E-Mail	
9/4/2020	Laboratoire MA		T	labmat@labmat.com	

### **SECTION 02 - HAZARDS IDENTIFICATION**

Classification WHIMS / GHS		7		
	Serious eye dan	nage/ Eye irritation category 2A		
	Specific target organ toxicity - Single exposure category 3			
Signal Word	WARNING			
Hazards statements (H)	H319 Causes se	rious eye irritation.		
	H335 May caus	e respiratory irritation.		
Precautionary statements (P)	P264	Wash the areas of the body that have been in contact with the product after handling.		
	P280	Wear protective gloves/protective clothing/eye protection/face protection.		
	P305 + P351 +	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
	P337 + P313	If eye irritation persists: Get medical advice/attention.		
	P261	Avoid breathing dust / fume / gas / mist / vapours / spray.		
	P271	Use only outdoors or in a well-ventilated area.		
	P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.		
	P312	Call a POISON CENTER or doctor/physician if you feel unwell.		
	P403 + P233	Store in a well-ventilated place. Keep container tightly closed.		
	P405	Store locked up.		
	P501	Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company.		
PICTOGRAMS	<b>(i)</b>			
		NEDA (D.) CONT. 1. 1-Cl. I. CONT. 1. 2-Cl. 15 4-E.		
Other dangers		NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)		
	Health	1		
		0		
	,	0		
	Special danger			

# **SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS**

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Citrate d'ammonium dibasique	3012-65-5	<=100

## **SECTION 04 - FIRST AID MEASURES**

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	Do NOT induce vomiting. If the person is conscious, rinse the mouth with water. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

### **SECTION 05 - FIREFIGHTING MEASURES**

Flammability	No
Ignition conditions	Non flammable.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Data not available.
Hazardous combustion / decomposition products	Hazardous decomposition products formed under fire conditions. Carbon oxides, Nitrogen oxides (NOx).
Special fire and explosion hazards	May react violently with incompatible products (Ref Section 10).
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

## **SECTION 06 - ACCIDENTAL RELEASE MEASURES**

	Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment. Pick up with a shovel or broom, taking care not to scatter dust. Dispose of residues in a container provided for
<b>U</b> 1 /	the disposal of hazardous materials. Do not let product enter drains. Discharge into the environment must
equipment	be avoided.

## **SECTION 07 - HANDLING AND STORAGE**

Store in a cool, dry place. Keep container tightly closed and store away from heat, moisture, and incompatible products. Store in a well-ventilated area.
Avoid contact with the skin, eyes and clothes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust or vapor is formed. Avoid ingestion and inhalation.

## **SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Workplace control parameters

Components	CAS- No.	Control	Value	Basis
AMMONIUM CITRATE (DIBASIC)		TLV, TWA, STEL	No data available	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		TLV, TWA, STEL	No data available	Canada. British Columbia OEL
		TLV, TWA, STEL		Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants

Ventilation	Use fan.
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
Gloves	Handle with gloves.
Eyes	Safety goggles with safety shutters.
Shoes	Safety shoes.
Clothing	Labcoat. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

### **SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES**

Physical state	Solid.
Appearance	Cristalline blanche.
Odour	Ammoniaque.
Odour threshold	Data not available
pH	Solution aqueuse 0.1 M = pH 4.3; $0.22M = pH 5.2$ .
Melting point / Freezing point	174 - 176°C
Initial boiling point	500 °C à 101.6kPα
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Vapour density	Data not available
Relative density	1.48g/cm <sup>3</sup>
Solubility	Soluble dans l'eau. Peu soluble dans l'alcool.
Partition coefficient water/n-octanol	log Pow : -2.84-
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

## **SECTION 10 - STABILITY AND REACTIVITY**

Reactivity	Non-reactive under normal conditions.		
Chemical stability	Stable under recommended storage conditions.		
Possibility of hazardous reactions	Stable under normal conditions.		
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Avoid excessive heat. Avoid dust formation.		
Incompatible material	Strong oxidizing agents, strong acids. Strong bases.		
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions Carbon oxides, Nitrogen oxides (NOx).		

#### **SECTION 11 - TOXICOLOGICAL INFORMATION**

#### AMMONIUM CITRATE (DIBASIC)

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation and tearing.
- Skin	May be harmful if absorbed through skin.
- Inhalation	Irritation of the mucous membranes and respiratory tract. May be harmful if inhaled.
Acute toxicity (Ingestion)	Irritation of the mucous membranes. May be harmful if swallowed.
Chronic exposure effects / symptoms	Burning sensation, nervous disorders, cough, dyspnea, headache, dizziness, confusion, irritability, tiredness, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral - Rat - 350 mg/kg. LD50 Dermal - Data not available.
CL50 (specify species and route of entry)	LC50 Inhalation - Rat - 4h - 2000 ppm

#### **SECTION 12 - ECOLOGICAL INFORMATION**

Available ecological information	No
----------------------------------	----

#### **SECTION 13 - DISPOSAL CONSIDERATIONS**

<u>-</u>	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

#### **SECTION 14 - TRANSPORT INFORMATION**

UN Number	N/R
UN Proper shipping name	
Transport hazard class(es)	
Packing group	
Limited quantity index	
ERAP Index	
Special precautions	

#### **SECTION 15 - REGULATORY INFORMATION**

WHIMS CANADA	Serious eye damage/ Eye irritation category 2A
	Specific target organ toxicity - Single exposure category 3

#### **SECTION 16 - OTHER INFORMATION**

#### **Further information**

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 9/4/2020