

Centre Anti-Poison pour le Québec: (800) 463-5060 Tél. (Qc): (418) 660-8666 / 800-890-8666 Fax. (Qc): (418) 660-8998

#### SAFETY DATA SHEET

## **SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION**

Product Identifier			Product Use		
AMMONIUM CARBONATE				Laboratory use	
Chemical formula				Product code	Molar weight
(NH <sub>4</sub> ) <sub>2</sub> CO <sub>3</sub>				AR-0931	96,09
Chemical name / Commerci AMMONIUM CARB CRYSTAL AMMONI	ONATE, SESQUICARBON	ATE D'AMMONIU/	M, DIAMMONIUM C	ARBONATE, CARBONIC A	ACID AMMONIUM SALT,
Supplier's name			Address-Street		
Laboratoire MAT			610, Adanac Street		
City			Province		
Québec		Québec			
Postal code Internet		Phone number			
G1C 7B7 www.labmat.com		418-660-8666 / 800-890-8666			
Emergency phone CANUTEC: 613-996-6666		CENTRE ANTI-POISON DU QUÉBEC 800-463-5060			
Date SDS SDS Prepared by		÷	E-Mail		
9/16/2019 Laboratoire MA		<b>Δ</b> Τ	labmat@labmat.com		

## **SECTION 02 - HAZARDS IDENTIFICATION**

Classification WHIMS / GHS	Acute toxicity - Oral category 4		
Signal Word	WARNING		
Hazards statements (H)	H302 Harmful if swallowed.		
Precautionary statements (P)	P264 Wash the areas of the body that have been in contact with the product after handling.   P270 Do no eat, drink or smoke when using this product.   P330 Rinse mouth.   P501 Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company.   P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.		
PICTOGRAMS			
Other dangers	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)		
	Health 1 Fire 0 Reactivity 0 Special danger		

# SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Carbonate d'ammonium	506-87-6	<=100

## **SECTION 04 - FIRST AID MEASURES**

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 1.5 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	Do NOT induce vomiting. If the person is conscious, give water to drink. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

#### **SECTION 05 - FIREFIGHTING MEASURES**

Flammability	No
Ignition conditions	Non flammable.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Data not available.
Hazardous combustion / decomposition products	Hazardous decomposition products formed under fire conditions. Carbon oxides, Nitrogen oxides (NOx). Ammonia.
Special fire and explosion hazards	May react violently with incompatible products (Ref Section 10).
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

## SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for	Evacuate personnel to safe areas. Ensure adequate ventilation. Avoid breathing vapours, mist or
containment and cleaning up /	gas. Use personal protective equipment. Pick up with a shovel or broom, taking care not to scatter
Personnal precautions, protective	dust. Dispose of residues in a container provided for the disposal of hazardous materials. Do not let
equipment	product enter drains.

## SECTION 07 - HANDLING AND STORAGE

Conditions for safe storage	Store in a cool, dry place. Keep container tightly closed in a dry and well-ventilated place. Air sensitive.
	Always open containers slowly to allow any excess pressure to vent. Avoid formation of dust and
	Always open containers slowly to allow any excess pressure to vent. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust or vapor is formed.

# SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Workplace control parameters

Components	CAS- No.	Control	Value	Basis
AMMONIUM CARBONATE	506- 87-6	TLV, TWA, STEL		Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		TLV, TWA, STEL		Canada. British Columbia OEL
		TLV, TWA, STEL		Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants

Ventilation	Use fan.
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
Gloves	Handle with gloves.
Eyes	Safety goggles with safety shutters.
Shoes	Safety shoes.
Clothing	Labcoat. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

## **SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES**

Physical state	Solid.
Appearance	Poudre blanche.
Odour	Odeur forte de l'ammoniaque
Odour threshold	Data not available
рН	9.4 (10%).
Melting point / Freezing point	58°C
Initial boiling point	Data not available
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Vapour density	Data not available
Relative density	Data not available
Solubility	Soluble dans l'eau. Décompose dans l'eau chaude.
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

## SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Non-reactive under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Stable under normal conditions.
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Heat above 50°C. Avoid dust formation.
Incompatible material	Strong acids, strong oxidants.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. Carbon oxides, Nitrogen oxides (NOx). Ammonia.

## SECTION 11 - TOXICOLOGICAL INFORMATION

#### AMMONIUM CARBONATE

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation and may cause inflammation of the conjunctiva.
- Skin	Irritation and dermatitis. Harmful if absorbed through skin
- Inhalation	Irritation of the mucous membranes and respiratory tract. May be harmful if inhaled.
Acute toxicity (Ingestion)	Irritation and burning of the mucous membranes. May be harmful if swallowed. Dysphagia, abdominal pain, cramps, diarrhea, headache, dizziness, sweating, salivation, convulsions, nausea and vomiting.
Chronic exposure effects / symptoms	Burning sensation, dermatitis, conjunctivitis, nervous disorders, chest pain, cough, dyspnoea, laryngitis, headache, dizziness, confusion, irritability, tearing, sweating, salivation, tiredness, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral - Rat - 2150 mg/kg. LD50 Dermal - Rat - > 2000 mg/kg
CL50 (specify species and route of entry)	LC50 - Inhalation - Data not available.

## SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity	LC50 - Pimephales promelas (fathead minnow) - 37 mg/L - 96 h LC50 - Daphnia magna (Water flea) - 324.9 mg/L - 48 h
Persistence and degradability	Soluble in water. Persistence is unlikely based on the information provided.
Bioaccumulative potential	Data not available.
Mobility in soil	Probable mobility due to its solubility in water.
Other adverse effects	Harmful to aquatic life. Avoid release to the environment.

## **SECTION 13 - DISPOSAL CONSIDERATIONS**

	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

## **SECTION 14 - TRANSPORT INFORMATION**

UN Number	N/R
UN Proper shipping name	
Transport hazard class(es)	
Packing group	
Limited quantity index	
ERAP Index	
Special precautions	

### **SECTION 15 - REGULATORY INFORMATION**

WHIMS CANADA

Acute toxicity - Oral category 4

### **SECTION 16 - OTHER INFORMATION**

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 9/16/2019