

Centre Anti-Poison pour le Québec: (800) 463-5060 Tél. (Qc): (418) 660-8666 / 800-890-8666 Fax. (Qc): (418) 660-8998

#### SAFETY DATA SHEET

### **SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION**

| Product Identifier                            |  |   |                   | Product Use          |              |
|---|--|---|-------------------|----------------------|--------------|
| ACETIC ACID 30%W/W                            |  |   |                   | Laboratory use       |              |
| Chemical formula                              |  |   |                   | Product code         | Molar weight |
| CH3COOH                                       |  |   |                   | AS-0030              | 60,05        |
| Chemical name / Commerci<br>ACIDE ACÉTIQUE, A | al name / Synonymous<br>\CIDE ÉTHANOÏQUE, AC | IDE MÉTHANECARB                           | oxylique, acide e | DE VINAIGRE, ACI-JEL |              |
| Supplier's name                               |  |   | Address-Street    |                      |              |
| Laboratoire MAT                               |  | 610, Adanac Street                        |                   |                      |              |
| City  |  | Province                                  |                   |                      |              |
| Québec  |  | Québec                                    |                   |                      |              |
| Postal code                                   | Internet                                     |   | Phone number      |                      |              |
| G1C 7B7 www.labmat.com                        |  | 418-660-8666 / 800-890-8666               |                   |                      |              |
| Emergency phone CANUTEC: 613-996-6666         |  | CENTRE ANTI-POISON DU QUÉBEC 800-463-5060 |                   |                      |              |
| Date SDS SDS Prepared by                      |  |   | E-Mail            |                      |              |
| 2/21/2019 Laboratoire MA                      |  | Т   | labmat@labmat.com |                      |              |

## **SECTION 02 - HAZARDS IDENTIFICATION**

| Classification WHIMS / GHS   |  |  |
|------------------------------|--|--|
|                              | Serious eye damag                                    | e/eye irritation - Serious eye damage category 1   |
|                              | Liquides inflammabl                                  | es category 4  |
|                              | Skin corrosion/irrite                                | ation - Skin corrosion category 1  |
|                              | Corrosive to metals                                  | -Category 1  |
| Signal Word                  | DANGER   |  |
| Hazards statements (H)       | H227 Combustible                                     | liquid   |
|                              |  | re skin burns and eye damage.  |
|                              | H318 Causes serior                                   |  |
|                              | H290 May be corr                                     |  |
| Precautionary statements (P) | P210   | Keep away from heat/sparks/open flames/hot surfaces. — No smoking.   |
|                              | P260   | Do not breathe dust / fume / gas / mist / vapours / spray.   |
|                              | P264   | Wash the areas of the body that have been in contact with the product after handling.  |
|                              | P280   | Wear protective gloves/protective clothing/eye protection/face protection.   |
|                              |  | 331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.   |
|                              |  | 853 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.<br>Rinse skin with water/shower.  |
|                              | P304 + P340  | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.   |
|                              | P305 + P351 + P3                                     | 338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.                     |
|                              | P310   | Immediately call a POISON CENTER or doctor/physician.  |
|                              | P321   | Specific treatment (see section 4 of the SDS and on this label).   |
|                              | P363   | Wash contaminated clothing before reuse.   |
|                              | P370 + P378  | In case of fire: Use water spray or alcohol-resistant foam, or dry powder or carbon dioxide for extinction.  |
|                              | P403   | Store in a well-ventilated place.  |
|                              | P405   | Store locked up.   |
|                              | P501   | Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company. |
|                              | P234   | Keep only in original container.   |
|                              | P390   | Absorb spillage to prevent material damage.  |
|                              | P406   | Store in a corrosion resistant container $/$ or a container with corrosion resistant liner.  |
| PICTOGRAMS                   | L Z  |  |
| Other dangers                | NF   | PA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)  |
|                              | Health 2<br>Fire 2<br>Reactivity 0<br>Special danger |  |
|                              |  |  |

# SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

| Ingrédients (Dénomination chimique / synonymes) | Numéro CAS et tout identificateur unique | Concentration (%) |
|---|--|-------------------|
| Acide acétique                                  | 64-19-7                                  | 30                |
| Eau   | 7732-18-5                                | 70                |

### SECTION 04 - FIRST AID MEASURES

|   | Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention. |
|---|--|
| Skin contact  | Wash skin with plenty of water for at least 1.5 minutes. Remove soiled clothing. If irritation persists, seek medical attention.                         |
| Inhalation  | Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.  |
| Ingestion   | If the person is conscious, give water to drink. Do NOT induce vomiting. Never give anything by mouth to<br>an unconscious person. Consult a physician.  |
| Most important symptoms and effects (acute and delayed)         | Ref. section 11.   |
| Immediate medical attention and special treatment, if necessary | In case of medical consultation, keep this sheet available.  |
| General advice  | Show this safety data sheet to the doctor in attendance.   |

#### **SECTION 05 - FIREFIGHTING MEASURES**

| Flammability  | Yes   |
|---|---|
| Ignition conditions   | No longer flammable at this concentration. But remains combustible.   |
| Suitable extinguishing media                                  | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  |
| Unsuitable extinguishing media                                | Data not available.   |
| Dangerous fumes - combustion                                  | Carbon oxides.  |
| Hazardous combustion /<br>decomposition products              | Hazardous decomposition products formed under fire conditions. Carbon oxides.   |
| Special fire and explosion<br>hazards                         | May react violently with incompatible products (Ref Section 10).  |
| Special protective equipment and precautions for firefighters | Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus. |

#### **SECTION 06 - ACCIDENTAL RELEASE MEASURES**

| Methods and materials for         | Evacuate personnel to safe areas. Cut off all sources of ignition. Absorb the product with sand or           |
|-----------------------------------|--|
| containment and cleaning up /     | vermiculite. Dilute residues with water, clean and rinse. Ensure a good ventilation of the premises. Dispose |
| Personnal precautions, protective | of residues in a container for disposal of hazardous materials. When handling, wear suitable safety          |
| equipment                         | equipment. Use breathing apparatus if necessary. Avoid breathing vapours, mist or gas.                       |

#### SECTION 07 - HANDLING AND STORAGE

| Conditions for safe storage | Store in a cool, dry place. Store in a well-ventilated area. Keep container tightly closed and store away   |
|-----------------------------|---|
|                             | from heat, water, moisture, and incompatible products. Keep away from sources of ignition - No smoking.<br>Take measures to prevent the accumulation of electrostatic charges. Protect from the sun's rays. |
| Methods of handling         | Keep away from sources of ignition - No smoking. Avoid inhalation of vapour or mist.  |

# SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Workplace control parameters

| Components  | CAS-No. | Value | Control<br>parameters               | Basis   |
|-------------|---------|-------|-------------------------------------|---|
| Acetic acid | 64-19-7 | TWA   | 10.000000 ppm<br>25.000000<br>mg/m3 | Canada. Alberta, Occupational Health and Safety<br>Code (table 2: OEL)  |
|             |         | STEL  | 15.000000 ppm<br>37.000000<br>mg/m3 | Canada. Alberta, Occupational Health and Safety<br>Code (table 2: OEL)  |
|             |         | TWA   | 10.000000 ppm                       | Canada. British Columbia OEL  |
|             |         | STEL  | 15.000000 ppm                       | Canada. British Columbia OEL  |
|             |         | TWAEV | 10.000000 ppm<br>25.000000<br>mg/m3 | Québec. Regulation respecting occupational health<br>and safety, Schedule 1, Part 1: Permissible exposure<br>values for airborne contaminants |
|             |         | STEV  | 15.000000 ppm<br>37.000000<br>mg/m3 | Québec. Regulation respecting occupational health<br>and safety, Schedule 1, Part 1: Permissible exposure<br>values for airborne contaminants |
|             |         | TWA   | 10 ppm<br>25 mg/m3                  | Canada. Alberta, Occupational Health and Safety<br>Code (table 2: OEL)  |
|             |         | STEL  | 15 ppm<br>37 mg/m3                  | Canada. Alberta, Occupational Health and Safety<br>Code (table 2: OEL)  |
|             |         | TWA   | 10 ppm                              | Canada. British Columbia OEL  |
|             |         | STEL  | 15 ppm                              | Canada. British Columbia OEL  |
|             |         | TWAEV | 10 ppm<br>25 mg/m3                  | Québec. Regulation respecting occupational health<br>and safety, Schedule 1, Part 1: Permissible exposure<br>values for airborne contaminants |
|             |         | STEV  | 15 ppm<br>37 mg/m3                  | Québec. Regulation respecting occupational health<br>and safety, Schedule 1, Part 1: Permissible exposure<br>values for airborne contaminants |
|             |         | TWA   | 10.000000 ppm                       | USA. ACGIH Threshold Limit Values (TLV)   |
|             |         | STEL  | 15.000000 ppm                       | USA. ACGIH Threshold Limit Values (TLV)   |
|             |         | TWA   | 10 ppm                              | USA. ACGIH Threshold Limit Values (TLV)   |
|             |         | STEL  | 15 ppm                              | USA. ACGIH Threshold Limit Values (TLV)   |

| Data source         | Sigma-Aldrich (Millipore Sigma)  |
|---------------------|--|
| Ventilation         | Fan.   |
| Respiratory         | If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.  |
| Gloves              | Handle with gloves.  |
| Eyes                | Safety goggles with safety shutters.   |
| Shoes               | Safety shoes.  |
| Clothing            | Labcoat.   |
| Engineering control | Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values. |

#### SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

| Physical state                        | Liquid.  |
|---------------------------------------|--|
| Appearance                            | Liquide incolore-  |
| Odour                                 | Odeur forte et irritante.  |
| Odour threshold                       | Data not available   |
| рН                                    | Solution aqueuse 1.0 M = 2.4 Solution 0.1 M = 2.9 Solution 0.01 M = 3.4. |
| Melting point / Freezing point        | Data not available   |
| Initial boiling point                 | Data not available   |
| Boiling range                         | Data not available   |
| Flash point                           | Data not available   |
| Evaporation rate                      | Data not available   |
| Flammability                          | Yes  |
| Lower flammable / Explosive limit     | Data not available   |
| Upper flammable / Explosive limit     | Data not available   |
| Vapour pressure                       | Data not available   |
| Solubility                            | H2O: 602.9 g/L @ 25 °C.  |
| Vapour density                        | Data not available   |
| Relative density                      | 1.0369 (30%p/p)g/ml à 20°C   |
| Partition coefficient water/n-octanol | Data not available   |
| Auto-ignition temperature             | Data not available   |
| Decomposition temperature             | Data not available   |
| Viscosity                             | Data not available   |

### SECTION 10 - STABILITY AND REACTIVITY

| Reactivity  | Non-reactive under normal conditions.   |
|---|---|
| Chemical stability  | Stable under recommended storage conditions.  |
| Possibility of hazardous reactions  | Stable under normal conditions.   |
| Conditions of instability<br>(Including sensitivity to shock /<br>static discharge / vibration) | Heat, flames, sparks. Avoid contact with incompatible materials and extreme temperatures.   |
| Incompatible material   | Strong oxidizing agents (chromic acid, nitric acid, peroxides, chlorates and perchlorates), bases, alcohols, carbonates, hydroxides, oxides, phosphates, 5-azidotetrazole, bromine pentafluoride, chromium trioxide, hydrogen peroxide, potassium permanganate, sodium peroxide, phosphorus trichloride, heat and moisture. |
| Hazardous decomposition<br>products   | Hazardous decomposition products formed under fire conditions. Carbon oxides.   |

#### SECTION 11 - TOXICOLOGICAL INFORMATION

#### ACETIC ACID, GLACIAL

| Routes of exposure                        | Ingestion, inhalation, skin and eyes.  |
|---|--|
| Acute exposition effects /<br>symptoms:   | By exposure route below.   |
| - Eyes                                    | Severe burns and destruction of ocular tissue that can lead to corneal ulceration and blindness.   |
| - Skin                                    | Severe burns and tissue ulcerations. May be fatal, if the extent of the burns is considerable.   |
| - Inhalation                              | Spasms, irritation and inflammation of the nose, throat and lungs. Edema of the larynx and bronchi. Chemical pneumonitis and pulmonary edema that can lead to death.   |
| Acute toxicity (Ingestion)                | Corrosion and ulceration of the mouth, throat, esophagus, stomach and abdominal wall. Dysphagia, kidney damage, bloody diarrhea and vomiting, diaphoresis, intense thirst, shock, circulatory collapse, unconsciousness, coma and can lead to death. |
| Chronic exposure effects /<br>symptoms    | Burning sensation, conjunctivitis, hyperkeratosis, nervous disorders, chest pain, dental erosion, cough, dyspnea, laryngitis, headache, dizziness, diarrhea, asthenia, irritability, weight loss and loss of appetite, nausea and vomiting.          |
| DL50 (specify species and route of entry) | LD50 Oral - Rat - 3,530 mg/kg. LD50 Dermal - Rabbit - 1060 mg/kg   |
| CL50 (specify species and route of entry) | LC50 Inhalation - Rat -4h - 11.4 mg/L (4400 ppm - 4 h) LC50 Inhalation - Mouse- 1hre - 5620 ppm  |

#### SUMMARY

| Acute exposure effects /<br>Symptoms:   | By exposure routes below.  |
|---|--|
| Ingestion                               | To our knowledge, the product has not been fully evaluated   |
| Inhalation                              | To our knowledge, the product has not been fully evaluated   |
| Skin                                    | To our knowledge, the product has not been fully evaluated   |
| Eyes                                    | To our knowledge, the product has not been fully evaluated   |
| Chronic exposure effects /<br>Symptoms: | To our knowledge, the product has not been fully evaluated   |
| ETA Mix (Estimated Acute Toxicity)      | LD50: >5000 mg/kg -Oral Rat<br>LD50: 3533 mg/kg -Dermal Rabbit<br>LC50: 38 mg/L- 4h - Inhalation Rat |

#### **SECTION 12 - ECOLOGICAL INFORMATION**

| Ecotoxicity                   | Acetic acid. Toxicity to fish: Semi-static test LC50 - Oncorhynchus mykiss: > 1,000 mg/l - 96 h Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna: > 300.82 mg/l - 48 h |
|-------------------------------|---|
| Persistence and degradability | Biodegradability Result: - Readily biodegradable  |
| Bioaccumulative potential     | Data not available.   |
| Mobility in soil              | Data not available.   |
| Other adverse effects         | Biochemical oxygen demand (BOD): 880 mg/g   |

#### **SECTION 13 - DISPOSAL CONSIDERATIONS**

| Waste Disposal Method  | Comply with federal, state and local regulations regarding waste disposal. |
|------------------------|--|
| Contaminated Packaging | Dispose of as unused product.  |

#### **SECTION 14 - TRANSPORT INFORMATION**

| UN Number                  | 2790   |
|----------------------------|--|
| UN Proper shipping name    | ACIDE ACÉTIQUE EN SOLUTION contenant plus de 10 % et moins de 50 % |
| Transport hazard class(es) | 8 Corrosive substances   |
| Packing group              |  |
| Limited quantity index     | 5L   |
| ERAP Index                 | -  |
| Special precautions        | -  |

#### **SECTION 15 - REGULATORY INFORMATION**

| WHIMS CANADA | Serious eye damage/eye irritation - Serious eye damage category 1<br>Liquides inflammables category 4 |
|--------------|---|
|              | Skin corrosion/irritation - Skin corrosion category 1<br>Corrosive to metals-Category 1               |

### **SECTION 16 - OTHER INFORMATION**

#### **Further information**

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 2/21/2019