



Centre Anti-Poison pour le Québec: (800) 463-5060

Tél. (Qc): (418) 660-8666 / 800-890-8666


Fax. (Qc): (418) 660-8998

SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier Starch 1% w/v (stabilised in acetic acid)		Product Use Laboratory use	
Chemical formula C ₁₂ H ₂₂ O ₁₁		Product code AS-0601	Molar weight 342,36
Chemical name / Commercial name / Synonymous Amylodextrine (Amidon, Soluble), Féculé soluble, Starch, soluble, Amylogen, Soluble starch			
Supplier's name Laboratoire MAT		Address-Street 610, Adanac Street	
City Québec		Province Québec	
Postal code G1C 7B7	Internet www.labmat.com	Phone number 418-660-8666 / 800-890-8666	
Emergency phone	CANUTEC: 613-996-6666	CENTRE ANTI-POISON DU QUÉBEC 800-463-5060	
Date SDS 2/21/2019	SDS Prepared by Laboratoire MAT	E-Mail labmat@labmat.com	

SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Not a hazardous substance according to WHMIS 2015
Other dangers	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)
	Health 0 Fire 0 Reactivity 0 Special danger

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Amidon	9005-84-9	1
Eau	7732-18-5	98.5
Acide acétique (comme stabilisateur)	64-19-7	0.5

SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	If the person is conscious, drink water and induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

SECTION 05 - FIREFIGHTING MEASURES

Flammability	No
Ignition conditions	No longer considered combustible at this concentration.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Data not available.
Hazardous combustion / decomposition products	Hazardous decomposition products formed under fire conditions. Carbon monoxide, carbon dioxide.
Special fire and explosion hazards	May react violently with incompatible products (Ref Section 10). When concentrated, the product reacts according to the following characteristics: Combustible powder. Moderate fire hazard in the presence of heat or flame. The starch powder in high concentration in the air is capable of creating a dust explosion.
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up / Personnel precautions, protective equipment	Evacuate personnel to safe areas. Absorb the product with sand or vermiculite. Dilute residues with water, clean and rinse. Ensure a good ventilation of the premises. Dispose of residues in a container for disposal of hazardous materials. When handling, wear suitable safety equipment. Use breathing apparatus if necessary. Avoid breathing vapours, mist or gas.
--	---

SECTION 07 - HANDLING AND STORAGE

Conditions for safe storage	Store in a cool, dry place. Store in a well-ventilated area. Keep container tightly closed and store away from oxidizing agents, heat, moisture and incompatible materials.
Methods of handling	Provide appropriate exhaust ventilation at places where dust or vapor is formed.

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Starch, Soluble	9005-25-8	TWA	10.000000 mg/m ³	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		TWA	10.000000 mg/m ³	Canada. British Columbia OEL
Remarks	The 8-hour TWA listed in the Table is for the total dust. The substance also has an 8-hour TWA of 3 mg/m ³ for the respirable fraction.	A listed in the respirable fraction TWA EV	the Table is for the respirable fraction. 10 mg/m ³	total dust. The substance also has an 8-hour TWA of Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWAEV	10 mg/m ³	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
	The standard corresponds to dust containing no asbestos and the percentage in crystalline silica is less than 1 %.	corresponds to dust containing TWA EV	s to dust containing 10.000000 mg/m ³	no asbestos and the percentage in crystalline silica is Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWAEV	10.000000 mg/m ³	Canada. Ontario OELs

Components	CAS-No.	Value	Control parameters	Basis
Acetic acid	64-19-7	TWA	10.000000 ppm 25.000000 mg/m ³	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		STEL	15.000000 ppm 37.000000 mg/m ³	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		TWA	10.000000 ppm	Canada. British Columbia OEL
		STEL	15.000000 ppm	Canada. British Columbia OEL
		TWAEV	10.000000 ppm 25.000000 mg/m ³	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		STEV	15.000000 ppm 37.000000	Québec. Regulation

			mg/m3	respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWA	10 ppm 25 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		STEL	15 ppm 37 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		TWA	10 ppm	Canada. British Columbia OEL
		STEL	15 ppm	Canada. British Columbia OEL
		TWAEV	10 ppm 25 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		STEV	15 ppm 37 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWA	10.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	15.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	10 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	15 ppm	USA. ACGIH Threshold Limit Values (TLV)

Data source	Sigma-Aldrich.
--------------------	----------------

Ventilation	Fan.
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
Gloves	Handle with gloves.
Eyes	Safety goggles with safety shutters.
Shoes	Safety shoes.
Clothing	Labcoat.
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid.
Appearance	Liquide incolore avec présence d'une dépôt blanc-
Odour	Donnée non disponible..
Odour threshold	Data not available
pH	3.
Melting point / Freezing point	Data not available
Initial boiling point	Data not available
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Solubility	Soluble dans l'eau 50 g/L à 90°C (Amidon).
Vapour density	Data not available
Relative density	1.00g/ml
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Non-reactive under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Stable under normal conditions.
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Reactions to strong oxidizing agents.
Incompatible material	Strong oxidizing agents.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. Toxic vapors of carbon monoxide and dioxide.

SECTION 11 - TOXICOLOGICAL INFORMATION

STACH (SOLUBLE)

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation.
- Skin	Irritation. NOTE: Some cases of skin sensitization (urticaria) to the powder contained in surgical gloves are presented in the scientific literature. This powder is, however, largely composed of cornstarch derivatives (amylose, amylopectin).
- Inhalation	Irritation of the mucous membranes and respiratory tract. Cough, dyspnea, headache and vertigo. Intense inhalation may cause respiratory allergy in certain susceptible individuals.
Acute toxicity (Ingestion)	Irritation of the mucous membranes. Gastrointestinal disorders, cramps, diarrhea, headache, dizziness, nausea and vomiting.
Chronic exposure effects / symptoms	Burning sensation, nervous disorders, respiratory allergies, cough, dyspnea, headache, dizziness, confusion, irritability, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral - Data not available. LD50 Dermal - Data not available. Intraperitoneal LD50 - Mouse - 6.600 mg / kg
CL50 (specify species and route of entry)	LC50 - Inhalation - Data not available.

ACETIC ACID, GLACIAL

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Severe burns and destruction of ocular tissue that can lead to corneal ulceration and blindness.
- Skin	Severe burns and tissue ulcerations. May be fatal, if the extent of the burns is considerable.
- Inhalation	Spasms, irritation and inflammation of the nose, throat and lungs. Edema of the larynx and bronchi. Chemical pneumonitis and pulmonary edema that can lead to death.
Acute toxicity (Ingestion)	Corrosion and ulceration of the mouth, throat, esophagus, stomach and abdominal wall. Dysphagia, kidney damage, bloody diarrhea and vomiting, diaphoresis, intense thirst, shock, circulatory collapse, unconsciousness, coma and can lead to death.
Chronic exposure effects / symptoms	Burning sensation, conjunctivitis, hyperkeratosis, nervous disorders, chest pain, dental erosion, cough, dyspnea, laryngitis, headache, dizziness, diarrhea, asthenia, irritability, weight loss and loss of appetite, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral - Rat - 3,530 mg/kg. LD50 Dermal - Rabbit - 1060 mg/kg
CL50 (specify species and route of entry)	LC50 Inhalation - Rat -4h - 11.4 mg/L (4400 ppm - 4 h) LC50 Inhalation - Mouse- 1hre - 5620 ppm

SUMMARY

Acute exposure effects / Symptoms:	By exposure routes below.
Ingestion	To our knowledge, the product has not been fully evaluated
Inhalation	To our knowledge, the product has not been fully evaluated
Skin	To our knowledge, the product has not been fully evaluated
Eyes	To our knowledge, the product has not been fully evaluated
Chronic exposure effects / Symptoms:	To our knowledge, the product has not been fully evaluated
ETA Mix (Estimated Acute Toxicity)	LD50: >5000 mg/kg -Oral Rat LD50: >5000 mg/kg -Dermal Rabbit LC50: >100 mg/L- 4h - Inhalation Rat

SECTION 12 - ECOLOGICAL INFORMATION

Available ecological information	No
---	----

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	N/R
UN Proper shipping name	
Transport hazard class(es)	
Packing group	
Limited quantity index	
ERAP Index	
Special precautions	

SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Not a hazardous substance according to WHMIS 2015
--------------	---

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 2/21/2019