

Centre Anti-Poison pour le Québec: (800) 463-5060 Tél. (Qc): (418) 660-8666 / 800-890-8666 Fax. (Qc): (418) 660-8998

#### SAFETY DATA SHEET

# **SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION**

Product Identifier			Product Use		
NITROGEN (STANDARD 1000PPM)			Laboratory use		
Chemical formula				Product code	Molar weight
-				AS-8940; AS-0940	
Chemical name / Commercial name /	Synonymous			·	
-					
Supplier's name			Address-Street		
Laboratoire MAT			610, Adanac Street		
City			Province		
Québec			Québec		
Postal code Internet		Phone number			
G1C 7B7 www.labmat.com		418-660-8666 / 800-890-8666			
Emergency phone CANUTEC: 613-996-6666		CENTRE ANTI-POISON DU QUÉBEC 800-463-5060			
Date SDS		SDS Prepared by		E-Mail	
11/20/2018 Laboratoire MA		Т	labmat@labmat.com		

## **SECTION 02 - HAZARDS IDENTIFICATION**

Classification WHIMS / GHS	Not a hazardous substance according to WHMIS 2015		
Other dangers		NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)	
	Health Fire Reactivity Special dange	0 0 0 r	

# SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Chlorure d'ammonium	12125-02-9	0.38
Eau	7732-18-5	Balance

# **SECTION 04 - FIRST AID MEASURES**

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 1.5 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	If the person is conscious, drink water and induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

### **SECTION 05 - FIREFIGHTING MEASURES**

Flammability	No
Ignition conditions	Not flammable or combustible.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Data not available.
Hazardous combustion / decomposition products	When heated to decomposition, ammonium chloride gives off toxic vapors of hydrogen chloride and ammonia.
Special fire and explosion hazards	Ammonium chloride forms an explosive mixture in the presence of potassium chlorate. Violent reactions (ignition) on contact with trifluoride and bromine pentafluoride. Ammonium chloride combined with hydrogen cyanide produces a very unstable compound; nitrogen trichloride. May react violently with incompatible products (Ref Section 10).
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

# SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for	Evacuate personnel to safe areas. Absorb the product with sand or vermiculite. Dilute residues with water,
containment and cleaning up /	clean and rinse. Ensure a good ventilation of the premises. Dispose of residues in a container for disposal
Personnal precautions, protective	of hazardous materials. When handling, wear suitable safety equipment. Use breathing apparatus if
equipment	necessary. Avoid breathing vapours, mist or gas.

# SECTION 07 - HANDLING AND STORAGE

Store in a cool, dry place. Store in a well-ventilated area. Keep container tightly closed and store away from heat, moisture, and incompatible products.	
Always open containers slowly to allow any excess pressure to vent. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust or vapor is formed.	

# SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Workplace control parameters

Components	CAS- No.	Value	Control parameters	Basis			
	12125- 02-9	TWA	10.000000 mg/m3	Canada. British Columbia OEL			
		STEL	20.000000 mg/m3	Canada. British Columbia OEL			
		TWA	10.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)			
Remarks		Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required					
		STEL	20.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)			
	Occupa required		oosure limit is l	pased on irritation effects and its adjustment to compensate for unusual work schedules is not			
		TWA	10.000000 mg/m3	Canada. British Columbia OEL			
		STEL	20.000000 mg/m3	Canada. British Columbia OEL			
		TWAEV	10.000000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants			
		STEV	20.000000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants			
	1	TWA	10.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)			
	Occupa <sup>.</sup> required		oosure limit is l	pased on irritation effects and its adjustment to compensate for unusual work schedules is not			
		STEL	20.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)			
	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required						
		TWAEV	10.000000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants			
		STEV	20.000000 mg/m3	uvébec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants			
		TWA	10.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)			
		STEL	20.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)			
		TWA	10.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)			
		STEL	20.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)			

Data source	Sigma-Aldrich.	
Ventilation	Use fan.	
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.	
Gloves	Handle with gloves.	
Eyes	Safety goggles with safety shutters.	
Shoes	Safety shoes.	
Clothing	Labcoat.	
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.	

# SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid.
Appearance	Liquide incolore-
Odour	Faible odeur d'ammoniac
Odour threshold	Data not available
рН	5-7.
Melting point / Freezing point	Data not available
Initial boiling point	Data not available
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Solubility	Soluble dans l'eau (26% à 15°C). Soluble dans l'alcool et la glycérine (Chlorure d'ammonium).
Vapour density	Data not available
Relative density	1.00g/ml
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

# SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Non-reactive under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Stable under normal conditions.
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	This product quickly absorbs moisture from the air.
Incompatible material	Strong acids and bases, trifluoride and bromine pentafluoride, hydrogen cyanide, alkali metals and their carbonates, lead and silver salts, potassium chlorate and moisture. Strong oxidizing agents.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. Toxic vapors of hydrogen chloride and ammonia. Nitrogen oxides.

# SECTION 11 - TOXICOLOGICAL INFORMATION

#### AMMONIUM CHLORIDE

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation and may cause inflammation of the conjunctiva.
- Skin	Irritation and dermatitis.
- Inhalation	Irritation of the mucous membranes and respiratory tract. Nervous disorders, cough, dyspnea, headache, dizziness, nausea and vomiting.
Acute toxicity (Ingestion)	Irritation of the mucous membranes. Gastrointestinal disorders, cramps, diarrhea, headache, dizziness, convulsions, nausea and vomiting.
Chronic exposure effects / symptoms	Burning sensation, dermatitis, conjunctivitis, chest pain, cough, dyspnoea, laryngitis, headache, dizziness, confusion, irritability, tiredness, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral - Rat - 1 650 mg/kg LD50 Dermal - Rat - $>$ 2 000 mg/kg.
CL50 (specify species and route of entry)	LC50 - Inhalation - Data not available.

#### SUMMARY

Acute exposure effects / Symptoms:	By exposure routes below.
Ingestion	To our knowledge, the product has not been fully evaluated
Inhalation	To our knowledge, the product has not been fully evaluated
Skin	To our knowledge, the product has not been fully evaluated
Eyes	To our knowledge, the product has not been fully evaluated
Chronic exposure effects / Symptoms:	To our knowledge, the product has not been fully evaluated
ETA Mix (Estimated Acute Toxicity)	LD50 Oral: >5000 mg/kg - Rat LD50: Dermal: >5000 mg/kg -Rat LC50 Inhalation: Data not available

## **SECTION 12 - ECOLOGICAL INFORMATION**

Ecotoxicity	Ammonium chloride: Toxicity to fish: LC50 - Cyprinus carpio (carp) - 209.00 mg / I - 96 h LC50 - Oncorhynchus mykiss (rainbow trout) - 3.98 mg / I - 96 h NOEC - Oncorhynchus mykiss (rainbow trout) - 57 mg / I - 96 h Toxicity to daphnia and other aquatic invertebrates: LC50 - Daphnia magna (Greater Daphnia) - 161 mg / I - 48 h Inhibition of growth NOEC - Daphnia magna (Greater Daphnia) - 0.1 mg / I - 216 h
Persistence and degradability	Soluble in water. Persistence is unlikely based on the information provided.
Bioaccumulative potential	Data not available.
Mobility in soil	Soluble in water. Probable mobility in the environment due to its solubility in water.
Other adverse effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

### **SECTION 13 - DISPOSAL CONSIDERATIONS**

•	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

### **SECTION 14 - TRANSPORT INFORMATION**

UN Number	N/R
UN Proper shipping name	
Transport hazard class(es)	
Packing group	
Limited quantity index	
ERAP Index	
Special precautions	

### **SECTION 15 - REGULATORY INFORMATION**

WHIMS CANADA

Not a hazardous substance according to WHMIS 2015

### **SECTION 16 - OTHER INFORMATION**

**Further information** 

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.