

Centre Anti-Poison pour le Québec: (800) 463-5060 Tél. (Qc): (418) 660-8666 / 800-890-8666 Fax. (Qc): (418) 660-8998

# SAFETY DATA SHEET

# **SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION**

ACETIC ACID 20%W/W			Product Use			
			Laboratory use			
Chemical formula				Product code	Molar weight	
CH3COOH			AS-2010	60,05		
Chemical name / Commercial name / Synonymous ACIDE ACÉTIQUE, ACIDE ÉTHANOÏQUE, ACIDE MÉTHANECARBOXYLIQUE, AC			OXYLIQUE, ACIDE [	DE VINAIGRE, ACI-JEL		
Supplier's name			Address-Street			
Laboratoire MAT			610, Adanac Street			
City		Province				
Québec			Québec	Québec		
Postal code	Internet	Internet		Phone number		
G1C 7B7	www.labmat.com	www.labmat.com		418-660-8666 / 800-890-8666		
Emergency phone	CANUTEC: 6	CANUTEC: 613-996-6666		CENTRE ANTI-POISON DU QUÉBEC 800-463-5060		
Date SDS		SDS Prepared by		E-Mail		
2/21/2019	Laboratoire MA		AT .	labmat@labmat.com		

# **SECTION 02 - HAZARDS IDENTIFICATION**

Liquides inflammables category 4  Skin correction /irritation Skin correction category 1				
Skin corrosion/irritation - Skin corrosion category 1				
urfaces. — No smoking.				
s / spray.				
ntact with the product after				
protection/face protection.				
niting.				
ely all contaminated clothing.				
at rest in a position comfortable				
minutes. Remove contact lenses,				
ysician.				
on this label).				
t foam, or dry powder or carbon				
local / regional / national / ste disposal company.				
ainer with corrosion resistant				
iant; 4=Extreme)				
ioni, Exilono,				
_				

# **SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS**

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Acide acétique	64-19-7	20
Eau	7732-18-5	Balance

# **SECTION 04 - FIRST AID MEASURES**

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	If the person is conscious, give water to drink. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

# **SECTION 05 - FIREFIGHTING MEASURES**

Flammability	Yes	
Ignition conditions	No longer flammable at this concentration. But remains combustible.	
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
Unsuitable extinguishing media	Data not available.	
Hazardous combustion / decomposition products	Hazardous decomposition products formed under fire conditions. Carbon oxides.	
Special fire and explosion hazards	May react violently with incompatible products (Ref Section 10).	
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.	

# **SECTION 06 - ACCIDENTAL RELEASE MEASURES**

Methods and materials for	Evacuate personnel to safe areas. Cut off all sources of ignition. Absorb the product with sand or
containment and cleaning up /	vermiculite. Dilute residues with water, clean and rinse. Ensure a good ventilation of the premises. Dispose
Personnal precautions, protective	of residues in a container for disposal of hazardous materials. When handling, wear suitable safety
equipment	equipment. Use breathing apparatus if necessary. Avoid breathing vapours, mist or gas.

# **SECTION 07 - HANDLING AND STORAGE**

	Store in a cool, dry place. Store in a well-ventilated area. Keep container tightly closed and store away from heat, water, moisture, and incompatible products. Keep away from sources of ignition - No smoking. Take measures to prevent the accumulation of electrostatic charges. Protect from the sun's rays.
Methods of handling	Keep away from sources of ignition - No smoking. Avoid inhalation of vapour or mist.

# SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Acetic acid	64-19-7	TWA	10.000000 ppm 25.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		STEL	15.000000 ppm 37.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		TWA	10.000000 ppm	Canada. British Columbia OEL
		STEL	15.000000 ppm	Canada. British Columbia OEL
		TWAEV	10.000000 ppm 25.000000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		STEV	15.000000 ppm 37.000000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWA	10 ppm 25 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		STEL	15 ppm 37 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		TWA	10 ppm	Canada. British Columbia OEL
		STEL	15 ppm	Canada. British Columbia OEL
		TWAEV	10 ppm 25 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		STEV	15 ppm 37 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWA	10.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	15.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)
		TWA	10 ppm	USA. ACGIH Threshold Limit Values (TLV)
		STEL	15 ppm	USA. ACGIH Threshold Limit Values (TLV)

Data source	Sigma-Aldrich (Millipore Sigma)	
Ventilation	Fan.	
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.	
Gloves	Handle with gloves.	
Eyes	Safety goggles with safety shutters.	
Shoes	Safety shoes.	
Clothing	Labcoat.	
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.	

# **SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES**

Physical state	Liquid.
Appearance	Liquide incolore-
Odour	Odeur forte et irritante.
Odour threshold	Data not available
рН	Solution aqueuse 1.0 M = $2.4$ Solution 0.1 M = $2.9$ Solution 0.01 M = $3.4$ .
Melting point / Freezing point	Data not available
Initial boiling point	Data not available
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	Yes
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Solubility	H2O: 602.9 g/L @ 25 °C.
Vapour density	Data not available
Relative density	1.026 (21%p/p)g/ml à 20°C
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

# **SECTION 10 - STABILITY AND REACTIVITY**

Reactivity	Non-reactive under normal conditions.			
Chemical stability	Stable under recommended storage conditions.			
Possibility of hazardous reactions	Stable under normal conditions.			
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Heat, flames, sparks. Avoid contact with incompatible materials and extreme temperatures.			
Incompatible material	Strong oxidizing agents (chromic acid, nitric acid, peroxides, chlorates and perchlorates), bases, alcohols, carbonates, hydroxides, oxides, phosphates, 5-azidotetrazole, bromine pentafluoride, chromium trioxide, hydrogen peroxide, potassium permanganate, sodium peroxide, phosphorus trichloride, heat and moisture.			
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. Carbon oxides.			

# **SECTION 11 - TOXICOLOGICAL INFORMATION**

# **ACETIC ACID, GLACIAL**

Routes of exposure	Ingestion, inhalation, skin and eyes.		
Acute exposition effects / symptoms:	By exposure route below.		
- Eyes	Severe burns and destruction of ocular tissue that can lead to corneal ulceration and blindness.		
- Skin	Severe burns and tissue ulcerations. May be fatal, if the extent of the burns is considerable.		
- Inhalation	Spasms, irritation and inflammation of the nose, throat and lungs. Edema of the larynx and bronchi. Chemical pneumonitis and pulmonary edema that can lead to death.		
Acute toxicity (Ingestion)	Corrosion and ulceration of the mouth, throat, esophagus, stomach and abdominal wall. Dysphagia, kidney damage, bloody diarrhea and vomiting, diaphoresis, intense thirst, shock, circulatory collapse, unconsciousness, coma and can lead to death.		
Chronic exposure effects / symptoms	Burning sensation, conjunctivitis, hyperkeratosis, nervous disorders, chest pain, dental erosion, cough, dyspnea, laryngitis, headache, dizziness, diarrhea, asthenia, irritability, weight loss and loss of appetite, nausea and vomiting.		
DL50 (specify species and route of entry)	LD50 Oral - Rat - 3,530 mg/kg. LD50 Dermal - Rabbit - 1060 mg/kg		
CL50 (specify species and route of entry)	LC50 Inhalation - Rat -4h - 11.4 mg/L (4400 ppm - 4 h) LC50 Inhalation - Mouse- 1hre - 5620 ppm		

#### **SUMMARY**

Acute exposure effects / Symptoms:	By exposure routes below.
Ingestion	To our knowledge, the product has not been fully evaluated
Inhalation	To our knowledge, the product has not been fully evaluated
Skin	To our knowledge, the product has not been fully evaluated
Eyes	To our knowledge, the product has not been fully evaluated
Chronic exposure effects / Symptoms:	To our knowledge, the product has not been fully evaluated
ETA Mix (Estimated Acute Toxicity)	LD50 Oral:>5000mg/kg - Rat LD50 Dermal: >5000mg/kg - Rabbit LC50 Inhalation: 55mg/L - 4h - Rat

#### **SECTION 12 - ECOLOGICAL INFORMATION**

Ecotoxicity	Acetic acid. Toxicity to fish: Semi-static test LC50 - Oncorhynchus mykiss: > 1,000 mg/l - 96 h Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna: > 300.82 mg/l - 48 h
Persistence and degradability	Biodegradability Result: - Readily biodegradable
Bioaccumulative potential	Data not available.
Mobility in soil	Data not available.
Other adverse effects	Biochemical oxygen demand (BOD): 880 mg/g

# **SECTION 13 - DISPOSAL CONSIDERATIONS**

Waste Disposal Method	Comply with federal, state and local regulations regarding waste disposal.
Contaminated Packaging	Dispose of as unused product.

# **SECTION 14 - TRANSPORT INFORMATION**

UN Number	2790	
UN Proper shipping name	ACIDE ACÉTIQUE EN SOLUTION contenant plus de 10 % et moins de 50 %	
Transport hazard class(es)	8 Corrosive substances	
Packing group	III	
Limited quantity index	5L	
ERAP Index	-	
Special precautions	-	

# **SECTION 15 - REGULATORY INFORMATION**

Serious eye damage/eye irritation - Serious eye damage category 1 Liquides inflammables category 4 Skin corrosion/irritation - Skin corrosion category 1
Corrosive to metals-Category 1

# **SECTION 16 - OTHER INFORMATION**

#### **Further information**

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 2/21/2019