



Centre Anti-Poison pour le Québec: (800) 463-5060

Tél. (Qc): (418) 660-8666 / 800-890-8666



Fax. (Qc): (418) 660-8998

SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier BISPHENOL A		Product Use Laboratory use	
Chemical formula (CH ₃) ₂ C(C ₆ H ₄ OH) ₂		Product code BP-0168	Molar weight 228,29
Chemical name / Commercial name / Synonymous 2,2-BIS-(4-HYDROXYPHÉNYL)-PROPANE, 4,4'-ISOPROPYLIDENEDIPHENOL, ISOPROPYLIDENEDIPHE, BISPHENOL A. 4,4'-DIHYDROXYDIPHENYLDIMETHYLMETHANE			
Supplier's name Laboratoire MAT		Address-Street 610, Adanac Street	
City Québec		Province Québec	
Postal code G1C 7B7	Internet www.labmat.com	Phone number 418-660-8666 / 800-890-8666	
Emergency phone	CANUTEC: 613-996-6666		CENTRE ANTI-POISON DU QUÉBEC 800-463-5060
Date SDS 11/20/2019	SDS Prepared by Laboratoire MAT	E-Mail labmat@labmat.com	

SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Serious eye damage/eye irritation - Serious eye damage category 1 Reproductive toxicity category 1B Respiratory or skin sensitization - Skin sensitize category 1 Specific target organ toxicity - Single exposure category 3
Signal Word	DANGER
Hazards statements (H)	H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation. H360 May damage fertility or the unborn child.
Precautionary statements (P)	P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P261 Avoid breathing dust / fume / gas / mist / vapours / spray. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/attention. P310 Immediately call a POISON CENTER or doctor/physician. P312 Call a POISON CENTER or doctor/physician if you feel unwell. P321 Specific treatment (see section 4 of the SDS and on this label). P333 + P313 If skin irritation or rash occurs: Get medical advice/attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company.
PICTOGRAMS	
Other dangers	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)
	Health 3 Fire 0 Reactivity 0 Special danger

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Bisphénol A	80-05-7	<=100

SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	If the person is conscious, rinse the mouth with water. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

SECTION 05 - FIREFIGHTING MEASURES

Flammability	No
Ignition conditions	Non flammable.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Data not available.
Hazardous combustion / decomposition products	Hazardous decomposition products formed under fire conditions. Carbon oxides.
Special fire and explosion hazards	May react violently with incompatible products (Ref Section 10). Keep product and empty containers away from heat and sources of ignition.
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up / Personnel precautions, protective equipment	Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment. Pick up with a shovel or broom, taking care not to scatter dust. Dispose of residues in a container provided for the disposal of hazardous materials. Do not let product enter drains. Discharge into the environment must be avoided.
--	--

SECTION 07 - HANDLING AND STORAGE

Conditions for safe storage	Keep container tightly closed in a dry and well-ventilated place. Store in cool place. Keep away from oxidizing materials.
Methods of handling	Avoid contact with the skin, eyes and clothes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

Components	CAS-No.	Control	Value	Basis
BISPHENOL A	80-05-7	TLV, TWA, STEL	No data available	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		TLV, TWA, STEL	No data available	Canada. British Columbia OEL
		TLV, TWA, STEL	No data available	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants

Ventilation	Use fan.
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
Gloves	Handle with gloves.
Eyes	Safety goggles with safety shutters.
Shoes	Safety shoes.
Clothing	Labcoat. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid.
Appearance	Cristalline blanc/beige.
Odour	Aromatique.
Odour threshold	Data not available
pH	Données non disponibles.
Melting point / Freezing point	158-159°C
Initial boiling point	220°C à 4 mmHg.
Boiling range	Data not available
Flash point	227°C
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	0.86 mbar @ 190 °C.
Vapour density	Data not available
Relative density	1.195g/cm ³
Solubility	Insoluble dans l'eau. Très soluble dans l'éthanol, l'éther et le benzène. Soluble dans l'acide acétique.
Partition coefficient water/n-octanol	log Kow : 3.32-
Auto-ignition temperature	510°C
Decomposition temperature	>260°C
Viscosity	Data not available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Non-reactive under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Stable under normal conditions.
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Incompatible products.
Incompatible material	Strong bases. Strong oxidizing agents. Acid anhydrides, Acid chlorides.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. Carbon oxides.

SECTION 11 - TOXICOLOGICAL INFORMATION

BISPHENOL A

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Severe irritation and burns that may cause permanent eye damage.
- Skin	May cause skin irritation.
- Inhalation	May cause irritation of the mouth, throat and nasal passages. Inhalation of this product causes irritation of the upper respiratory tract, sore throat, coughing, and sneezing.
Acute toxicity (Ingestion)	May cause irritation.
Chronic exposure effects / symptoms	May impair fertility or the fetus Migraine, Dizziness, Somnolence, Excitement, CNS Disorders, Loss of consciousness, respiratory arrest.
DL50 (specify species and route of entry)	LD50 Oral - Rat - Male et female - >2000-5000 mg/kg. LD50 Dermal - Rabbit - 6400 mg/kg.
CL50 (specify species and route of entry)	CL50 inhalation - Rat 0.17 mg/L - 6 h.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity	EC50 - Pseudokirchneriella subcapitata (green algae) - 2.5 mg/L - 96 h. EC50 - Daphnia magna (Water flea) - Static test: 9.2 - 11.4 mg/L - 48 h. LC50 - Danio rerio (zebra fish) - Static test: 9.9 mg/L - 96 h. LC50 - Oncorhynchus mykiss (rainbow trout) - 4 mg/L - 96 h. LC50 - Pimephales promelas (fathead minnow) - Static test: 4.0 - 5.5 mg/L - 96 h. Flow-through test - 3.6 - 5.4 mg/L - 96 h.
Persistence and degradability	Aerobic Biodegradability - Duration of exposure 28 d Result: 89% - Readily biodegradable. (OECD guideline 301F).
Bioaccumulative potential	Bioaccumulation Cyprinus carpio (Carp) - 42 d - 0.015 mg / l (Bisphenol A) Bioconcentration factor (BCF): 20 - 67.
Mobility in soil	Data not available.
Other adverse effects	Toxic to aquatic life with long lasting effects.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	N/R
UN Proper shipping name	
Transport hazard class(es)	
Packing group	
Limited quantity index	
ERAP Index	
Special precautions	

SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Serious eye damage/eye irritation - Serious eye damage category 1 Reproductive toxicity category 1B Respiratory or skin sensitization - Skin sensitize category 1 Specific target organ toxicity - Single exposure category 3
---------------------	--

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 11/20/2019