



Centre Anti-Poison pour le Québec: (800) 463-5060
Tél. (Qc): (418) 660-8666 / 800-890-8666
Fax. (Qc): (418) 660-8998

SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier BARIUM CARBONATE		Product Use Laboratory use	
Chemical formula BaCO ₃		Product code BR-0101; BP-0901; BU-0101	Molar weight 197,35
Chemical name / Commercial name / Synonymous CARBONIC ACID BARYUM SALT, BARIUM CARBONATE, BARIUM CARBONATE NATURAL			
Supplier's name Laboratoire MAT		Address-Street 610, Adanac Street	
City Québec		Province Québec	
Postal code G1C 7B7	Internet www.labmat.com	Phone number 418-660-8666 / 800-890-8666	
Emergency phone	CANUTEC: 613-996-6666	CENTRE ANTI-POISON DU QUÉBEC 800-463-5060	
Date SDS 5/25/2021	SDS Prepared by Laboratoire MAT	E-Mail labmat@labmat.com	

SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Acute toxicity - Oral category 4
Signal Word	WARNING
Hazards statements (H)	H302 Harmful if swallowed.
Precautionary statements (P)	<p>P264 Wash the areas of the body that have been in contact with the product after handling.</p> <p>P270 Do not eat, drink or smoke when using this product.</p> <p>P330 Rinse mouth.</p> <p>P501 Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company.</p> <p>P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.</p>
PICTOGRAMS	
Other dangers	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Significant; 4=Extreme)
	<p>Health 2</p> <p>Fire 0</p> <p>Reactivity 0</p> <p>Special danger</p>

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Carbonate de Baryum	513-77-9	<=100

SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Do not use the mouth-to-mouth method if the victim has ingested or inhaled the substance, apply artificial respiration with a pocket mask equipped with a one-way valve or other suitable medical device. Consult a physician.
Ingestion	Do NOT induce vomiting. If the person is conscious, rinse the mouth with water. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Main symptoms of high exposure: Gastrointestinal disorders. Abdominal pain. Vomiting. Dizziness. Convulsions. Breathing difficulties. Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

SECTION 05 - FIREFIGHTING MEASURES

Flammability	No
Ignition conditions	Non flammable.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Do not use a heavy water stream.
Hazardous combustion products	Hazardous combustion products formed under fire conditions: - Carbon oxides, Barium oxide. Barium peroxide.
Special fire and explosion hazards	May react violently with incompatible products (Ref Section 10).
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up / Personnel precautions, protective equipment	Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment. Pick up with a shovel or broom, taking care not to scatter dust. Dispose of residues in a container provided for the disposal of hazardous materials. Do not let product enter drains.
--	--

SECTION 07 - HANDLING AND STORAGE

Conditions for safe storage	Store in a cool, dry place. Keep container tightly closed and store away from strong oxidizers, heat, and moisture.
Methods of handling	Avoid contact with the skin, eyes and clothes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust or vapor is formed. Wear personal protective equipment when handling. Always ensure good ventilation. Transport according to TDG (ref Section 14)

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Barium carbonate	513-77-9	TWA	0.5 mg/m ³	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
Remarks				
		TWAEV	0.5 mg/m ³	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWA	0.5 mg/m ³	Canada. British Columbia OEL
		TWA	0.500000 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)
		TWA	0.5 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)

Data source	Sigma-Aldrich.
Ventilation	Fan.
Respiratory	If work under the hood is not possible, or if the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
Gloves	Handle with gloves.
Eyes	Safety goggles with safety shutters.
Shoes	Use safety shoes.
Clothing	Labcoat. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid.
Appearance	Poudre blanche.
Odour	inodore.
Odour threshold	Data not available
pH	6.8 à 3.7g/L à 37°C.
Melting point / Freezing point	811°C
Initial boiling point	1300°C
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Vapour density	Data not available
Relative density	4.43g/cm ³
Solubility	Légèrement soluble dans l'eau 0.02g/L à 20 °C, insoluble dans l'acide sulfurique et l'éthanol.
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	May react violently with incompatible substances.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	May react violently with incompatible substances.
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Avoid excessive heat.
Incompatible material	Strong acids, strong oxidants. Bromine trifluoride, 2-percarboxy furan.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. - Carbon oxides, Barium oxide.

SECTION 11 - TOXICOLOGICAL INFORMATION

BARIUM CARBONATE

Routes of exposure	Ingestion and inhalation.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation.
- Skin	Irritation.
- Inhalation	Irritation of the mucous membranes and respiratory tract.
Acute toxicity (Ingestion)	Excessive salivation, nausea, vomiting, diarrhea, stimulation of all muscles followed by flaccid paralysis, heart rhythm disturbances (tachycardia and ventricular fibrillation), hypertension, hypokalemia, death from cardiac or respiratory failure.
Chronic exposure effects / symptoms	The fatal dose of barium carbonate is 0.8 g and death occurs within 2 to 12 hours. The symptoms of overexposure are excessive salivation, vomiting, severe abdominal pain, violent diarrhea; increased blood pressure; tinnitus, giddiness, vertigo; muscle twitching, convulsions, paralysis; dilated pupils; confusion, somnolence; cardiac arrest; death due to respiratory failure.
DL50 (specify species and route of entry)	LD50 Oral - Rat - 418 mg/kg LD50 Dermal - Data not available.
CL50 (specify species and route of entry)	LC50 - Inhalation - Data not available.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity	LC50 - Gambusia affinis (Mosquito fish) - 6950 mg/L - 96 h
Persistence and degradability	Insoluble in water.
Bioaccumulative potential	Data not available.
Mobility in soil	Unlikely mobility in the environment due to its low solubility in water.
Other adverse effects	Data not available.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	1564
UN Proper shipping name	COMPOSÉ DU BARYUM, N.S.A.
Transport hazard class(es)	6.1 Toxic substances
Packing group	II
Limited quantity index	0,5kg
ERAP Index	-
Special precautions	16 (Carbonate de baryum)

SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Acute toxicity - Oral category 4
--------------	----------------------------------

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 5/25/2021