

Centre Anti-Poison pour le Québec: (800) 463-5060 Tél. (Qc): (418) 660-8666 / 800-890-8666 Fax. (Qc): (418) 660-8998

SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier			Product Use		
CALCIUM CHLORIDE (10-12 mesh)			Laboratory use		
Chemical formula			Product code	Molar weight	
CaCl ₂			CP-0108; CA-0108; CR-0112	110,99	
Chemical name / Commercial name / Synonymous CHLORURE DE CALCIUM (ANHYDRE)					
Supplier's name			Address-Street		
Laboratoire MAT		610, Adanac Street			
City		Province			
Québec		Québec			
Postal code	Postal code Internet		Phone number		
G1C 7B7 www.labmat.com		418-660-8666 / 800-890-8666			
Emergency phone CANUTEC: 613-996-6666		CENTRE ANTI-POISON DU QUÉBEC 800-463-5060			
Date SDS SDS Prepared by		•	E-Mail		
11/30/2018 Laboratoire MA		λT	labmat@labmat.com		

SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Serious eye damage/ Eye irritation category 2A		
Signal Word	WARNING		
Hazards statements (H)	H319 Causes serious eye irritation.		
Precautionary statements (P)	P264 Wash the areas of the body that have been in contact with the product after handling.		
	P280 Wear protective gloves/protective clothing/eye protection/face protection.		
	P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
	P337 + P313 If eye irritation persists: Get medical advice/attention.		
PICTOGRAMS	<u>•</u>		
Other dangers	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)		
	Health 2 Fire 0 Reactivity 0 Special danger		

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Chlorure de calcium anhydre	10043-52-4	<=100

SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.	
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.	
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.	
Ingestion	If the person is conscious, drink water and induce vomiting. Never give anything by mouth to an unconscious person. Get immediate medical help.	
Most important symptoms and effects (acute and delayed)	Ref. section 11.	
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.	
General advice	Show this safety data sheet to the doctor in attendance.	

SECTION 05 - FIREFIGHTING MEASURES

Flammability	No
Ignition conditions	Not flammable or combustible.
Suitable extinguishing media	
Unsuitable extinguishing media	Data not available.
Hazardous combustion / decomposition products	Hazardous decomposition products formed under fire conditions Hydrogen chloride gas, Calcium oxide.
Special fire and explosion hazards	May react violently with incompatible products (Ref Section 10).
	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for	Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment. Pick
containment and cleaning up /	up with a shovel or broom, taking care not to scatter dust. Clean and rinse with water.
Personnal precautions, protective	
equipment	

SECTION 07 - HANDLING AND STORAGE

	Moisture sensitive. Strongly hygroscopic Keep container tightly closed in a dry and well-ventilated place. Keep container tightly closed and store away from heat, moisture, and incompatible products.
•	Wear personal protective equipment when handling. Always ensure good ventilation. Transport according to TDG (ref Section 14)

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

Components	CAS-No.		Control parameters	Basis
Calcium chloride	10043-52-4	TWA	- 3/	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.

Data source	Sigma-Aldrich.	
Ventilation	Fan.	
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.	
Gloves	Handle with gloves.	
Eyes	Safety goggles with safety shutters.	
Shoes	Safety shoes.	
Clothing	Labcoat.	
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.	

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid.
Appearance	poudre ou granule de couleur blanche-
Odour	inodore.
Odour threshold	Data not available
рН	Les solution aqueuse sont neutres ou légèrement alcalines
Melting point / Freezing point	775 - 782 °C @ 101.3 kPa-
Initial boiling point	1 935 °C @ 101.3 kPα-
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	0.01 hPa (0.01 mmHg) à 20 °C-
Vapour density	Data not available
Relative density	2.150 g/cm3-
Solubility	Soluble dans l'eau et l'alcool
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Non-reactive under normal conditions.	
Chemical stability	Stable under recommended storage conditions.	
Possibility of hazardous reactions	Stable under normal conditions.	
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Avoid moisture. This product quickly absorbs moisture from the air.	
Incompatible material	Strong acids, borane $/$ boron oxide, zinc, calcium oxide, methyl vinyl ether, calcium chloride is attacked by bromine trifluoride.	
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. Toxic vapors of hydrogen chloride Calcium oxide.	

SECTION 11 - TOXICOLOGICAL INFORMATION

CALCIUM CHLORIDE (10-12 MESH)

Routes of exposure	Inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation and may cause inflammation of the conjunctiva.
- Skin	Irritation and dermatitis. Anhydrous calcium chloride reacts with water releasing many heat, it is therefore advisable to avoid any contact of the product with the skin, especially if it is moist or wet.
- Inhalation	Irritation of the mucous membranes and respiratory tract. Nervous disorders, chest pain, cough, dyspnea, headache, dizziness, nausea and vomiting.
Acute toxicity (Ingestion)	Irritation of the mucous membranes. Dysphagia, abdominal pain, cramps, diarrhea, headache, dizziness, sweating, salivation, convulsions, nausea and vomiting.
Chronic exposure effects / symptoms	Burning sensation, dermatitis, conjunctivitis, nervous disorders, chest pain, cough, dyspnea, headache, dizziness, confusion, irritability, tearing, tiredness, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral - rat - 2,301 mg/kg. LD50 Dermal - Data not available.
CL50 (specify species and route of entry)	LC50 - Inhalation - Data not available.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity	Toxicity to fish: CL50 - Lepomis macrochirus - 10,650 mg/l - 96 h Toxicity for daphnia and the others invertebrates aquatic. CE50 - Daphnia magna - 2,400 mg/l - 48 h Method: OECD Guideline 202.
Persistence and degradability	Data not available.
Bioaccumulative potential	Data not available.
Mobility in soil	Data not available.
Other adverse effects	Data not available.

SECTION 13 - DISPOSAL CONSIDERATIONS

	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	N/R
UN Proper shipping name	
Transport hazard class(es)	
Packing group	
Limited quantity index	
ERAP Index	
Special precautions	

SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Serious eye damage/ Eye irritation category 2A

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 11/30/2018