

Centre Anti-Poison pour le Québec: (800) 463-5060 Tél. (Qc): (418) 660-8666 / 800-890-8666 Fax. (Qc): (418) 660-8998

SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

| Product Identifier | | | Product Use | | | |
|---|-----------------------|-----------------|---|----------------------|--------------|--------------|
| CRESOL (meta-) | | | Laboratory use | | | |
| Chemical formula | | | | Product code | | Molar weight |
| C7H8O | C7H8O | | | CP-0149 108,14 | | 108,14 |
| Chemical name / Commercial name / Synonymous m-CRESOL, 3-METHYLPHENOL, META-CRESYLIC ACID, M-CRESYLIC A TOLUENE, m-OXYTOLUENE, m-TOLUOL | | | YLIC ACID, 3-CRESC | OL, 1-HYDROXY-3-METH | YLBENZENE, m | -HYDROXY- |
| Supplier's name | | | Address-Street | | | |
| Laboratoire MAT | | | 610, Adanac Street | | | |
| City | | Province | | | | |
| Québec | | Québec | | | | |
| Postal code | Internet | | Phone number | | | |
| G1C 7B7 | C 7B7 www.labmat.com | | 418-660-8666 / 800-890-8666 | | | |
| Emergency phone | CANUTEC: 613-996-6666 | | CENTRE ANTI-POISON DU QUÉBEC 800-463-5060 | | | |
| Date SDS | | SDS Prepared by | | E-Mail | | |
| 8/6/2019 | Laboratoire MA | | AT . | labmat@labmat.com | | |

SECTION 02 - HAZARDS IDENTIFICATION

| Classification WHIMS / GHS | Skin corrosion/irritat | ion - Skin corrosion category 1B | | |
|------------------------------|----------------------------------|--|--|--|
| | Serious eye damage | e/eye irritation - Serious eye damage category 1 | | |
| | Acute toxicity - Oral | category 3 | | |
| | Acute toxicity - Derm | Acute toxicity - Dermal category 3 | | |
| | Liquides inflammables category 4 | | | |
| Signal Word | DANGER | | | |
| Hazards statements (H) | H301 Toxic if swallo | wed | | |
| | H311 Toxic in conta | | | |
| | | e skin burns and eye damage. | | |
| | | | | |
| | H318 Causes serious | | | |
| | H227 Combustible li | quia. | | |
| Precautionary statements (P) | P260 | Do not breathe dust / fume / gas / mist / vapours / spray. | | |
| | P264 | Wash the areas of the body that have been in contact with the product after handling. | | |
| | P270 | Do no eat, drink or smoke when using this product. | | |
| | P280 | Wear protective gloves/protective clothing/eye protection/face protection. | | |
| | P301 + P310 | IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. | | |
| | | B1 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. | | |
| | P302 + P352 | IF ON SKIN: Wash with plenty of soap and water. | | |
| | | 53 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. | | |
| | 1000 11001 1100 | Rinse skin with water/shower. | | |
| | P304 + P340 | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. | | |
| | P305 + P351 + P33 | 38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | | |
| | P310 | Immediately call a POISON CENTER or doctor/physician. | | |
| | P312 | Call a POISON CENTER or doctor/physician if you feel unwell. | | |
| | P321 | Specific treatment (see section 4 of the SDS and on this label). | | |
| | P330 | Rinse mouth. | | |
| | P363 | Wash contaminated clothing before reuse. | | |
| | P405 | Store locked up. | | |
| | P501 | Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company. | | |
| | P210 | Keep away from heat/sparks/open flames/hot surfaces. — No smoking. | | |
| | P370 + P378 | In case of fire: Use for extinction. | | |
| | P361 + P364 | Take off immediately all contaminated clothing and wash it before reuse. | | |
| | P403 | Store in a well-ventilated place. | | |
| PICTOGRAMS | A A | <u> </u> | | |
| Terookawa | Par | | | |
| | | | | |
| | | | | |
| Other dangers | NFP | A (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme) | | |
| | Health 3 | , and the second of the second | | |
| | Fire 2 | | | |
| | | | | |
| | Reactivity 1 | | | |
| | Special danger | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

| Ingrédients (Dénomination chimique / synonymes) | Numéro CAS et tout identificateur unique | Concentration (%) |
|---|--|-------------------|
| Méta-crésol | 108-39-4 | <=100 |

SECTION 04 - FIRST AID MEASURES

| Eye contact | Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention. |
|---|---|
| Skin contact | If irritation persists, seek medical attention. |
| Inhalation | Move the unwell person to the fresh air. If breathing is difficult, give oxygen. If the victim is not breathing, give artificial respiration. If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. |
| Ingestion | If the person is conscious, drink water and induce vomiting. Get immediate medical help. Rinse mouth with water. Never give anything by mouth to an unconscious person. |
| Most important symptoms and effects (acute and delayed) | Ref. section 11. |
| Immediate medical attention and special treatment, if necessary | In case of medical consultation, keep this sheet available. |
| General advice | Show this safety data sheet to the doctor in attendance. |

SECTION 05 - FIREFIGHTING MEASURES

| Flammability | Yes |
|---|---|
| Ignition conditions | t is not considered flammable, but can burn at high temperatures. |
| Suitable extinguishing media | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. |
| Unsuitable extinguishing media | Data not available. |
| Hazardous combustion / decomposition products | Hazardous decomposition products formed under fire conditions. Carbon oxides. |
| Special fire and explosion hazards | Moderate fire hazard in the presence of heat or flame. May react violently with incompatible products (Ref Section 10). |
| | Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus. |

SECTION 06 - ACCIDENTAL RELEASE MEASURES

| containment and cleaning up / | Evacuate personnel to safe areas. Cut off all sources of ignition. Absorb the product with sand or vermiculite. Dilute residues with water, clean and rinse. Ensure a good ventilation of the premises. Dispose of residues in a container for disposal of hazardous materials. When handling, wear suitable safety |
|-------------------------------|---|
| equipment | equipment. Use breathing apparatus if necessary. Avoid breathing vapours, mist or gas. Do not let product enter drains. |

SECTION 07 - HANDLING AND STORAGE

| | Store in a cool, dry place. Keep container tightly closed and store away from oxidizing agents, heat, moisture and incompatible materials. Protect from sunlight and light. Store in a well-ventilated area. | |
|--|--|--|
| | Ensure good ventilation. Wear personal protective equipment when handling. Always ensure good ventilation. Transport according to TDG (ref Section 14) | |

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

| Components | CAS- No. | Value | Control parameters | Basis |
|-------------|---------------------|------------|---------------------------------------|---|
| Meta-Cresol | 108- 39-4 | TWA | 5.000000 ppm 22.000000 mg/m3 | Canada. Alberta, Occupational Health and Safety Code (table 2: OEL) |
| Remarks | Substa | nce may | be readily abs | orbed through intact skin |
| | | TWA | 10.000000 ppm | Canada. British Columbia OEL |
| | Contrib | outes sign | ificantly to the | overall exposure by the skin route. |
| | | | 5.000000 ppm 22.000000 mg/m3 | Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants |
| | Skin (percutaneous) | | | |
| | | TWA | 5.000000 ppm | USA. ACGIH Threshold Limit Values (TLV) |

| Data source | Sigma-Aldrich (Millipore Sigma) | |
|---------------------|--|--|
| Ventilation | Use fan. | |
| Respiratory | If work under the hood is not possible, or if the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply. | |
| Gloves | Handle with gloves. | |
| Eyes | Safety goggles with safety shutters. Face shield (20 cm minimum). | |
| Shoes | Safety shoes. | |
| Clothing | Labcoat. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. | |
| Engineering control | Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values. | |

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

| Physical state | Liquid. |
|---------------------------------------|---|
| Appearance | Liquide incolore ou jaunâtre d'aspect visqueux |
| Odour | Type phénol. |
| Odour threshold | Data not available |
| pH | 5 @ 20g/L à 20°C. |
| Melting point / Freezing point | 8-10°C |
| Initial boiling point | 203°C |
| Boiling range | Data not available |
| Flash point | 86°C |
| Evaporation rate | 0.02% |
| Flammability | Yes |
| Lower flammable / Explosive limit | 1.06% v/v |
| Upper flammable / Explosive limit | 1.35% v/v |
| Vapour pressure | 0.15 mm @ 20°CmmHg |
| Vapour density | 3.73 (Air = 1)- |
| Relative density | 1.034g/cm ³ |
| Solubility | Peu soluble dans l'eau (23.5g/L à 20°C). Miscible avec l'alcool, le chloroforme et l'éther. |
| Partition coefficient water/n-octanol | 0.011- |
| Auto-ignition temperature | 558°C |
| Decomposition temperature | Data not available |
| Viscosity | 16.9mpas |

SECTION 10 - STABILITY AND REACTIVITY

| Reactivity | Non-reactive under normal conditions. |
|---|--|
| Chemical stability | May discolor on exposure to light. |
| Possibility of hazardous reactions | Stable under normal conditions. |
| Conditions of instability (Including sensitivity to shock / static discharge / vibration) | This product may discolor if exposed to light. Avoid excessive heat. |
| Incompatible material | Strong bases. Strong oxidizing agents. |
| Hazardous decomposition products | Toxic vapors of carbon monoxide and dioxide. |

SECTION 11 - TOXICOLOGICAL INFORMATION

CRESOL (META-)

| Routes of exposure | Ingestion, inhalation, skin and eyes. |
|---|---|
| Acute exposition effects / symptoms: | By exposure route below. |
| - Eyes | Severe irritation that may result from blindness due to opacification and vascularization of the cornea. |
| - Skin | Irritation and dermatitis. |
| - Inhalation | Irritation of the mucous membranes and respiratory tract. Nervous disorders, chest pain, cough, dyspnea, headache, dizziness, confusion, nausea and vomiting, rapid breathing, weak pulse, respiratory collapse, unconsciousness, coma and may result in death. |
| Acute toxicity (Ingestion) | Irritation and inflammation of the mucous membranes. Abdominal pain, liver and kidney damage, cramps, diarrhea, headache, dizziness, nausea and vomiting, tremors, weak pulse, pallor, convulsions, respiratory collapse, unconsciousness, coma and may result in death. |
| Chronic exposure effects / symptoms | Burning sensation, dermatitis, nervous disorders, liver, lung, kidney and eye damage, chest pain, cough, dyspnea, laryngitis, headache, dizziness, confusion, tremors, paleness, cardiac arrhythmia, muscle weakness, weight loss and loss of appetite, nausea and vomiting |
| DL50 (specify species and route of entry) | LD50 Oral - Rat - 242 mg/kg. LD50 Dermal - Rabbit - 2040 mg/kg (male et female). |
| CL50 (specify species and route of entry) | LC50 - Inhalation - Data not available. |

SECTION 12 - ECOLOGICAL INFORMATION

| Ecotoxicity | Toxicity to fish: LC50 - Oncorhynchus mykiss (rainbow trout) - 8.9 mg/l - 96 h. Toxicity to daphnia and other aquatic invertebrates: LC50 - Daphnia magna (Water flea) - 18.8 mg/l - 48 h. EC50 - Daphnia magna (Water flea) - 25 mg/l - 24 h. |
|-------------------------------|--|
| Persistence and degradability | Biodegradability Result: - Readily biodegradable |
| Bioaccumulative potential | Bioaccumulation Leuciscus idus (Golden orfe) - 3 d. Bioconcentration factor (BCF): 17. |
| Mobility in soil | Data not available. |
| Other adverse effects | An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life. |

SECTION 13 - DISPOSAL CONSIDERATIONS

| | Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company. |
|------------------------|--|
| Contaminated Packaging | Dispose of as unused product. |

SECTION 14 - TRANSPORT INFORMATION

| UN Number | 2076 |
|----------------------------|---|
| UN Proper shipping name | CRÉSOLS LIQUIDES |
| Transport hazard class(es) | 6.1 Toxic substances 8 Corrosive substances |
| Packing group | II . |
| Limited quantity index | 0,1L |
| ERAP Index | - |
| Special precautions | _ |

SECTION 15 - REGULATORY INFORMATION

| Skin corrosion/irritation - Skin corrosion category 1B Serious eye damage/eye irritation - Serious eye damage category 1 Acute toxicity - Oral category 3 Acute toxicity - Dermal category 3 |
|---|
| Liquides inflammables category 4 |

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 8/6/2019