



Centre Anti-Poison pour le Québec: (800) 463-5060

Tél. (Qc): (418) 660-8666 / 800-890-8666



Fax. (Qc): (418) 660-8998

SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier COPPER (II) CHLORIDE (ANHYDROUS)		Product Use Laboratory use	
Chemical formula CuCl ₂		Product code CP-0158	Molar weight 134,45
Chemical name / Commercial name / Synonymous COPPER (II) CHLORIDE, CUPRIC CHLORIDE, DICHLORURE DE CUIVRE			
Supplier's name Laboratoire MAT		Address-Street 610, Adanac Street	
City Québec		Province Québec	
Postal code G1C 7B7	Internet www.labmat.com	Phone number 418-660-8666 / 800-890-8666	
Emergency phone	CANUTEC: 613-996-6666		CENTRE ANTI-POISON DU QUÉBEC 800-463-5060
Date SDS 1/18/2019	SDS Prepared by Laboratoire MAT	E-Mail labmat@labmat.com	

SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Acute toxicity - Oral category 4 Acute toxicity - Dermal category 4 Skin corrosion/irritation - Skin irritation category 2 Serious eye damage/eye irritation - Serious eye damage category 1
Signal Word	DANGER
Hazards statements (H)	H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage.
Precautionary statements (P)	P264 Wash the areas of the body that have been in contact with the product after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTER or doctor/physician if you feel unwell. P321 Specific treatment (see section 4 of the SDS and on this label). P330 Rinse mouth. P332 + P313 If skin irritation occurs: Get medical advice/attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company. P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P310 Immediately call a POISON CENTER or doctor/physician.
PICTOGRAMS	
Other dangers	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)
	Health 2 Fire 0 Reactivity 0 Special danger

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Chlorure cuivrique	7447-39-4	<=100

SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	If breathing is difficult, give oxygen. If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
Ingestion	If the person is conscious, give water to drink. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

SECTION 05 - FIREFIGHTING MEASURES

Flammability	No
Ignition conditions	Not flammable or combustible.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Data not available.
Hazardous combustion / decomposition products	Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas, Copper oxides
Special fire and explosion hazards	Anhydrous cupric chloride reacts violently with metallic potassium and sodium. Contact with acetylene may result in the formation of copper acetylide, an explosive, unstable, shock-sensitive compound. May react violently with incompatible products (Ref Section 10).
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up / Personnel precautions, protective equipment	Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment. Pick up with a shovel or broom, taking care not to scatter dust. Dispose of residues in a container provided for the disposal of hazardous materials. Do not let product enter drains.
--	--

SECTION 07 - HANDLING AND STORAGE

Conditions for safe storage	Store in a cool, dry place. Keep container tightly closed and store away from heat, moisture, and incompatible products. Keep container tightly closed in a dry and well-ventilated place. Hygroscopic. Store under inert gas. Keep in a dry place. Air and moisture sensitive.
Methods of handling	Always open containers slowly to allow any excess pressure to vent. Avoid formation of dust and aerosols. Bottle in glass or plastic containers. Do not use metal instruments to handle this product. NOTE: aqueous solutions are corrosive to metals. Provide appropriate exhaust ventilation at places where dust or vapor is formed.

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

Components	CAS-No.	Value	Control Citric acid	
COPPER (II) CHLORIDE	7447-39-4	No data available	TLV, TWA, STEL	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		No data available	TLV, TWA, STEL	Canada. British Columbia OEL
		No data available	TLV, TWA, STEL	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants

Ventilation	Use fan.
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
Gloves	Handle with gloves.
Eyes	Safety goggles with safety shutters.
Shoes	Safety shoes.
Clothing	Labcoat.
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid.
Appearance	Poudre cristalline de couleur brun jaunâtre-
Odour	Inodore.
Odour threshold	Data not available
pH	3 à soln 50g/L @20°C.
Melting point / Freezing point	598-620°C
Initial boiling point	993°C (dec)
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	0 Pa @ 25 °C-
Vapour density	Data not available
Relative density	3.386g/cm ³
Solubility	Soluble dans l'eau, l'alcool et l'acétone.
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Non-reactive under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Stable under normal conditions.
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	This product quickly absorbs moisture from the air.
Incompatible material	Acetylene, potassium and sodium metal, alkali metals and moisture. Strong bases.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. Toxic vapors of hydrogen chloride. - Copper oxides

SECTION 11 - TOXICOLOGICAL INFORMATION

COPPER (II) CHLORIDE (ANHYDROUS)

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Severe irritation may result in copper deposition and opacification of ocular tissue (Wilson's disease).
- Skin	Irritation and dermatitis. Intense and prolonged exposure may cause severe irritation and burns to exposed surfaces.
- Inhalation	Irritation of the mucous membranes and respiratory tract. Nervous disorders, chest pain, cough, dyspnea, headache, dizziness, tearing, sweating, salivation, nausea and vomiting.
Acute toxicity (Ingestion)	Irritation of the mucous membranes. Abdominal pain, liver (cirrhosis) and kidney damage, cramps, diarrhea, headache, dizziness, sweating, salivation, convulsions, tachycardia, hypotension, coma and can lead to death.
Chronic exposure effects / symptoms	Burning sensation, dermatitis, conjunctivitis, eye and lung damage, nerve disorders, chest pain, cough, dyspnoea, laryngitis, headache, dizziness, confusion, irritability, metallic taste in the mouth, sweating, salivation, anemia hemolytic, fever, weight loss and loss of appetite, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral - Rat - 584 mg/kg LD50 Dermal - Rat - 1224-2000 mg/kg.
CL50 (specify species and route of entry)	LC50 - Inhalation - Data not available.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity	Toxicity to fish: Mortality LC50 - <i>Cyprinus carpio</i> (Carp) - 0.12 - 0.23 mg/l - 96.0 h. Toxicity to daphnia and other aquatic invertebrates: Immobilization EC50 - <i>Daphnia magna</i> (Water flea) - 0.04 mg/l - 48 h. NOEC - <i>Dreissena polymorpha</i> (zebra mussel) - 0.013 mg/l - 63 d. Toxicity to algae: EC50 - <i>Chlorella vulgaris</i> (Fresh water algae) - 0.2 mg/l - 96 h.
Persistence and degradability	The methods for determining the biological degradability are not applicable to inorganic substances.
Bioaccumulative potential	Data not available.
Mobility in soil	Data not available.
Other adverse effects	Very toxic to aquatic life. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Avoid release to the environment.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	2802
UN Proper shipping name	CHLORURE DE CUIVRE
Transport hazard class(es)	8 Corrosive substances
Packing group	III
Limited quantity index	5kg
ERAP Index	-
Special precautions	-

SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Acute toxicity - Oral category 4 Acute toxicity - Dermal category 4 Skin corrosion/irritation - Skin irritation category 2 Serious eye damage/eye irritation - Serious eye damage category 1
--------------	---

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 1/18/2019