



Centre Anti-Poison pour le Québec: (800) 463-5060

Tél. (Qc): (418) 660-8666 / 800-890-8666



Fax. (Qc): (418) 660-8998

SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier Copper(II) sulfate (pentahydrate)		Product Use Laboratory use	
Chemical formula CuSO ₄ .5H ₂ O		Product code CP-0167	Molar weight 249,68
Chemical name / Commercial name / Synonymous SULFATE DE CUIVRE PENTAHYDRATE, COPPER (II) SULFATE PENTAHYDRATE, VITRIOL BLEU, BLUESTONE, ROMAN VITRIOL			
Supplier's name Laboratoire MAT		Address-Street 610, Adanac Street	
City Québec		Province Québec	
Postal code G1C 7B7	Internet www.labmat.com	Phone number 418-660-8666 / 800-890-8666	
Emergency phone	CANUTEC: 613-996-6666 CENTRE ANTI-POISON DU QUÉBEC 800-463-5060		
Date SDS 1/8/2019	SDS Prepared by Laboratoire MAT	E-Mail labmat@labmat.com	

SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Skin corrosion/irritation - Skin irritation category 2 Serious eye damage/ Eye irritation category 2A Acute toxicity - Oral category 4	
Signal Word	WARNING	
Hazards statements (H)	H315 Causes skin irritation. H319 Causes serious eye irritation. H302 Harmful if swallowed.	
Precautionary statements (P)	P264 Wash the areas of the body that have been in contact with the product after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see section 4 of the SDS and on this label). P330 Rinse mouth. P332 + P313 If skin irritation occurs: Get medical advice/attention. P337 + P313 If eye irritation persists: Get medical advice/attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company. P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.	
PICTOGRAMS		
Other dangers	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)	
	Health 2 Fire 0 Reactivity 0 Special danger	

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Sulfate cuivrique pentahydrate	7758-99-8	<=100

SECTION 05 - FIREFIGHTING MEASURES

Flammability	No
Ignition conditions	Not flammable or combustible.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Data not available.
Hazardous combustion / decomposition products	Hazardous decomposition products formed under fire conditions. Sulfur oxides, Copper oxides.
Special fire and explosion hazards	Violent reactions with hydroxylamine and magnesium powder. This product can react in the presence of acetylene and form acetylides (explosive substances). May react violently with incompatible products (Ref Section 10).
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up / Personnel precautions, protective equipment	Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment. Pick up with a shovel or broom, taking care not to scatter dust. Dispose of residues in a container provided for the disposal of hazardous materials. Do not let product enter drains.
--	--

SECTION 07 - HANDLING AND STORAGE

Conditions for safe storage	Air sensitive. Hygroscopic. Handle and store under inert gas. Store in a cool, dry place. Store in a well-ventilated area. Keep container tightly closed and store away from heat, moisture, and incompatible products.
Methods of handling	Always open containers slowly to allow any excess pressure to vent. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust or vapor is formed.

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid.
Appearance	Poudre cristalline de couleur bleue.-
Odour	inodore.
Odour threshold	Data not available
pH	Solution aqueuse 0.2 M = pH 4.0.
Melting point / Freezing point	110°C (dec)
Initial boiling point	Data not available
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	9.7 hPa (7.3 mmHg) à 25 °C-
Vapour density	Data not available
Relative density	2.284g/cm ³
Solubility	350,00 g/l à 20 °C - Très soluble dans l'eau. Soluble dans la glycérine et le méthanol..
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Non-reactive under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Stable under normal conditions.
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Exposure to moisture. Avoid excessive heat. Avoid dust formation. Avoid contact with incompatible materials.
Incompatible material	Strong oxidizing agents. Strong reducing agents (potassium, sodium, metal hydrides), acetylene, corroded steel, hydroxylamine, magnesium, fine metal powders, heat and moisture. Metallic powders, anhydrous copper (II) sulphate, reacts violently with: hydroxylamine, magnesium.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. Sulfur oxides, Copper oxides.

SECTION 11 - TOXICOLOGICAL INFORMATION

COPPER(II) SULFATE (PENTAHYDRATE)

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Severe irritation may result in copper deposition on cornea and opacification of ocular tissue (Wilson's disease).
- Skin	Irritation and dermatitis.
- Inhalation	Irritation of the mucous membranes and respiratory tract. Nervous disorders, chest pain, cough, dyspnea, headache, dizziness, tearing, sweating, salivation, nausea and vomiting.
Acute toxicity (Ingestion)	Irritation of the mucous membranes. Abdominal pain, kidney damage, cramps, diarrhea, headache, dizziness, sweating, salivation, nausea and vomiting, convulsions, tachycardia, hypotension, coma and can lead to death.
Chronic exposure effects / symptoms	Burning sensation, dermatitis, conjunctivitis, kidney and lung damage, nerve disorders, chest pain, cough, dyspnoea, laryngitis, headache, dizziness, tearing, metallic taste in the mouth, sweating, salivation, fatigue, fever loss of weight and loss of appetite, seizures, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral - rat - 482 mg/kg Remarks: anhydrous. LD50 Dermal - rat -> 2,000 mg / kg Notes: Anhydrous
CL50 (specify species and route of entry)	LC50 - Inhalation - Data not available.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity	Toxicity to fish: <i>Onchorhynchus mykiss</i> : LC50 = 0.1-2.5 mg/L/96h Toxicity to daphnia and other aquatic invertebrates: CE50 - <i>Daphnia magna</i> - 0.024 mg/l - 48 h Toxicity to bacteria: <i>Photobacterium phosphoreum</i> EC50= 1.3 mg/L/5 min as Cu++ <i>Photobacterium phosphoreum</i> : EC50 = 0.25 mg/L/30min as Cu++
Persistence and degradability	May persist based on information provided.
Bioaccumulative potential	Data not available.
Mobility in soil	Probable mobility in the environment due to its solubility in water.
Other adverse effects	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product must not contaminate groundwater. The product contains the following substances which are dangerous for the environment.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	3077
UN Proper shipping name	MATIÈRE DANGEREUSE DU POINT DE VUE DE L'ENVIRONNEMENT, SOLIDE, N.S.A.
Transport hazard class(es)	9 Miscellaneous dangerous goods/hazardous material
Packing group	III
Limited quantity index	5kg
ERAP Index	-
Special precautions	16, 99 (Sulfate cuivrique pentahydrate)

SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Skin corrosion/irritation - Skin irritation category 2 Serious eye damage/ Eye irritation category 2A Acute toxicity - Oral category 4
---------------------	--

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 1/8/2019