




Centre Anti-Poison pour le Québec: (800) 463-5060  
Tél. (Qc): (418) 660-8666 / 800-890-8666  
Fax. (Qc): (418) 660-8998

## SAFETY DATA SHEET

### SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier ACTIVATED CHARCOAL (GRANULE)		Product Use Laboratory use	
Chemical formula C		Product code CP-0245	Molar weight 12,01
Chemical name / Commercial name / Synonyms ACTIVATED CARBON, ACTIVATED CARBON NORIT®, CHARCOAL ACTIVATED, CARBON BLACK, ANTHRASORB, CARBORAFFIN			
Supplier's name Laboratoire MAT		Address-Street 610, Adanac Street	
City Québec		Province Québec	
Postal code G1C 7B7	Internet www.labmat.com	Phone number 418-660-8666 / 800-890-8666	
Emergency phone	CANUTEC: 613-996-6666	CENTRE ANTI-POISON DU QUÉBEC 800-463-5060	
Date SDS 3/11/2019	SDS Prepared by Laboratoire MAT	E-Mail labmat@labmat.com	

### SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Not a hazardous substance according to WHMIS 2015
Other dangers	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Significant; 4=Extreme)
	<b>Health</b> 0 <b>Fire</b> 0 <b>Reactivity</b> 0 <b>Special danger</b>

### SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Charbon activé	7440-44-0	<=100%

### SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	If the person is conscious, give water to drink. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

## SECTION 05 - FIREFIGHTING MEASURES

<b>Flammability</b>	No
<b>Ignition conditions</b>	Flame directly on the product or intense heat.
<b>Suitable extinguishing media</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Unsuitable extinguishing media</b>	Data not available.
<b>Hazardous combustion / decomposition products</b>	When heated to decomposition, activated charcoal releases toxic vapors of carbon monoxide and dioxide.
<b>Special fire and explosion hazards</b>	Combustible granules. Moderate fire hazard in the presence of heat or flame. Spontaneous combustion of activated carbon in the air can occur at around 90 to 100 ° C. In a humid atmosphere, this combustion will appear more quickly. The mixing in the air of activated charcoal with sodium borohydride promotes the oxidation of the latter and produces an accelerated combustion of the activated carbon, which results in a release of hydrogen (flammable gas) due to the thermal decomposition of the borohydride. sodium. May react violently with incompatible products (Ref Section 10).
<b>Special protective equipment and precautions for firefighters</b>	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

## SECTION 06 - ACCIDENTAL RELEASE MEASURES

<b>Methods and materials for containment and cleaning up / Personal precautions, protective equipment</b>	Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment. Pick up with a shovel or broom, taking care not to scatter dust. Dispose of residues in a container provided for the disposal of hazardous materials. Do not let product enter drains.
---	--

## SECTION 07 - HANDLING AND STORAGE

<b>Conditions for safe storage</b>	Store in a cool, dry place. Store in a well-ventilated area. Keep container tightly closed and store away from heat, moisture, and incompatible products.
<b>Methods of handling</b>	Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

## SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

### Workplace control parameters

Composants	No.-CAS	Valeur	Paramètres de contrôle	Base
Activated Carbon Not Transportation Regulated	7440-44-0	VEMP	5.000000 mg/m3	Québec. Règlement sur la santé et la sécurité du travail, Annexe 1 Partie 1: Valeurs d'exposition admissibles des contaminants de l'air
Remarques	La norme correspond à la poussière ne contenant pas d'amiante et dont le pourcentage de silice cristalline est inférieur à 1 %.			
		VEMP	10.000000 mg/m3	Québec. Règlement sur la santé et la sécurité du travail, Annexe 1 Partie 1: Valeurs d'exposition admissibles des contaminants de l'air
	La norme correspond à la poussière ne contenant pas d'amiante et dont le pourcentage de silice cristalline est inférieur à 1 %.			
		VEMP	5.000000 mg/m3	Québec. Règlement sur la santé et la sécurité du travail, Annexe 1 Partie 1: Valeurs d'exposition admissibles des contaminants de l'air
	La norme correspond à la poussière ne contenant pas d'amiante et dont le pourcentage de silice cristalline est inférieur à 1 %.			
		VEMP	10.000000 mg/m3	Québec. Règlement sur la santé et la sécurité du travail, Annexe 1 Partie 1: Valeurs d'exposition admissibles des contaminants de l'air
	La norme correspond à la poussière ne contenant pas d'amiante et dont le pourcentage de silice cristalline est inférieur à 1 %.			

Data source	Sigma-Aldrich.
Ventilation	Fan.
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
Gloves	Handle with gloves.
Eyes	Safety goggles with safety shutters.
Shoes	Safety shoes.
Clothing	Labcoat.
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

## SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid.
Appearance	Granules ou poudre de couleur noire.-
Odour	inodore.
Odour threshold	Data not available
pH	Donnée non disponible..
Melting point / Freezing point	3652 °C-
Initial boiling point	Data not available
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	1 mmHg @ 3586 °C-
Vapour density	Data not available
Relative density	1.8g/ml
Solubility	Insoluble dans l'eau et les solvants organiques..
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	449°C
Decomposition temperature	Data not available
Viscosity	Data not available

## SECTION 10 - STABILITY AND REACTIVITY

<b>Reactivity</b>	Non-reactive under normal conditions.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	Stable under normal conditions.
<b>Conditions of instability (Including sensitivity to shock / static discharge / vibration)</b>	Avoid dust formation. Avoid moisture. Avoid excessive heat. Avoid exposure of aerosol dust to sparks or open flames.
<b>Incompatible material</b>	Strong oxidizing agents (nitric acid, perchloric acid, peroxides, chlorates and perchlorates), sodium borohydride, heat and moisture.
<b>Hazardous decomposition products</b>	Toxic vapors of carbon monoxide and dioxide.

## SECTION 11 - TOXICOLOGICAL INFORMATION

### ACTIVATED CHARCOAL (GRANULE)

<b>Routes of exposure</b>	Ingestion, inhalation, skin and eyes.
<b>Acute exposition effects / symptoms:</b>	By exposure route below.
<b>- Eyes</b>	Irritation and may cause inflammation of the conjunctiva.
<b>- Skin</b>	Irritation.
<b>- Inhalation</b>	Irritation of the mucous membranes and respiratory tract. Nervous disorders, cough, dyspnea, headache, dizziness, nausea and vomiting. NOTE: Intense and prolonged inhalation of fine dust may cause silicosis. This disease is characterized by a fibrous transformation of the lung accompanied by a dry cough, emphysema and pleuritic involvement. In advanced cases, death can occur by cardiac arrest or necrosis of lung tissue.
<b>Acute toxicity (Ingestion)</b>	Irritation of the mucous membranes. Gastrointestinal disorders, cramps, diarrhea, headache, dizziness, sweating, salivation, convulsions, nausea and vomiting.
<b>Chronic exposure effects / symptoms</b>	Burning sensation, conjunctivitis, nervous disorders, lung damage, cough, dyspnea, laryngitis, headache, dizziness, confusion, irritability, fever, nausea and vomiting.
<b>DL50 (specify species and route of entry)</b>	Intravenous LD50 - Mouse - 440 mg / kg LD50 Oral - > 10000 mg / kg (Rat)
<b>CL50 (specify species and route of entry)</b>	LC50 - Inhalation - Data not available.

## SECTION 12 - ECOLOGICAL INFORMATION

<b>Available ecological information</b>	No
---	----

## SECTION 13 - DISPOSAL CONSIDERATIONS

<b>Waste Disposal Method</b>	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
<b>Contaminated Packaging</b>	Dispose of as unused product.

## SECTION 14 - TRANSPORT INFORMATION

<b>UN Number</b>	N/R
<b>UN Proper shipping name</b>	
<b>Transport hazard class(es)</b>	
<b>Packing group</b>	
<b>Limited quantity index</b>	
<b>ERAP Index</b>	
<b>Special precautions</b>	

## SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Not a hazardous substance according to WHMIS 2015
--------------	---

## SECTION 16 - OTHER INFORMATION

### Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

**Last Update: 3/11/2019**