



Centre Anti-Poison pour le Québec: (800) 463-5060

Tél. (Qc): (418) 660-8666 / 800-890-8666



Fax. (Qc): (418) 660-8998

## SAFETY DATA SHEET

### SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier COBALT CHLORIDE (HEXAHYDRATE)		Product Use Laboratory use	
Chemical formula $\text{CoCl}_2 \cdot 6\text{H}_2\text{O}$		Product code CP-0556	Molar weight 237,93
Chemical name / Commercial name / Synonymous COBALT (II) CHLORIDE HEXAHYDRATE, DICHLORURE DE COBALT HEXAHYDRATE, COBALTOUS CHLORIDE HEXAHYDRATE, MURIATE DE COBALT			
Supplier's name Laboratoire MAT		Address-Street 610, Adanac Street	
City Québec		Province Québec	
Postal code G1C 7B7	Internet www.labmat.com	Phone number 418-660-8666 / 800-890-8666	
Emergency phone	CANUTEC: 613-996-6666 CENTRE ANTI-POISON DU QUÉBEC 800-463-5060		
Date SDS 12/20/2018	SDS Prepared by Laboratoire MAT	E-Mail labmat@labmat.com	

## SECTION 02 - HAZARDS IDENTIFICATION

<b>Classification WHIMS / GHS</b>	<p>Acute toxicity - Oral category 4</p> <p>Reproductive toxicity category 1B</p> <p>Respiratory or skin sensitization - Respiratory sensitizer category 1A</p> <p>Respiratory or skin sensitization - Skin sensitizer category 1A</p> <p>Germ cell mutagenicity category 2</p> <p>Carcinogenicity category 1</p>
<b>Signal Word</b>	DANGER
<b>Hazards statements (H)</b>	<p>H302 Harmful if swallowed.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.</p> <p>H350 May cause cancer.</p> <p>H360 May damage fertility or the unborn child.</p> <p>H341 Suspected of causing genetic defects .</p>
<b>Precautionary statements (P)</b>	<p>P201 Obtain special instructions before use.</p> <p>P202 Do not handle until all safety precautions have been read and understood.</p> <p>P261 Avoid breathing dust / fume / gas / mist / vapours / spray.</p> <p>P264 Wash the areas of the body that have been in contact with the product after handling.</p> <p>P270 Do not eat, drink or smoke when using this product.</p> <p>P280 Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>P284 Wear respiratory protection.</p> <p>P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.</p> <p>P308 + P313 IF exposed or concerned: Get medical advice/attention.</p> <p>P321 Specific treatment (see section 4 of the SDS and on this label).</p> <p>P330 Rinse mouth.</p> <p>P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.</p> <p>P362 + P364 Take off contaminated clothing and wash it before reuse.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company.</p> <p>P272 Contaminated work clothing should not be allowed out of the workplace.</p> <p>P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.</p> <p>P302 + P352 IF ON SKIN: Wash with plenty of soap and water.</p> <p>P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.</p>
<b>PICTOGRAMS</b>	
<b>Other dangers</b>	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)
	<p><b>Health</b> 2</p> <p><b>Fire</b> 0</p> <p><b>Reactivity</b> 0</p> <p><b>Special danger</b></p>

## SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Chlorure de cobalt hexahydrate	7791-13-1	>97

## SECTION 04 - FIRST AID MEASURES

<b>Eye contact</b>	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
<b>Skin contact</b>	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
<b>Inhalation</b>	If breathing is difficult, give oxygen. If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
<b>Ingestion</b>	If the person is conscious, give water to drink. Never give anything by mouth to an unconscious person. Consult a physician.
<b>Most important symptoms and effects (acute and delayed)</b>	Ref. section 11.
<b>Immediate medical attention and special treatment, if necessary</b>	In case of medical consultation, keep this sheet available.
<b>General advice</b>	Show this safety data sheet to the doctor in attendance.

## SECTION 05 - FIREFIGHTING MEASURES

<b>Flammability</b>	No
<b>Ignition conditions</b>	Not flammable or combustible.
<b>Suitable extinguishing media</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Unsuitable extinguishing media</b>	Not applicable.
<b>Hazardous combustion / decomposition products</b>	Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas Cobalt oxides.
<b>Special fire and explosion hazards</b>	Cobalt chloride hexahydrate mixed with potassium or sodium metal can form explosive compounds sensitive to shocks. May react violently with incompatible products (Ref Section 10).
<b>Special protective equipment and precautions for firefighters</b>	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

## SECTION 06 - ACCIDENTAL RELEASE MEASURES

<b>Methods and materials for containment and cleaning up / Personal precautions, protective equipment</b>	Pick up with a shovel or broom, taking care not to scatter dust. Dilute residues with water, clean and rinse. Ensure a good ventilation of the premises. Dispose of residues in a container provided for the disposal of hazardous materials. When handling, wear appropriate safety equipment. Use a respirator as needed.
---	---

## SECTION 07 - HANDLING AND STORAGE

<b>Conditions for safe storage</b>	Hygroscopic. Store in a cool, dry place. Keep container tightly closed and store away from heat, water, moisture, and incompatible products. Keep container tightly closed in a dry and well-ventilated place.
<b>Methods of handling</b>	Always open containers slowly to allow any excess pressure to vent. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust or vapor is formed. Wear personal protective equipment when handling. Always ensure good ventilation. Transport according to TDG (ref Section 14)

## SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

### Workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Cobalt dichloride hexahydrate	7791-13-1	TWA	0.020000 mg/m <sup>3</sup>	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
Remarks				
		TWAEV	0.020000 mg/m <sup>3</sup>	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
	Sensitizer Carcinogenic effect detected in animals. Results of studies relating to the carcinogenicity of these substances in animals are not necessarily applicable to humans.			
		TWA	0.020000 mg/m <sup>3</sup>	Canada. British Columbia OEL
	IARC '2B' applies to substances deemed possibly carcinogenic to humans.			
		TWA	0.020000 mg/m <sup>3</sup>	USA. ACGIH Threshold Limit Values (TLV)

Data source	Sigma-Aldrich.
Ventilation	Fan.
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
Gloves	Handle with gloves.
Eyes	Safety goggles with safety shutters.
Shoes	Safety shoes.
Clothing	Labcoat.
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

## SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid.
Appearance	Cristaux ou granules de couleur rouge-bourgogne.-
Odour	inodore.
Odour threshold	Data not available
pH	Solution aqueuse à 5% = pH 3.0 - 5.5.
Melting point / Freezing point	87°C (déc.)-
Initial boiling point	Data not available
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Vapour density	Data not available
Relative density	1.92g/cm <sup>3</sup>
Solubility	Soluble dans l'eau, l'alcool et l'acétone.
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

## SECTION 10 - STABILITY AND REACTIVITY

<b>Reactivity</b>	Non-reactive under normal conditions.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	Stable under normal conditions.
<b>Conditions of instability (Including sensitivity to shock / static discharge / vibration)</b>	Avoid moisture. Cobalt chloride hexahydrate mixed with potassium or sodium metal can form explosive compounds sensitive to shocks.
<b>Incompatible material</b>	Cobalt chloride reacts with strong oxidizing agents (nitric acid, perchloric acid, peroxides, chlorates and perchlorates), alkali metals (lithium, potassium, sodium), heat and moisture.
<b>Hazardous decomposition products</b>	Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas - Cobalt/cobalt oxides.

## SECTION 11 - TOXICOLOGICAL INFORMATION

### COBALT CHLORIDE (HEXAHYDRATE)

<b>Routes of exposure</b>	Inhalation, skin and eyes.
<b>Acute exposition effects / symptoms:</b>	By exposure route below.
<b>- Eyes</b>	Irritation and may cause inflammation of the conjunctiva.
<b>- Skin</b>	May cause skin irritation. May be harmful if absorbed through skin.
<b>- Inhalation</b>	Irritation of the mucous membranes and respiratory tract. Nervous disorders, chest pain, cough, dyspnea, headache, dizziness, fever, nausea and vomiting.
<b>Acute toxicity (Ingestion)</b>	Irritation of the mucous membranes. Abdominal pain, cramps, diarrhea, headache, dizziness, nausea and vomiting, hyperplasia of the thyroid gland, myxedema, convulsions, hypotension, circulatory collapse, muscle paralysis and can lead to death from cardiac arrest.
<b>Chronic exposure effects / symptoms</b>	Is recognized as a possible carcinogen (class 2B) by IARC. Burning sensation, dermatitis, conjunctivitis, skin allergies, blood disorders, lung damage, cough, dyspnoea, laryngitis, headache, dizziness, irritability, confusion, erythema, fatigue, fever, weight loss and loss of appetite, convulsions, nausea and vomiting.
<b>DL50 (specify species and route of entry)</b>	LD50 Oral - Rat - 766 mg/kg LD50 Dermal - Rabbit - > 2,000 mg/kg.
<b>CL50 (specify species and route of entry)</b>	Data not available.

## SECTION 12 - ECOLOGICAL INFORMATION

<b>Ecotoxicity</b>	Toxicity to fish: LC50 - Cyprinus carpio (Carp) - 0.33 mg/l - 96.0 h. Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna (Water flea) - 1.1 - 1.6 mg/l - 48 h. Toxicity to algae: EC50 - Chlorella vulgaris (Fresh water algae) - 0.5 mg/l - 96 h.
<b>Persistence and degradability</b>	Data not available.
<b>Bioaccumulative potential</b>	Data not available.
<b>Mobility in soil</b>	Data not available.
<b>Other adverse effects</b>	Avoid release to the environment. Harmful to aquatic life. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## SECTION 13 - DISPOSAL CONSIDERATIONS

<b>Waste Disposal Method</b>	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
<b>Contaminated Packaging</b>	Dispose of as unused product.

## SECTION 14 - TRANSPORT INFORMATION

UN Number	3077
UN Proper shipping name	MATIÈRE DANGEREUSE DU POINT DE VUE DE L'ENVIRONNEMENT, SOLIDE, N.S.A.
Transport hazard class(es)	9 Miscellaneous dangerous goods/hazardous material
Packing group	III
Limited quantity index	5kg
ERAP Index	
Special precautions	16 (chlorure de cobalt)

## SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Acute toxicity - Oral category 4 Reproductive toxicity category 1B Respiratory or skin sensitization - Respiratory sensitizer category 1A Respiratory or skin sensitization - Skin sensitize category 1A Germ cell mutagenicity category 2 Carcinogenicity category 1
--------------	--

## SECTION 16 - OTHER INFORMATION

### Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 12/20/2018