



Centre Anti-Poison pour le Québec: (800) 463-5060  
Tél. (Qc): (418) 660-8666 / 800-890-8666  
Fax. (Qc): (418) 660-8998

## SAFETY DATA SHEET

### SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier SODIUM NITRATE (1-2mm)		Product Use Laboratory use	
Chemical formula NaNO <sub>3</sub>		Product code SP-0147	Molar weight 84,99
Chemical name / Commercial name / Synonymous SODIUM NITRATE, SALPÊTRE DU CHILI, NITRIC ACID SODIUM SALT, CUBIC NITER, SODA NITER			
Supplier's name Laboratoire MAT		Address-Street 610, Adanac Street	
City Québec		Province Québec	
Postal code G1C 7B7	Internet www.labmat.com	Phone number 418-660-8666 / 800-890-8666	
Emergency phone	CANUTEC: 613-996-6666	CENTRE ANTI-POISON DU QUÉBEC 800-463-5060	
Date SDS 7/5/2019	SDS Prepared by Laboratoire MAT	E-Mail labmat@labmat.com	

### SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Serious eye damage/ Eye irritation category 2A Oxidizing solids category 3
Signal Word	WARNING
Hazards statements (H)	H272 May intensify fire; oxidiser. H319 Causes serious eye irritation.
Precautionary statements (P)	P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking. P220 Keep/Store away from clothing and combustible materials. P264 Wash the areas of the body that have been in contact with the product after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/attention. P370 + P378 In case of fire: Use water spray or alcohol-resistant foam, or dry powder or carbon dioxide for extinction. P501 Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company.
PICTOGRAMS	
Other dangers	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)
	Health 1 Fire 0 Reactivity 1 Special danger OX

## SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Nitrate de sodium	7631-99-4	<=100

## SECTION 04 - FIRST AID MEASURES

<b>Eye contact</b>	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
<b>Skin contact</b>	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
<b>Inhalation</b>	If breathing is difficult, give oxygen. If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
<b>Ingestion</b>	If the person is conscious, give water to drink. Never give anything by mouth to an unconscious person. Consult a physician.
<b>Most important symptoms and effects (acute and delayed)</b>	Ref. section 11.
<b>Immediate medical attention and special treatment, if necessary</b>	In case of medical consultation, keep this sheet available.
<b>General advice</b>	Show this safety data sheet to the doctor in attendance.

## SECTION 05 - FIREFIGHTING MEASURES

<b>Flammability</b>	No
<b>Ignition conditions</b>	Not flammable or combustible. Risk of fire or explosion if heated or crushed in presence of combustible products.
<b>Suitable extinguishing media</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Unsuitable extinguishing media</b>	Data not available.
<b>Hazardous combustion / decomposition products</b>	Hazardous decomposition products formed under fire conditions. - nitrogen oxides (NO <sub>x</sub> ). - Sodium oxides.
<b>Special fire and explosion hazards</b>	Oxidizer. Contact with combustible products may cause fire. This product may explode if heated above 538 °C (1000 °F). The nitrate of sodium with sodium metal mélange with nitroxylate of sodium; un produit explosif. Violent exothermic or explosive reactions in contact with the following products: Trifluoroacetic acid + phenol, aluminum, antimony, arsenic trioxide + ferric sulphate, barium thiocyanate, boron phosphide, cellulose, charcoal + sulfur, metal cyanide, jute + magnesium chloride, magnesium, sodium hypophosphite, sodium phosphinate, sodium thiosulfate and sulfamates. May react violently with incompatible products (Ref Section 10).
<b>Special protective equipment and precautions for firefighters</b>	Wear self contained breathing apparatus for fire fighting if necessary.

## SECTION 06 - ACCIDENTAL RELEASE MEASURES

<b>Methods and materials for containment and cleaning up / Personnel precautions, protective equipment</b>	Evacuate personnel to safe areas. Pick up with a shovel or broom, taking care not to scatter dust. Clean and rinse with water. Ensure a good ventilation of the premises. Avoid dust formation. Avoid breathing vapours, mist or gas. When handling, wear appropriate safety equipment. Use a respirator as needed. Dispose of residues in a container provided for the disposal of hazardous materials. Do not let product enter drains.
--	---

## SECTION 07 - HANDLING AND STORAGE

<b>Conditions for safe storage</b>	Store in a cool, dry place. Keep container tightly closed and store away from heat, moisture, combustible and organic products. Keep container tightly closed in a dry and well-ventilated place.
<b>Methods of handling</b>	Always open containers slowly to allow any excess pressure to vent. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust or vapor is formed. Keep away from sources of ignition - No smoking. Keep away from heat and sources of ignition.

## SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

### Workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Sodium nitrate	7631-99-4	No data available	TLV, TWA, STEL	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		No data available	TLV, TWA, STEL	Canada. British Columbia OEL
		No data available	TLV, TWA, STEL	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants

<b>Ventilation</b>	Fan.
<b>Respiratory</b>	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
<b>Gloves</b>	Handle with gloves.
<b>Eyes</b>	Safety goggles with safety shutters.
<b>Shoes</b>	Safety shoes.
<b>Clothing</b>	Labcoat.
<b>Engineering control</b>	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

## SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state</b>	Solid.
<b>Appearance</b>	billes blanches (granulométrie 1-2mm).
<b>Odour</b>	Donnée non disponible.
<b>Odour threshold</b>	Data not available
<b>pH</b>	Solution à 5% = pH 8-10.
<b>Melting point / Freezing point</b>	306.8°C
<b>Initial boiling point</b>	380°C (dec)
<b>Boiling range</b>	Data not available
<b>Flash point</b>	Data not available
<b>Evaporation rate</b>	Data not available
<b>Flammability</b>	No
<b>Lower flammable / Explosive limit</b>	Data not available
<b>Upper flammable / Explosive limit</b>	Data not available
<b>Vapour pressure</b>	Data not available
<b>Vapour density</b>	Data not available
<b>Relative density</b>	2.261g/cm <sup>3</sup>
<b>Solubility</b>	Très soluble dans l'eau (90.9%). Peu soluble dans l'alcool.
<b>Partition coefficient water/n-octanol</b>	Data not available
<b>Auto-ignition temperature</b>	Data not available
<b>Decomposition temperature</b>	Data not available
<b>Viscosity</b>	Data not available

## SECTION 10 - STABILITY AND REACTIVITY

<b>Reactivity</b>	Oxidizer: risk of fire in case of contact with combustible / organic substance.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	Oxidizer.
<b>Conditions of instability (Including sensitivity to shock / static discharge / vibration)</b>	Avoid moisture and excessive heat.
<b>Incompatible material</b>	Strong reducing agents (potassium, sodium, metal hydrides), strong acids, aluminum, antimony, barium thiocyanate, boron phosphide, magnesium, metal cyanides, fine metal powders, sodium hypophosphite, sodium phosphinate, sodium thiosulfate, sulfamates, heat and moisture.
<b>Hazardous decomposition products</b>	Hazardous decomposition products formed under fire conditions. Toxic vapors of nitrogen oxides. - Sodium oxides.

## SECTION 11 - TOXICOLOGICAL INFORMATION

### SODIUM NITRATE (1-2MM)

<b>Routes of exposure</b>	Ingestion, inhalation, skin and eyes.
<b>Acute exposition effects / symptoms:</b>	By exposure route below.
<b>- Eyes</b>	Irritation and tearing.
<b>- Skin</b>	Irritation and dermatitis.
<b>- Inhalation</b>	Irritation of the mucous membranes and respiratory tract. Nervous disorders, chest pain, cough, dyspnea, headache, dizziness, nausea and vomiting.
<b>Acute toxicity (Ingestion)</b>	Irritation of the mucous membranes. Gastrointestinal disorders, cramps, diarrhea, headache, dizziness, convulsions, nausea and vomiting.
<b>Chronic exposure effects / symptoms</b>	Burning sensation, dermatitis, nervous disorders, chest pain, cough, dyspnea, laryngitis, headache, dizziness, tearing, irritability, fatigue, anemia, methaemoglobinaemia, nausea and vomiting.
<b>DL50 (specify species and route of entry)</b>	LD50 Oral - Rat - 3,430 mg/kg. LD50 Dermal - Rabbit - 5000mg / kg.
<b>CL50 (specify species and route of entry)</b>	LC50 - Inhalation - Data not available.

## SECTION 12 - ECOLOGICAL INFORMATION

<b>Ecotoxicity</b>	Toxicity to fish: Static test: LC50 - Gambusia affinis (Mosquito fish) - 6,650 mg/l - 96 h. Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia (water flea) - 6,000 mg/l - 24 h.
<b>Persistence and degradability</b>	Data not available.
<b>Bioaccumulative potential</b>	Data not available.
<b>Mobility in soil</b>	Data not available.
<b>Other adverse effects</b>	Data not available.

## SECTION 13 - DISPOSAL CONSIDERATIONS

<b>Waste Disposal Method</b>	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
<b>Contaminated Packaging</b>	Dispose of as unused product.

## SECTION 14 - TRANSPORT INFORMATION

UN Number	1498
UN Proper shipping name	NITRATE DE SODIUM
Transport hazard class(es)	5.1 Oxidizing substances
Packing group	III
Limited quantity index	5kg
ERAP Index	-
Special precautions	-

## SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Serious eye damage/ Eye irritation category 2A Oxidizing solids category 3
--------------	---

## SECTION 16 - OTHER INFORMATION

### Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 7/5/2019