



Centre Anti-Poison pour le Québec: (800) 463-5060

Tél. (Qc): (418) 660-8666 / 800-890-8666

Fax. (Qc): (418) 660-8998

SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier SODIUM CARBONATE (58% DENSE)		Product Use Laboratory use	
Chemical formula Na ₂ CO ₃		Product code SP-1111	Molar weight 105,99
Chemical name / Commercial name / Synonymous SODIUM CARBONATE, DISODIUM CARBONATE, CARBONATE DE SODIUM ANHYDRE, CARBONATE DE SOUDE, CARBONIC ACID DISODIUM SALT, SODIUM CARBONATE ANHYDRE, SODIUM CARBONATE ANHYDROUS,			
Supplier's name Laboratoire MAT		Address-Street 610, Adanac Street	
City Québec		Province Québec	
Postal code G1C 7B7	Internet www.labmat.com	Phone number 418-660-8666 / 800-890-8666	
Emergency phone	CANUTEC: 613-996-6666 CENTRE ANTI-POISON DU QUÉBEC 800-463-5060		
Date SDS 7/8/2022	SDS Prepared by Laboratoire MAT	E-Mail labmat@labmat.com	

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
CARBONATE DE SODIUM	497-19-8	<=100

SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. If the victim is not breathing, give artificial respiration. Consult a physician.
Ingestion	Rinse mouth with water. If the person is conscious, drink water and induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Main symptoms of high exposure: Skin, eye and respiratory system irritation. Vomiting. Diarrhea. Abdominal pain. Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

SECTION 05 - FIREFIGHTING MEASURES

Flammability	No
Ignition conditions	Not flammable or combustible.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Data not available.
Hazardous combustion products	Hazardous combustion products formed under fire conditions: - Carbon oxides, Sodium oxides.
Special fire and explosion hazards	Anhydrous sodium carbonate may react violently with sulfuric acid, atomized aluminum, fluorine, lithium and phosphorus pentoxide. May react violently with incompatible products (Ref Section 10).
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up / Personnel precautions, protective equipment	Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment. Pick up with a shovel or broom, taking care not to scatter dust. Avoid dust formation. Clean and rinse with water.
--	--

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

Components	CAS-No.	Control	Value	Basis
SODIUM CARBONATE (DENSE)	497-19-8	TLV, TWA, STEL	No data available	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		TLV, TWA, STEL	No data available	Canada. British Columbia OEL
		TLV, TWA, STEL	No data available	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants

Ventilation	Use fan.
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
Gloves	Handle with gloves.
Eyes	Safety goggles with safety shutters.
Shoes	Safety shoes.
Clothing	Labcoat. Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid.
Appearance	Data not available
Odour	inodore.
Odour threshold	Data not available
pH	11.3 à 20°C (10g/l aq.sol).
Melting point / Freezing point	854°C
Initial boiling point	1600°C à 760 mmHg-
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Vapour density	Data not available
Relative density	2.532 g/cm ³ @ 20 °C-
Solubility	Solubilité dans l'eau ; 212.5 - 215 g/L @ 20 °C avec un pH 11.
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	400°C
Viscosity	Data not available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	May react violently with incompatible substances.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	May react violently with incompatible substances.
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Avoid contact with incompatible materials and extreme temperatures.
Incompatible material	Strong oxidizers. Acids. Fluorine. Aluminum. Exposure to moisture.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. Toxic vapors of carbon monoxide and dioxide. - Sodium oxides.

SECTION 11 - TOXICOLOGICAL INFORMATION

SODIUM CARBONATE (58% DENSE)

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation and may cause inflammation of the conjunctiva.
- Skin	Irritation. Intense and prolonged exposure may cause severe irritation and burns to exposed surfaces.
- Inhalation	May cause respiratory tract irritation.
Acute toxicity (Ingestion)	May cause gastrointestinal pain, nausea and vomiting.
Chronic exposure effects / symptoms	Burning sensation, conjunctivitis, nervous disorders, cough, dyspnea, headache, dizziness, tearing, irritability, tiredness, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral (s) - Rat - male and female: 2800 mg/kg. LD50 Dermal - Rabbit - > 2 000 mg/kg.
CL50 (specify species and route of entry)	CL50 inhalation - Rat 2.3 mg/l - 2 h

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity	Toxicity to fish: CL50 - Lepomis macrochirus - 300 mg/l - 96 h Toxicity to daphnia and other aquatic invertebrates: CE50 - Daphnia magna (Grande daphnie) - 265 mg/l - 48 h
Persistence and degradability	Persistence is unlikely based on information available.
Bioaccumulative potential	Data not available.
Mobility in soil	Probable mobility due to its solubility in water.
Other adverse effects	Data not available.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	N/R
UN Proper shipping name	
Transport hazard class(es)	
Packing group	
Limited quantity index	
ERAP Index	
Special precautions	

SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Specific target organ toxicity - Single exposure category 3 Serious eye damage/eye irritation - Serious eye damage category 1
--------------	--

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 7/8/2022