



Centre Anti-Poison pour le Québec: (800) 463-5060  
Tél. (Qc): (418) 660-8666 / 800-890-8666  
Fax. (Qc): (418) 660-8998

## SAFETY DATA SHEET

### SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier SODIUM SALICYLATE		Product Use Laboratory use	
Chemical formula C <sub>7</sub> H <sub>5</sub> NaO <sub>3</sub>		Product code SR-0104	Molar weight 160,11
Chemical name / Commercial name / Synonyms SODIUM SALICYLATE, SALICYLIC ACID SODIUM SALT, 2-HYDROXYBENZOIC ACID MONOSODIUM SALT, ALYSINE, ARDALL, CLIN, DIURETIN, ENTEROSALICYL, ENTEROSALIL, IDOCYL NOVUM, MAGSALYL, SALISOD			
Supplier's name Laboratoire MAT		Address-Street 610, Adanac Street	
City Québec		Province Québec	
Postal code G1C 7B7	Internet www.labmat.com	Phone number 418-660-8666 / 800-890-8666	
Emergency phone	CANUTEC: 613-996-6666	CENTRE ANTI-POISON DU QUÉBEC 800-463-5060	
Date SDS 8/8/2019	SDS Prepared by Laboratoire MAT	E-Mail labmat@labmat.com	

### SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Acute toxicity - Oral category 4 Serious eye damage/ Eye irritation category 2A		
Signal Word	WARNING		
Hazards statements (H)	H302 Harmful if swallowed. H319 Causes serious eye irritation.		
Precautionary statements (P)	P264 Wash the areas of the body that have been in contact with the product after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P330 Rinse mouth. P337 + P313 If eye irritation persists: Get medical advice/attention. P501 Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company. P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.		
PICTOGRAMS			
Other dangers	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Significant; 4=Extreme)		
	Health 1 Fire 0 Reactivity 0 Special danger		

## SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Salicylate de sodium	54-21-7	<=100

## SECTION 04 - FIRST AID MEASURES

<b>Eye contact</b>	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
<b>Skin contact</b>	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
<b>Inhalation</b>	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
<b>Ingestion</b>	If the person is conscious, rinse the mouth with water. Never give anything by mouth to an unconscious person. Consult a physician.
<b>Most important symptoms and effects (acute and delayed)</b>	Ref. section 11.
<b>Immediate medical attention and special treatment, if necessary</b>	In case of medical consultation, keep this sheet available.
<b>General advice</b>	Show this safety data sheet to the doctor in attendance.

## SECTION 05 - FIREFIGHTING MEASURES

<b>Flammability</b>	No
<b>Ignition conditions</b>	Non flammable.
<b>Suitable extinguishing media</b>	Water spray, carbon dioxide, dry chemical powder, alcohol or polymer foam.
<b>Unsuitable extinguishing media</b>	Data not available.
<b>Hazardous combustion / decomposition products</b>	Carbon oxides. - Sodium oxides.
<b>Special fire and explosion hazards</b>	May react violently with incompatible products (Ref Section 10).
<b>Special protective equipment and precautions for firefighters</b>	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

## SECTION 06 - ACCIDENTAL RELEASE MEASURES

<b>Methods and materials for containment and cleaning up / Personnel precautions, protective equipment</b>	Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment. Pick up with a shovel or broom, taking care not to scatter dust. Dispose of residues in a container provided for the disposal of hazardous materials. Do not let product enter drains. Discharge into the environment must be avoided.
--	--

## SECTION 07 - HANDLING AND STORAGE

<b>Conditions for safe storage</b>	Store in a cool, dry place. Keep container tightly closed and store away from heat, moisture, and incompatible products. Protect from light.
<b>Methods of handling</b>	Avoid contact with the skin, eyes and clothes. Provide appropriate exhaust ventilation at places where dust or vapor is formed.

## SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

### Workplace control parameters

Components	CAS-No.	Control	Value	Basis
SODIUM SALICYLATE	54-21-7	TLV, TWA, STEL	No data available	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		TLV, TWA, STEL	No data available	Canada. British Columbia OEL
		TLV, TWA, STEL	No data available	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants

<b>Ventilation</b>	Use fan.
<b>Respiratory</b>	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
<b>Gloves</b>	Handle with gloves.
<b>Eyes</b>	Safety goggles with safety shutters.
<b>Shoes</b>	Safety shoes.
<b>Clothing</b>	Labcoat. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
<b>Engineering control</b>	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

## SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state</b>	Solid.
<b>Appearance</b>	Cristalline blanche.
<b>Odour</b>	inodore.
<b>Odour threshold</b>	Data not available
<b>pH</b>	Les solutions aqueuses sont légèrement acides (pH 5 - 6).
<b>Melting point / Freezing point</b>	> 300°C
<b>Initial boiling point</b>	237°C
<b>Boiling range</b>	Data not available
<b>Flash point</b>	91.24 - 98.3 °C à 96.7kPa
<b>Evaporation rate</b>	Data not available
<b>Flammability</b>	No
<b>Lower flammable / Explosive limit</b>	Data not available
<b>Upper flammable / Explosive limit</b>	Data not available
<b>Vapour pressure</b>	Data not available
<b>Vapour density</b>	Data not available
<b>Relative density</b>	0.35 g/cm <sup>3</sup> à 20°C
<b>Solubility</b>	Soluble dans l'eau, l'alcool et la glycérine.
<b>Partition coefficient water/n-octanol</b>	Log Pow : -1.259 à 25 °C-
<b>Auto-ignition temperature</b>	> 250°C
<b>Decomposition temperature</b>	Data not available
<b>Viscosity</b>	Data not available

## SECTION 10 - STABILITY AND REACTIVITY

<b>Reactivity</b>	Non-reactive under normal conditions.
<b>Chemical stability</b>	Stable under recommended storage conditions. Sensitive to light
<b>Possibility of hazardous reactions</b>	Stable under normal conditions.
<b>Conditions of instability (Including sensitivity to shock / static discharge / vibration)</b>	Avoid excessive heat. Exposure to light. Avoid dust formation.
<b>Incompatible material</b>	Strong oxidizing agents, Strong acids. Strong bases.
<b>Hazardous decomposition products</b>	Carbon oxides. - Sodium oxides.

## SECTION 11 - TOXICOLOGICAL INFORMATION

### SODIUM SALICYLATE

<b>Routes of exposure</b>	Ingestion, inhalation, skin and eyes.
<b>Acute exposition effects / symptoms:</b>	By exposure route below.
<b>- Eyes</b>	Severe irritation.
<b>- Skin</b>	Irritation and dermatitis.
<b>- Inhalation</b>	Irritation of the mucous membranes and respiratory tract.
<b>Acute toxicity (Ingestion)</b>	Irritation of the mucous membranes.
<b>Chronic exposure effects / symptoms</b>	Burning sensation, dermatitis, nervous disorders, chest pains, excitement, tachycardia, diaphoresis, cough, dyspnea, ailments.
<b>DL50 (specify species and route of entry)</b>	LD50 Oral - Rat - 930 mg/kg LD50 Dermal - Rat - > 2000 mg/kg
<b>CL50 (specify species and route of entry)</b>	LC50 - Inhalation - Data not available.

## SECTION 12 - ECOLOGICAL INFORMATION

<b>Ecotoxicity</b>	LC50 - Pimephales promelas (fathead minnow) - 1370 mg/L - 96 h EC50 - Daphnia magna: > 100 mg/L - 96 h (Static). EC50 - Chlorella vulgaris (Fresh water algae) - 48.29 mg/L - 72 h (static).
<b>Persistence and degradability</b>	Biodegradability aerobic Result: 89 % - Readily biodegradable.
<b>Bioaccumulative potential</b>	Data not available.
<b>Mobility in soil</b>	Probable mobility due to its solubility in water.
<b>Other adverse effects</b>	Data not available.

## SECTION 13 - DISPOSAL CONSIDERATIONS

<b>Waste Disposal Method</b>	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
<b>Contaminated Packaging</b>	Dispose of as unused product.

## SECTION 14 - TRANSPORT INFORMATION

<b>UN Number</b>	N/R
<b>UN Proper shipping name</b>	
<b>Transport hazard class(es)</b>	
<b>Packing group</b>	
<b>Limited quantity index</b>	
<b>ERAP Index</b>	
<b>Special precautions</b>	

## SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Acute toxicity - Oral category 4 Serious eye damage/ Eye irritation category 2A
--------------	--

## SECTION 16 - OTHER INFORMATION

### Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

**Last Update: 8/8/2019**