



Centre Anti-Poison pour le Québec: (800) 463-5060

Tél. (Qc): (418) 660-8666 / 800-890-8666



Fax. (Qc): (418) 660-8998

SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier		Product Use	
Sodium arsenate dibasic heptahydrate		Laboratory use	
Chemical formula		Product code	Molar weight
Na ₂ HAsO ₄ ·7H ₂ O		SR-0119	312,02
Chemical name / Commercial name / Synonymous			
Arséniate de sodium dibasique heptahydrate			
Supplier's name		Address-Street	
Laboratoire MAT		610, Adanac Street	
City		Province	
Québec		Québec	
Postal code	Internet	Phone number	
G1C 7B7	www.labmat.com	418-660-8666 / 800-890-8666	
Emergency phone	CANUTEC: 613-996-6666 CENTRE ANTI-POISON DU QUÉBEC 800-463-5060		
Date SDS	SDS Prepared by	E-Mail	
4/12/2019	Laboratoire MAT	labmat@labmat.com	

SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	<p>Carcinogenicity category 1B</p> <p>Acute toxicity - Oral category 3</p> <p>Acute toxicity - Inhalation category 3</p>
Signal Word	DANGER
Hazards statements (H)	<p>H350 May cause cancer.</p> <p>H301 Toxic if swallowed.</p> <p>H331 Toxic if inhaled.</p>
Precautionary statements (P)	<p>P201 Obtain special instructions before use.</p> <p>P202 Do not handle until all safety precautions have been read and understood.</p> <p>P264 Wash the areas of the body that have been in contact with the product after handling.</p> <p>P270 Do not eat, drink or smoke when using this product.</p> <p>P280 Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.</p> <p>P308 + P313 IF exposed or concerned: Get medical advice/attention.</p> <p>P321 Specific treatment (see section 4 of the SDS and on this label).</p> <p>P330 Rinse mouth.</p> <p>P405 Store locked up.</p> <p>P501 Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company.</p> <p>P261 Avoid breathing dust / fume / gas / mist / vapours / spray.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.</p> <p>P311 Call a POISON CENTER or doctor/physician.</p> <p>P403 + P233 Store in a well-ventilated place. Keep container tightly closed.</p>
PICTOGRAMS	
Other dangers	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Significant; 4=Extreme)
	<p>Health 4</p> <p>Fire 0</p> <p>Reactivity 0</p> <p>Special danger</p>

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Arséniate de sodium dibasique heptahydrate	10048-95-0	<=100

SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. See a doctor.
Skin contact	Remove soiled clothing. Wash with soap and plenty of water. Take victim immediately to hospital. Consult a physician.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	Never give anything by mouth to an unconscious person. If the person is conscious, rinse the mouth with water. Get immediate medical help.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

SECTION 05 - FIREFIGHTING MEASURES

Flammability	No
Ignition conditions	Not flammable or combustible.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Data not available.
Hazardous combustion / decomposition products	Hazardous decomposition products formed under fire conditions. - Sodium oxides. Arsenic oxides.
Special fire and explosion hazards	May react violently with incompatible products (Ref Section 10).
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up / Personnel precautions, protective equipment	Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment. Use a respirator as needed. Pick up with a shovel or broom, taking care not to scatter dust. Clean and rinse with water. Dispose of residues in a container provided for the disposal of hazardous materials. Do not let product enter drains.
--	--

SECTION 07 - HANDLING AND STORAGE

Conditions for safe storage	Keep container tightly closed in a dry and well-ventilated place.
Methods of handling	Always open containers slowly to allow any excess pressure to vent. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust or vapor is formed. Wear personal protective equipment when handling. Always ensure good ventilation. Transport according to TDG (ref Section 14)

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

Composants	No.-CAS	Valeur	Paramètres de contrôle	Base
SODIUM ARSENATE DIBASIC HEPTAHYDRATE	10048-95-0	TWA	0.100000 mg/m ³	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
Remarks				
		TWA	0.010000 mg/m ³	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		TWA	0.010000 mg/m ³	Canada. British Columbia OEL
	ACGIH 'A1' applies to those substances confirmed as human carcinogens based on the weight of evidence from epidemiological studies. IARC '1' applies to substances categorized as carcinogenic to humans, and used when there is sufficient evidence of carcinogenicity in humans.			
		TWA	0.010000 mg/m ³	USA. ACGIH Threshold Limit Values (TLV)
	Confirmed human carcinogen			
		TWA	0.010000 mg/m ³	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
	Denotes a chemical agent listed in Table 1 of Ontario Regulation 490/09 (Designated Substances) made under the Act. See clause 2 (2) (a) of this Regulation.			
		STEL	0.050000 mg/cm ³	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
	Denotes a chemical agent listed in Table 1 of Ontario Regulation 490/09 (Designated Substances) made under the Act. See clause 2 (2) (a) of this Regulation.			
		TWA	0.010000 mg/m ³	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
	Confirmed Human Carcinogen (means that the agent is carcinogenic to humans)			
		TWAEV	0.100000 mg/m ³	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWA	0.010000 mg/m ³	Canada. British Columbia OEL
	ACGIH 'A1' applies to those substances confirmed as human carcinogens based on the weight of evidence from epidemiological studies. IARC '1' applies to substances categorized as carcinogenic to humans, and used when there is sufficient evidence of carcinogenicity in humans.			
		TWA	0.01 mg/m ³	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
	Confirmed Human Carcinogen (means that the agent is carcinogenic to humans)			
		TWAEV	0.1 mg/m ³	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWA	0.01 mg/m ³	Canada. British Columbia OEL
	ACGIH 'A1' applies to those substances confirmed as human carcinogens based on the weight of evidence from epidemiological studies. IARC '1' applies to substances categorized as carcinogenic to humans, and used when there is sufficient evidence of carcinogenicity in humans.			
		TWA	0.01 mg/m ³	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
	Denotes a chemical agent listed in Table 1 of Ontario Regulation 490/09 (Designated Substances) made under the Act. See clause 2 (2) (a) of this Regulation.			
		STEL	0.05 mg/m ³	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
	Denotes a chemical agent listed in Table 1 of Ontario Regulation 490/09 (Designated Substances) made under the Act. See clause 2 (2) (a) of this Regulation.			

Data source	Sigma-Aldrich.
Ventilation	Fan.
Respiratory	If work under the hood is not possible, or if the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
Gloves	Handle with gloves.
Eyes	Safety goggles with safety shutters.
Shoes	Use safety shoes.
Clothing	Labcoat. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid.
Appearance	Cristaux incolores.
Odour	Inodore.
Odour threshold	Data not available
pH	8.5 - 9.0 à 50 g/l à 25 °C.
Melting point / Freezing point	180°C (dec)
Initial boiling point	Data not available
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Vapour density	Data not available
Relative density	1.88g/cm ³
Solubility	5.46 g/100 ml d'eau à 0 °C ; 100 g/100 ml d'eau à 100 °C ; Soluble dans le glycérol.
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Non-reactive under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Stable under normal conditions.
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Avoid contact with incompatible materials.
Incompatible material	Strong acids, strong oxidants.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. - Sodium oxides. Arsenic oxides.

SODIUM ARSENATE DIBASIC HEPTAHYDRATE

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	May cause eye irritation.
- Skin	May be harmful if absorbed through skin. May cause skin irritation.
- Inhalation	Toxic if inhaled. May cause respiratory tract irritation.
Acute toxicity (Ingestion)	Toxic if swallowed.
Chronic exposure effects / symptoms	Is recognized as a carcinogen (class 1) by IARC. In vitro tests showed mutagenic effects.
DL50 (specify species and route of entry)	LD50 Oral - Data not available. LD50 Dermal - Data not available.
CL50 (specify species and route of entry)	LC50 - Inhalation - Data not available.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity	Data not available.
Persistence and degradability	Data not available.
Bioaccumulative potential	Data not available.
Mobility in soil	Data not available.
Other adverse effects	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life. Causes long-term adverse effects.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	1685
UN Proper shipping name	ARSÉNIATE DE SODIUM
Transport hazard class(es)	6.1 Toxic substances
Packing group	II
Limited quantity index	0,5kg
ERAP Index	-
Special precautions	-

SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Carcinogenicity category 1B Acute toxicity - Oral category 3 Acute toxicity - Inhalation category 3
---------------------	---

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 4/12/2019