

Centre Anti-Poison pour le Québec: (800) 463-5060 Tél. (Qc): (418) 660-8666 / 800-890-8666 Fax. (Qc): (418) 660-8998

#### SAFETY DATA SHEET

## **SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION**

Product Identifier			Product Use			
SUCROSE			Laboratory use			
Chemical formula				Product code	Molar weight	
C <sub>12</sub> H <sub>22</sub> O <sub>11</sub>	C <sub>12</sub> H <sub>22</sub> O <sub>11</sub>			SU-1000; SA-0182; SR-0182	342,3	
Chemical name / Commercial name / Synonymous SUCRE, SUCRE DE BETTERAVE, CANNE À SUCRE, SUCRE À CONFIS			FISERIE, SUCRE GR	ANULÉ, SACCHAROSE		
Supplier's name	Supplier's name			Address-Street		
Laboratoire MAT			610, Adanac Street			
City			Province			
Québec			Québec			
Postal code	Internet		Phone number			
G1C 7B7	7B7 www.labmat.com		418-660-8666 / 800-890-8666			
Emergency phone	CANUTEC: 613-996-6666		CENTRE ANTI-POISON DU QUÉBEC 800-463-5060			
Date SDS	ate SDS SDS Prepared by			E-Mail		
11/17/2021 Laboratoire MA		T	labmat@labmat.com			

### **SECTION 02 - HAZARDS IDENTIFICATION**

Classification WHIMS / GHS	Not a hazardous substance according to WHMIS 2015	
Other dangers		NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)
	Health Fire Reactivity Special dange	0 1 0 r

## **SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS**

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Sucrose	57-50-1	<=100

### **SECTION 04 - FIRST AID MEASURES**

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	If the person is conscious, give water to drink. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Liver damage. In case of high exposure, the main symptoms would be: Cough. Gastrointestinal disorders. Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

### **SECTION 05 - FIREFIGHTING MEASURES**

Flammability	No
Ignition conditions	t is not considered flammable, but can burn at high temperatures. Fine dust in sufficient concentration may be combustible, or explode if confined to a small space and subject to a source of ignition.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Data not available.
Hazardous combustion products	Hazardous combustion products formed under fire conditions: Carbon oxides.
Special fire and explosion hazards	Can form clouds of combustible dust. Moderate fire hazard in the presence of heat or flame. May react violently with incompatible products (Ref Section 10). Vigorous reactions with nitric and sulfuric acids to form oxides of carbon.
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

### **SECTION 06 - ACCIDENTAL RELEASE MEASURES**

Methods and materials for	Evacuate personnel to safe areas. Ensure adequate ventilation. When handling, wear appropriate safety
containment and cleaning up /	equipment. Pick up with a shovel or broom, taking care not to scatter dust. Dispose of residues in a
Personnal precautions, protective	container provided for the disposal of hazardous materials. Do not let product enter drains. Dilute
equipment	residues with water, clean and rinse.

### **SECTION 07 - HANDLING AND STORAGE**

Store in a cool, dry place. Keep container tightly closed and store away from heat, moisture, and incompatible products. Keep container tightly closed in a dry and well-ventilated place.	
 Provide appropriate exhaust ventilation at places where dust or vapor is formed. Normal measures for preventive fire protection.	

# **SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Sucrose	<i>57-5</i> 0-1	TWA	10 mg/m3	Canada. British Columbia OEL
Remarks	The 8-hour TWA listed in the Table is for the total dust. The substance also has an 8-hour TWA of 3 mg/m3 for the respirable fraction.			
		TWA	3 mg/m3	Canada. British Columbia OEL
		TWAEV	10 mg/m3	Canada. Ontario OELs
		TWA	10 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		TWAEV	10 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWA	10 mg/m3	USA. ACGIH Threshold Limit Values (TLV)

Data source	Sigma-Aldrich (Millipore Sigma)		
Ventilation	Proper ventilation or hood.		
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.		
Gloves	Handle with gloves.		
Eyes	Safety goggles with safety shutters.		
Shoes	Safety shoes.		
Clothing	Labcoat.		
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.		

### **SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES**

Physical state	Solid.
Appearance	Cristaux blancs.
Odour	Inodore.
Odour threshold	Data not available
рН	6.5-7.5 (10%).
Melting point / Freezing point	190-192°C
Initial boiling point	Data not available
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Vapour density	Data not available
Relative density	Data not available
Solubility	Soluble dans l'eau 342g/mL à 20°C, soluble dans l'alcool. Insoluble dans l'éther.
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

## **SECTION 10 - STABILITY AND REACTIVITY**

Reactivity	Reducing product, may react violently with oxidizing agents.		
Chemical stability	Moisture sensitive.		
Possibility of hazardous reactions	Stable under normal conditions. May form combustible dust concentrations in the air. Reacts with oxidants.		
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Avoid moisture. Avoid contact with incompatible materials.		
Incompatible material	Strong acids, strong oxidants. Violent reaction with: Chlorates. Perchlorates.		
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. Carbon oxides.		

### **SECTION 11 - TOXICOLOGICAL INFORMATION**

#### **SUCROSE**

Routes of exposure	Inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation. To our knowledge, the product has not been fully studied.
- Skin	May cause skin irritation. To our knowledge, the product has not been fully studied.
- Inhalation	Irritation of the mucous membranes and respiratory tract. Cough, dyspnea, hemoptysis, chills and fever. * Inhalation of particles must be very high in the airways to observe these effects.
Acute toxicity (Ingestion)	Irritation of the mucous membranes and gastrointestinal disorders if the concentration ingested is very high. To our knowledge, the product has not been fully studied.
Chronic exposure effects / symptoms	Liver damage. Gastrointestinal system.
DL50 (specify species and route of entry)	29700 mg/kg. LD50 Oral - rat - 29,700 mg/kg Remarks: Behavioral:Somnolence (general depressed activity). Cyanosis Diarrhoea. LD50 Dermal - Data not available.
CL50 (specify species and route of entry)	LC50 - Inhalation - Data not available.

#### **SECTION 12 - ECOLOGICAL INFORMATION**

1	1
Available ecological information	INIA I
Available ecological information	IINO I

#### **SECTION 13 - DISPOSAL CONSIDERATIONS**

	This product can be disposed of in the same way as domestic waste. For large quantities, contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

#### **SECTION 14 - TRANSPORT INFORMATION**

UN Number	N/R
UN Proper shipping name	
Transport hazard class(es)	
Packing group	
Limited quantity index	
ERAP Index	
Special precautions	

#### **SECTION 15 - REGULATORY INFORMATION**

WHIMS CANADA	Not a hazardous substance according to WHMIS 2015

#### **SECTION 16 - OTHER INFORMATION**

#### **Further information**

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 11/17/2021