



Centre Anti-Poison pour le Québec: (800) 463-5060

Tél. (Qc): (418) 660-8666 / 800-890-8666



Fax. (Qc): (418) 660-8998

SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier SODIUM NITRITE		Product Use Laboratory use	
Chemical formula NaNO ₂		Product code SR-0978	Molar weight 69
Chemical name / Commercial name / Synonymous SODIUM NITRITE, NITROUS ACID SODIUM SALT, ERINITRIT, FILMERINE			
Supplier's name Laboratoire MAT		Address-Street 610, Adanac Street	
City Québec		Province Québec	
Postal code G1C 7B7	Internet www.labmat.com	Phone number 418-660-8666 / 800-890-8666	
Emergency phone	CANUTEC: 613-996-6666		CENTRE ANTI-POISON DU QUÉBEC 800-463-5060
Date SDS 12/17/2018	SDS Prepared by Laboratoire MAT	E-Mail labmat@labmat.com	

SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Oxidizing solids category 3 Acute toxicity - Oral category 3 Serious eye damage/ Eye irritation category 2A
Signal Word	DANGER
Hazards statements (H)	H272 May intensify fire; oxidiser. H301 Toxic if swallowed. H319 Causes serious eye irritation.
Precautionary statements (P)	P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking. P220 Keep/Store away from clothing and combustible materials. P264 Wash the areas of the body that have been in contact with the product after handling. P270 Do no eat, drink or smoke when using this product. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P321 Specific treatment (see section 4 of the SDS and on this label). P330 Rinse mouth. P370 + P378 In case of fire: Use water spray or alcohol-resistant foam, or dry powder or carbon dioxide for extinction. P405 Store locked up. P501 Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice /attention.
PICTOGRAMS	
Other dangers	NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)
	Health 2 Fire 0 Reactivity 3 Special danger OX

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Nitrite de sodium	7632-00-0	<=100

SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Consult a physician.
Ingestion	If the person is conscious, give water to drink. Never give anything by mouth to an unconscious person. Get immediate medical help.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

SECTION 05 - FIREFIGHTING MEASURES

Flammability	No
Ignition conditions	Not flammable or combustible. Risk of fire or explosion if heated or milled in the presence of combustible or organic products.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Data not available.
Hazardous combustion / decomposition products	Hazardous decomposition products formed under fire conditions. - Nitrogen oxides (NO _x), Sodium oxides
Special fire and explosion hazards	Sodium nitrite may explode if heated above 490 °C or in contact with cyanides, cellulose, lithium, sodium sulphite, potassium and ammonia. May react violently with incompatible products (Ref Section 10).
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning up / Personnel precautions, protective equipment	Evacuate personnel to safe areas. Cut off all sources of ignition. Ensure adequate ventilation. When handling, wear appropriate safety equipment. Use a respirator as needed. Avoid dust formation. Cover the residues with sodium carbonate or calcium oxide to neutralize the product. Avoid breathing vapours, mist or gas. Dilute residues with water, clean and rinse. Dispose of residues in a container provided for the disposal of hazardous materials.
--	--

SECTION 07 - HANDLING AND STORAGE

Conditions for safe storage	Hygroscopic. Store in a cool, dry place. Store in a well-ventilated area. Keep container tightly closed and store away from heat, moisture, combustible and incompatible products.
Methods of handling	Always open containers slowly to allow any excess pressure to vent. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust or vapor is formed. Keep away from sources of ignition - No smoking. Avoid contact with combustible materials. Keep away from heat and sources of ignition.

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

Components	CAS-No.	Value	Control Citric acid	
SODIUM NITRITE	7632-00-0	No data available	TLV, TWA, STEL	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		No data available	TLV, TWA, STEL	Canada. British Columbia OEL
		No data available	TLV, TWA, STEL	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants

Ventilation	Use fan.
Respiratory	If work under the hood is not possible, or if the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
Gloves	Handle with gloves.
Eyes	Safety goggles with safety shutters.
Shoes	Safety shoes.
Clothing	Labcoat.
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid.
Appearance	solide blanc crème à jaune pâle-
Odour	Donnée non disponible.
Odour threshold	Data not available
pH	Solution aqueuse 10 g/L = pH ~8-9.
Melting point / Freezing point	271°C
Initial boiling point	320°C
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Vapour density	Data not available
Relative density	2.17-2.26g/cm ³
Solubility	Soluble dans l'eau (666-848 g/L) . Peu soluble dans l'alcool.
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	510°C
Decomposition temperature	>320°C
Viscosity	Data not available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Non-reactive under normal conditions. Oxidizer: risk of fire in case of contact with combustible / organic substance.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Oxidizer.
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Avoid excessive heat and humidity.
Incompatible material	Strong reducing agents, fine metal powders, strong acids, chlorates, cyanides, hypophosphites, iodides, mercury salts, permanganates, sulphites, tannic acid, acetanilide, heat and moisture.
Materials to avoid	Acids, Powdered metals, Ammonia, Cyanides, Amines, Activated carbon, Combustible material, Reducing agents Strong oxidizing agents.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. - Nitrogen oxides (NOx), Sodium oxides

SECTION 11 - TOXICOLOGICAL INFORMATION

SODIUM NITRITE

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation and tearing.
- Skin	Irritation and dermatitis.
- Inhalation	Irritation of the mucous membranes and respiratory tract. Nervous disorders, cough, dyspnea, headache, convulsions, nausea and vomiting.
Acute toxicity (Ingestion)	Irritation of the mucous membranes. Nervous disorders, dizziness, cramps, nausea and vomiting, arterial and venous dilation, tachycardia, hypotension, methemoglobinemia, cyanosis, coma and death. Ingesting one gram can be fatal in humans.
Chronic exposure effects / symptoms	Burning sensation, dermatitis, nervous disorders, dizziness, cough, dyspnea, laryngitis, headache, loss of appetite, convulsions, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral - Rat - 85 mg/kg. LD50 Dermal - Data not available.
CL50 (specify species and route of entry)	LC50 Inhalation - Rat - 4h - 5.5 mg/L.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity	Toxicity to fish: Flow-through test - LC50 - Oncorhynchus mykiss (rainbow trout) - 0.94 - 1.92 mg/l - 96.0 h. Mortality NOEC - Oncorhynchus mykiss (rainbow trout) - 0.54 mg/l - 96.0 h. Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna (Water flea) - 12.5 mg/l - 48 h. Toxicity to algae: NOEC - Desmodesmus subspicatus (green algae) - 100 mg/l - 72 h. Method: OECD Test Guideline 201
Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.
Bioaccumulative potential	Data not available.
Mobility in soil	Data not available.
Other adverse effects	Very toxic to aquatic life. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Method	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	1500
UN Proper shipping name	NITRITE DE SODIUM
Transport hazard class(es)	5.1 Oxidizing substances 6.1 Toxic substances
Packing group	III
Limited quantity index	5kg
ERAP Index	-
Special precautions	-

SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Oxidizing solids category 3 Acute toxicity - Oral category 3 Serious eye damage/ Eye irritation category 2A
--------------	---

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 12/17/2018