

Centre Anti-Poison pour le Québec: (800) 463-5060 Tél. (Qc): (418) 660-8666 / 800-890-8666 Fax. (Qc): (418) 660-8998

SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier			Product Use		
SODIUM CARBONATE 10%W/V				Laboratory use	
Chemical formula				Product code	Molar weight
Na ₂ CO ₃				SS-4010	105,99
Chemical name / Commercial name / Synonymous SODIUM CARBONATE ANHYDROUS, DISODIUM CARBONATE, C/ SODA, CRYSTOL CARBONATE, TRONA.			, CARBONIC ACID D	ISODIUM SALT, SODA A	SH, SODA CALCINED, SOLVAY
Supplier's name			Address-Street		
Laboratoire MAT			610, Adanac Street		
City			Province		
Québec		Québec			
Postal code Internet		Phone number			
G1C 7B7 www.labmat.com		418-660-8666 / 800-890-8666			
Emergency phone CANUTEC: 613-996-6666		CENTRE ANTI-POISON DU QUÉBEC 800-463-5060			
Date SDS SDS Prepared by		•	E-Mail		
3/4/2020 Laboratoire MA		۹T	labmat@labmat.com		

SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Serious eye dam	age/eye irritation - Eye irritation category 2
Signal Word	WARNING	
Hazards statements (H)	H319 Causes ser	ious eye irritation.
Precautionary statements (P)	P264	Wash the areas of the body that have been in contact with the product after handling.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P305 + P351 +	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337 + P313	If eye irritation persists: Get medical advice/attention.
PICTOGRAMS		
Other dangers		NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)
	Health	l
	Fire ()
	Reactivity ()
	Special danger	

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Carbonate de sodium	497-19-8	9

SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. If the victim is not breathing, give artificial respiration. Consult a physician.
Ingestion	Rinse mouth with water. If the person is conscious, drink water and induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

SECTION 05 - FIREFIGHTING MEASURES

Flammability	No
Ignition conditions	Not flammable or combustible.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Data not available.
Hazardous combustion / decomposition products	Hazardous decomposition products formed under fire conditions Carbon oxides, Sodium oxides.
Special fire and explosion hazards	When concentrated, the product reacts according to the following characteristics: Anhydrous sodium carbonate may react violently with sulfuric acid, atomized aluminum, fluorine, lithium and phosphorus pentoxide. May react violently with incompatible products (Ref Section 10).
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for	Evacuate personnel to safe areas. Absorb the product with sand or vermiculite. Dilute residues with water,
containment and cleaning up /	clean and rinse. Ensure a good ventilation of the premises. Dispose of residues in a container for disposal
Personnal precautions, protective	of hazardous materials. When handling, wear suitable safety equipment. Use breathing apparatus if
equipment	necessary.

SECTION 07 - HANDLING AND STORAGE

0	Keep container tightly closed in a dry and well-ventilated place. Keep container tightly closed and store away from heat, moisture, and incompatible products.
	Wear personal protective equipment when handling. Always ensure good ventilation. Transport according to TDG (ref Section 14)

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

Components	CAS- No.		Control parameters	Basis
Sodium carbonate (Anhydrous)		No data available	TLV, TWA, STEL	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		No data available	TLV, TWA, STEL	Canada. British Columbia OEL
		No data available		Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants

Ventilation	Proper ventilation or hood.
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
Gloves	Handle with gloves.
Eyes	Safety goggles with safety shutters.
Shoes	Safety shoes.
Clothing	Labcoat.
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid.
Appearance	Liquide incolore.
Odour	inodore.
Odour threshold	Data not available
рН	11-12.
Melting point / Freezing point	Data not available
Initial boiling point	Data not available
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Solubility	Soluble dans l'eau (28.5%). Insoluble dans l'alcool
Vapour density	Data not available
Relative density	1.088g/ml
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Non-reactive under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	Stable under normal conditions.
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Avoid contact with incompatible materials and extreme temperatures.
Incompatible material	When pure, the product reacts with the following products: Strong acids, strong oxidants.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. Toxic vapors of carbon monoxide and dioxide Sodium oxides.

SECTION 11 - TOXICOLOGICAL INFORMATION

SODIUM CARBONATE (ANHYDROUS)

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation and tearing.
- Skin	Irritation and dermatitis. Prolonged skin contact may cause an allergic reaction characterized mainly by erythematous lesions.
- Inhalation	Irritation of the mucous membranes and respiratory tract. Nervous disorders, respiratory allergy, cough, dyspnea, headache, dizziness, watery eyes, nausea and vomiting.
Acute toxicity (Ingestion)	Irritation of the mucous membranes. Gastrointestinal disorders, cramps, diarrhea, headache, dizziness, convulsions, nausea and vomiting.
Chronic exposure effects / symptoms	Burning sensation, dermatitis, nervous disorders, respiratory and skin allergies, pain in the chest, cough, dyspnea, headache, vertigo, tearing, confusion, irritability, erythema, fatigue, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral - Rat - 2,800 mg/kg. LD50 Dermal - Rabbit - 2000 mg/kg
CL50 (specify species and route of entry)	LC50 - Inhalation - Rat - 2h - 2300 mg/m3

SUMMARY

Acute exposure effects / Symptoms:	By exposure routes below.
Ingestion	To our knowledge, the product has not been fully evaluated
Inhalation	To our knowledge, the product has not been fully evaluated
Skin	To our knowledge, the product has not been fully evaluated
Eyes	To our knowledge, the product has not been fully evaluated
Chronic exposure effects / Symptoms:	To our knowledge, the product has not been fully evaluated
ETA Mix (Estimated Acute Toxicity)	LD50 Oral: > 5000 mg/kg - Rat LD50 Dermal: > 5000 mg/kg - Rabbit LC50 Inhalation: 25300 mg/m ³ - 2h - Rat

SECTION 12 - ECOLOGICAL INFORMATION

	Sodium carbonate: Toxicity to fish: CL50 - Lepomis macrochirus - 300 mg/l - 96 h Toxicity to daphnia and other aquatic invertebrates: CE50 - Daphnia magna (Grande daphnie) - 265 mg/l - 48 h
Persistence and degradability	Data not available.
Bioaccumulative potential	Data not available.
Mobility in soil	Data not available.
Other adverse effects	Data not available.

SECTION 13 - DISPOSAL CONSIDERATIONS

	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	N/R
UN Proper shipping name	
Transport hazard class(es)	
Packing group	
Limited quantity index	
ERAP Index	
Special precautions	

SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA

Serious eye damage/eye irritation - Eye irritation category 2

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 3/4/2020