

Centre Anti-Poison pour le Québec: (800) 463-5060 Tél. (Qc): (418) 660-8666 / 800-890-8666 Fax. (Qc): (418) 660-8998

SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier			Product Use		
AMMONIAC BUFFER (PH 10)			Laboratory use		
Chemical formula				Product code	Molar weight
-				TA-0010	
Chemical name / Commercial name / Synonymous TAMPON AMMONIACAL (pH 10)					
Supplier's name			Address-Street		
Laboratoire MAT		610, Adanac Street			
City		Province			
Québec		Québec			
Postal code	Internet		Phone number		
G1C 7B7	www.labmat.com		418-660-8666 / 800-890-8666		
Emergency phone	CANUTEC: 613-996-6666		CENTRE ANTI-POISON DU QUÉBEC 800-463-5060		50
Date SDS	SDS Prepared by			E-Mail	
10/13/2022	Laboratoire MA		T	labmat@labmat.com	

SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Serious eye damage/eye irritation - Serious eye damage category 1		
	Skin corrosion/irri	tation - Skin corrosion category 1	
Signal Word	DANGER		
Hazards statements (H)	H314 Causes seve	ere skin burns and eye damage.	
	H318 Causes serie	ous eye damage.	
Precautionary statements (P)	P260	Do not breathe dust / fume / gas / mist / vapors / spray.	
	P264	Wash the areas of the body that have been in contact with the product after handling.	
	P280	Wear protective gloves/protective clothing/eye protection/face protection.	
	P301 + P330 + P	331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.	
	P303 + P361 + P	353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.	
	P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
	P305 + P351 + P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
	P310	Immediately call a POISON CENTER or doctor/physician.	
	P321	Specific treatment (see section 4 of the SDS and on this label).	
	P363	Wash contaminated clothing before reuse.	
	P405	Store locked up.	
	P501	Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company.	
PICTOGRAMS	The state of the s		
Other dangers	N	FPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)	
	Health 2		
	Fire 0		
	Reactivity 0		
	Special danger		

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Hydroxyde d'ammonium	1336-21-6	31
Chlorure d'ammonium	12125-02-9	5

SECTION 04 - FIRST AID MEASURES

Eye contact	If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
Ingestion	If the person is conscious, give water to drink. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	The product is a material corrosive. Main symptoms of high exposure: Chemical burns of the skin, eyes and respiratory and digestive mucous membranes. Eye damage. Irritation of the nose and throat. Breathing difficulties. Pulmonary edema. Effects may be delayed. Nausea and vomiting. Headaches. Vertigo. Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

SECTION 05 - FIREFIGHTING MEASURES

Flammability	No	
Ignition conditions	Not flammable or combustible.	
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
Unsuitable extinguishing media	Data not available.	
Hazardous combustion products	Hazardous combustion products formed under fire conditions: - nitrogen oxides (NOx). Ammonia Hydrogen chloride gas	
Special fire and explosion hazards	When concentrated, the product reacts according to the following characteristics: May react violently with incompatible products (Ref Section 10). Ammonium chloride combined with hydrogen cyanide produces a very unstable compound; nitrogen trichloride. Ammonium chloride forms an explosive mixture in the presence of potassium chlorate. Violent reactions (ignition) on contact with trifluoride and bromine pentafluoride.	
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.	

SECTION 06 - ACCIDENTAL RELEASE MEASURES

	Evacuate personnel to safe areas. Absorb the product with sand or vermiculite. Dilute residues with water, clean and rinse. Ensure a good ventilation of the premises. Dispose of residues in a container for disposal
Personnal precautions, protective	of hazardous materials. When handling, wear suitable safety equipment. Use breathing apparatus if necessary. Avoid breathing vapors, mist or gas. Do not let product enter drains.

SECTION 07 - HANDLING AND STORAGE

Store in a well-ventilated area. Store in a cool, dry place. Keep container tightly closed and store away from incompatible products, heat, sparks, and open flame. Over time, the pressure can increase and inflate the containers.
Release of toxic ammonia vapor. This product has a very strong odor. Ensure good ventilation. Use a hood preferably. Avoid ingestion and inhalation. Avoid contact with the skin, eyes and clothes. Wear personal protective equipment when handling. Always ensure good ventilation. Transport according to TDG (ref Section 14)

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

Composants	NoCAS	Control parameters	Value	Basis
Ammoniac, anhydrous	7664-41-7	VEMP	25 ppm 17 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		VECD	35 ppm 24 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
		TWA	25 ppm 17 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		STEL	35 ppm 24 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		TWA	25 ppm	Canada. British Columbia OEL
		STEL	35 ppm	Canada. British Columbia OEL

Components	CAS-No.	Control parameters	Value	Basis			
Ammonium chloride	12125-02-9	TWA	10.000000 mg/m3	Canada. British Columbia OEL			
		STEL	20.000000 mg/m3	Canada. British Columbia OEL			
		TWA	10.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)			
Remarks	Occupational exposure schedules is not require	e limit is based on irritation effects c ed	and its adjustment to compensate	for unusual work			
		STEL	20.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)			
	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required						
		TWA	10.000000 mg/m3	Canada. British Columbia OEL			
		STEL	20.000000 mg/m3	Canada. British Columbia OEL			
		TWAEV	10.000000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants			

	STEV	20.000000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
	TWA	10.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
Occupational exposure limit is l schedules is not required	based on irritation effects and its	adjustment to compensate for u	nusual work
saledoles is not required	STEL	20.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
Occupational exposure limit is l schedules is not required	based on irritation effects and its	adjustment to compensate for u	nusual work
	TWAEV	10.000000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
	STEV	20.000000 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
	TWA	10.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	STEL	20.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	TWA	10.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	STEL	20.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)

Data source	igma-Aldrich (Millipore Sigma)	
Ventilation	Fan.	
Respiratory	If work under the hood is not possible. or if the permissible levels are exceeded. use a mechanical filter /	

. ,	cartridge against NIOSH vapors or a respirator with air supply.
Gloves	Handle with gloves.
Eyes	Safety goggles with safety shutters. Face shield (20 cm minimum).
Shoes	Safety shoes.
Clothing	Labcoat. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid.
Appearance	Liquide clair.
Odour	Odeur suffocante.
Odour threshold	Data not available
рН	10.0.
Melting point / Freezing point	Data not available
Initial boiling point	Data not available
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Solubility	Miscible avec l'eau.
Vapour density	Data not available
Relative density	1.026 g/ml (théorique).
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Basic product, reacts violently with strong acids. May react violently with incompatible substances.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	May react violently with incompatible substances.
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Avoid contact with incompatible materials and extreme temperatures.
Incompatible material	When pure, the products react with the following products: Acids, strong oxidizing agents, acrolein, iodine, aluminum, silver, bromine, calcium hypochlorite, chlorine, copper, and its alloys, dimethyl sulphate, iron galvanized, iodine, zinc, mercury, silver salts, nitromethane, gold, bleaches, propylene oxide, heat and moisture. Strong acids and bases, trifluoride and bromine pentafluoride, hydrogen cyanide, alkali metals and their carbonates, lead and silver salts, potassium chlorate and moisture.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions nitrogen oxides (NOx). Ammonia Hydrogen chloride gas

SECTION 11 - TOXICOLOGICAL INFORMATION

AMMONIUM HYDROXIDE (28-30% W/W HN3)

Routes of exposure	Inhalation and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Causes eye burns.
- Skin	May be harmful if absorbed through skin. Causes skin burns.
- Inhalation	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
Acute toxicity (Ingestion)	Burns and ulcerations of the mouth, throat and esophagus. Dysphagia, abdominal pain, cramps, diarrhea, hematemesis, headache, dizziness, possible perforation of the stomach and esophagus, stenosis, tremors, convulsions, stupor, circulatory collapse, unconsciousness, coma and can lead to death.
Chronic exposure effects / symptoms	Burning sensation, dermatitis, conjunctivitis, nervous disorders, eye and lung damage, chest pain, cough, dyspnoea, laryngitis, headache, dizziness, confusion, irritability, tearing, choking, sweating, salivation, tremors, fatigue loss of weight and loss of appetite, convulsions, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral - Rat - 350 mg/kg. (NH3) LD50 Dermal - Data not available.
CL50 (specify species and route of entry)	LC50 Inhalation - Rat - 4h - 2000 ppm (NH3)

AMMONIUM CHLORIDE

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation and may cause inflammation of the conjunctiva.
- Skin	Irritation and dermatitis.
- Inhalation	Irritation of the mucous membranes and respiratory tract. Nervous disorders, cough, dyspnea, headache, dizziness, nausea and vomiting.
Acute toxicity (Ingestion)	Irritation of the mucous membranes. Gastrointestinal disorders, cramps, diarrhea, headache, dizziness, convulsions, nausea and vomiting.
Chronic exposure effects / symptoms	Burning sensation, dermatitis, conjunctivitis, chest pain, cough, dyspnoea, laryngitis, headache, dizziness, confusion, irritability, tiredness, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral - Rat - 1 650 mg/kg LD50 Dermal - Rat - > 2 000 mg/kg.
CL50 (specify species and route of entry)	LC50 - Inhalation - Data not available.

SUMMARY

Acute exposure effects / Symptoms:	By exposure routes below.
Ingestion	To our knowledge, the product has not been fully evaluated
Inhalation	To our knowledge, the product has not been fully evaluated
Skin	To our knowledge, the product has not been fully evaluated
Eyes	To our knowledge, the product has not been fully evaluated
Chronic exposure effects / Symptoms:	To our knowledge, the product has not been fully evaluated
ETA Mix (Estimated Acute Toxicity)	LD50 Oral: 3534 mg/kg - Rat LD50 Dermal: > 5000 mg/kg - Rat LC50 Inhalation: 22759 ppm - 4h - Rat

SECTION 12 - ECOLOGICAL INFORMATION

,	Ammonium chloride: Toxicity to fish: LC50 - Cyprinus carpio (carp) - 209.00 mg / I - 96 h LC50 - Oncorhynchus mykiss (rainbow trout) - 3.98 mg / I - 96 h NOEC - Oncorhynchus mykiss (rainbow trout) - 57 mg / I - 96 h Toxicity to daphnia and other aquatic invertebrates: LC50 - Daphnia magna (Greater Daphnia) - 161 mg / I - 48 h Inhibition of growth NOEC - Daphnia magna (Greater Daphnia) - 0.1 mg / I - 216 h
Persistence and degradability	Data not available.
Bioaccumulative potential	Data not available.
Mobility in soil	Soluble in water. Probable mobility in the environment due to its solubility in water.
	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

SECTION 13 - DISPOSAL CONSIDERATIONS

•	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	N/R
UN Proper shipping name	
Transport hazard class(es)	
Packing group	
Limited quantity index	
ERAP Index	
Special precautions	

SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Serious eye damage/eye irritation - Serious eye damage category 1
	Skin corrosion/irritation - Skin corrosion category 1

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 10/13/2022