

Centre Anti-Poison pour le Québec: (800) 463-5060 Tél. (Qc): (418) 660-8666 / 800-890-8666 Fax. (Qc): (418) 660-8998

#### SAFETY DATA SHEET

## **SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION**

Product Identifier			Product Use		
BUFFER SOLUTION PH 7 (Yellow)				Laboratory use	
Chemical formula				Product code	Molar weight
				TJ-0007	
Chemical name / Commercial name / Synonymous BUFFER PH 7					
Supplier's name			Address-Street		
Laboratoire MAT		610, Adanac Street			
City		Province			
Québec		Québec			
Postal code Internet		Phone number			
G1C 7B7 www.labmat.com		418-660-8666 / 800-890-8666			
Emergency phone CANUTEC: 613-996-6666		CENTRE ANTI-POISON DU QUÉBEC 800-463-5060			
Date SDS SDS Prepared by		SDS Prepared by		E-Mail	
9/3/2019 Laboratoire MA		labmat@labmat.com			

### **SECTION 02 - HAZARDS IDENTIFICATION**

Classification WHIMS / GHS	Not a hazardous substance according to WHMIS 2015		
Other dangers		NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)	
	Health Fire Reactivity Special danger		

## SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Εαυ	7732-18-5	>99
Hydroxyde de sodium	1310-73-2	0.1
Phosphate de potassium monobasique	7778-77-0	0.7
FD&C Yellow No5	1934-21-0	<0.02

## SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 1.5 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	If breathed in, move person into fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	If the person is conscious, give water to drink. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

#### **SECTION 05 - FIREFIGHTING MEASURES**

Flammability	No
Ignition conditions	Not flammable or combustible.
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Not applicable.
Dangerous fumes - combustion	Sodium oxides Potassium oxides. Phosphorus oxides
Hazardous combustion / decomposition products	Hazardous decomposition products formed under fire conditions Sodium oxides.
Special fire and explosion hazards	To the best of our knowledge, no other specific hazards have been identified.
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

### **SECTION 06 - ACCIDENTAL RELEASE MEASURES**

Methods and materials for	Evacuate personnel to safe areas. Absorb the product with sand or vermiculite. Dilute residues with water,
containment and cleaning up /	clean and rinse. Ensure a good ventilation of the premises. Dispose of residues in a container for disposal
Personnal precautions, protective	of hazardous materials. When handling, wear suitable safety equipment. Use breathing apparatus if
equipment	necessary.

## SECTION 07 - HANDLING AND STORAGE

Store in a cool, dry place. Keep container tightly closed and store away from heat, water, moisture, and incompatible products.
Wear personal protective equipment when handling. Always ensure good ventilation. Transport according to TDG (ref Section 14)

# SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Sodium hydroxide	1310-73-2	с	2.000000 mg/m3	Canada. British Columbia OEL
		CEV	2.000000 mg/m3	Canada. Ontario OELs
		(c)	2.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
Remarks			ure limit is based on ir Iles is not required	ritation effects and its adjustment to compensate for
		С	2.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		С	2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
Phosphate de potassium monobasique	7778-77-0	-	Data not available	Québec. Règlement sur la santé et la sécurité du travail, Annexe 1 Partie 1: Valeurs d'exposition admissibles des contaminants de l'air

Data source	Sigma-Aldrich (Millipore Sigma)	
Ventilation	Fan.	
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.	
Gloves	Handle with gloves.	
Eyes	Safety goggles with safety shutters.	
Shoes	Safety shoes.	
Clothing	Labcoat.	
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.	

# SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid.
Appearance	Jaune translucide-
Odour	inodore.
Odour threshold	Data not available
рН	7.0 @ 25°C.
Melting point / Freezing point	0°C
Initial boiling point	100°C
Boiling range	Data not available
Flash point	Non applicable°C
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Solubility	Soluble dans l'eau.
Vapour density	Data not available
Relative density	1.0g/ml
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

## SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Non-reactive under normal conditions.	
Chemical stability	Stable under recommended storage conditions.	
Possibility of hazardous reactions	Stable under normal conditions.	
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Avoid excessive heat.	
Incompatible material	To our knowledge, the product has not been fully evaluated.	
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions Sodium oxides Oxides of phosphorus, Potassium oxides.	

## SECTION 11 - TOXICOLOGICAL INFORMATION

#### POTASSIUM PHOSPHATE (MONOBASIC)

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation and tearing.
- Skin	May cause skin irritation.
- Inhalation	Irritation of the mucous membranes and respiratory tract. Nervous disorders, dizziness, cough, dyspnea, headache, nausea and vomiting.
Acute toxicity (Ingestion)	Irritation of the mucous membranes. Nervous disorders, gastrointestinal disorders, dizziness, headache, nausea and vomiting.
Chronic exposure effects / symptoms	Burning sensation, watery eyes, nervous disorders, dizziness, headache, cough, dyspnea, laryngitis, loss of appetite, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral - Rat - 3200 mg/kg. LD50 Dermal - Rat - 2000 mg/kg.
CL50 (specify species and route of entry)	LC50 Inhalation - Rat - 4h - 830 mg/m3

#### SODIUM HYDROXIDE

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Severe burns and destruction of ocular tissue that can lead to corneal ulceration and blindness.
- Skin	May be harmful if absorbed through skin. Causes skin burns.
- Inhalation	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
Acute toxicity (Ingestion)	Corrosion of the digestive tract, bloody vomiting with mucous membrane fragments, diarrhea, inflammation of the larynx and possibility of oesophageal and gastric perforation, death.
Chronic exposure effects / symptoms	Burning sensation, dermatitis, conjunctivitis, lung and eye damage, nerve disorders, chest pain, cough, dyspnea, laryngitis, headache, dizziness, confusion, irritability, sweating, salivation, tearing, fatigue, alopecia, loss weight loss and loss of appetite, seizures, nausea and vomiting.
DL50 (specify species and route of entry)	Oral rat: 140mg/kg Dermal rabbit: 1350mg/kg
CL50 (specify species and route of entry)	LC50 - Inhalation - Data not available.

#### SUMMARY

Acute exposure effects / Symptoms:	By exposure routes below.
Ingestion	To our knowledge, the product has not been fully evaluated
Inhalation	To our knowledge, the product has not been fully evaluated
Skin	To our knowledge, the product has not been fully evaluated
Eyes	To our knowledge, the product has not been fully evaluated
Chronic exposure effects / Symptoms:	To our knowledge, the product has not been fully evaluated
ETA Mix (Estimated Acute Toxicity)	LD50: >5000 mg/kg -Oral Rat LD50: >5000 mg/kg -Dermal Rabbit LC50: Data not avaible

## **SECTION 12 - ECOLOGICAL INFORMATION**

### **SECTION 13 - DISPOSAL CONSIDERATIONS**

	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

#### **SECTION 14 - TRANSPORT INFORMATION**

UN Number	N/R
UN Proper shipping name	
Transport hazard class(es)	
Packing group	
Limited quantity index	
ERAP Index	
Special precautions	

### **SECTION 15 - REGULATORY INFORMATION**

WHIMS CANADA

Not a hazardous substance according to WHMIS 2015

### **SECTION 16 - OTHER INFORMATION**

**Further information** 

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 9/3/2019