

Centre Anti-Poison pour le Québec: (800) 463-5060 Tél. (Qc): (418) 660-8666 / 800-890-8666 Fax. (Qc): (418) 660-8998

SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier			Product Use		
TETRAHYDROFURAN (stabilised BHT)			Laboratory use		
Chemical formula				Product code	Molar weight
C ₄ H ₈ O				TR-0118	<i>7</i> 2,11
Chemical name / Commercial name / Synonymous TETRAHYDROFURANE, TÉTRAHYDROFURANNE, DIETHYLENE OXIDE, TETRA CYCLOTETRAMETHYLENE OXIDE, FURANIDINE, OXACYCLOPENTANE, OXO				ENE OXIDE, THF, 1,4-EPOXYBUTANE,	BUTYLENE OXIDE,
Supplier's name		Address-Street			
Laboratoire MAT		610, Adanac Street			
City		Province			
Québec		Québec			
Postal code	Internet		Phone number		
G1C 7B7	C 7B7 www.labmat.com		418-660-8666 / 800-890-8666		
Emergency phone	CANUTEC: 613-996-6666		CENTRE ANTI-POISON DU QUÉBEC 800-463-5060		
Date SDS	SDS Prepared by			E-Mail	
2/3/2020	Laboratoire MA		T	labmat@labmat.com	

SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Flammable liquids	category 2
	Acute toxicity - Or	
	,	ge/ Eye irritation category 2A
	Carcinogenicity ca	
	,	gan toxicity - Single exposure category 3
Signal Word	DANGER	
Hazards statements (H)		and the Proof of the Colombia
Tidzaids sidiemenis (11)		nable liquid and vapour.
	H302 Harmful if sv	
	H319 Causes serio	•
	H351 Suspected of	respiratory irritation. of causing cancer.
Precautionary statements (P)	P201	
recommunity statements (1)	P201	Obtain special instructions before use.
	-	Do not handle until all safety precautions have been read and understood.
	P210	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
	P233	Keep container tightly closed.
	P240	Ground/bond container and receiving equipment.
	P241	Use explosion-proof electrical/ventilating/lighting equipment.
	P242	Use only non-sparking tools.
	P243	Take precautionary measures against static discharge.
	P261	Avoid breathing dust / fume / gas / mist / vapours / spray.
	P264	Wash the areas of the body that have been in contact with the product after handling.
	P270	Do no eat, drink or smoke when using this product.
	P271	Use only outdoors or in a well-ventilated area.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P303 + P361 + P	353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305 + P351 + P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P308 + P313	IF exposed or concerned: Get medical advice/attention.
	P312	Call a POISON CENTER or doctor/physician if you feel unwell.
	P330	Rinse mouth.
	P337 + P313	If eye irritation persists: Get medical advice/attention.
	P370 + P378	In case of fire: Use water spray or alcohol-resistant foam, or dry powder or carbon dioxide for extinction.
	P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
	P403 + P235	Store in a well-ventilated place. Keep cool.
	P405	Store locked up.
	P501	Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company.
	P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
PICTOGRAMS	<u>i</u>	
Other dangers	N	FPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)
	Health 2	
	Fire 4	
	Reactivity 1	
	Special danger	
	Special adilyci	

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Tétrahydrofuran	109-99-9	>=99
2,6-Di-tert-butyl-p-cresol (BHT) (stabilisant)	128-37-0	<=0.05

SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	Do NOT induce vomiting. If the person is conscious, rinse the mouth with water. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

SECTION 05 - FIREFIGHTING MEASURES

Flammability	Yes	
Ignition conditions	Keep away from heat/sparks/open flame/hot surface.	
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
Unsuitable extinguishing media	Do not use a concentrated stream of water that could spread fire.	
Hazardous combustion / decomposition products	Hazardous decomposition products formed under fire conditions nitrogen oxides (NOx) Carbon Oxides. Peroxides.	
Special fire and explosion hazards	May react violently with incompatible products (Ref Section 10). May form explosive peroxide.	
	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.	

SECTION 06 - ACCIDENTAL RELEASE MEASURES

	Evacuate personnel to safe areas. Eliminate all sources of inflammation. Absorb the product with sand or
containment and cleaning up /	vermiculite. Dilute residues with water, clean and rinse. Ensure a good ventilation of the premises. Dispose
Personnal precautions, protective	of residues in a container for disposal of hazardous materials. When handling, wear suitable safety
equipment	equipment. Use breathing apparatus if necessary. Ensure adequate ventilation. Avoid breathing vapours,
	mist or gas. Vapours can accumulate in low areas. Discharge into the environment must be avoided. Do
	not let product enter drains.

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis		
Tetrahydrofuran	109-99-9	TWA	50.000000 ppm 147.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)		
Remarks	Substance r	nay be re	adily absorbed through into	act skin		
		STEL	100.000000 ppm 295.000000 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)		
	Substance r	nay be re	adily absorbed through into	act skin		
		TWA	50.000000 ppm	Canada. British Columbia OEL		
	Contributes	Contributes significantly to the overall exposure by the skin route.				
		STEL	100.000000 ppm	Canada. British Columbia OEL		
	Contributes	Contributes significantly to the overall exposure by the skin route.				
	TWAEV 100.000000 ppm 300.000000 mg/m3 Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants		sure			
		TWA	50.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)		
		STEL	100.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)		

Data source	Sigma-Aldrich.	
Ventilation	Fan.	
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.	
Gloves	Handle with gloves.	
Eyes	Safety goggles with safety shutters.	
Shoes	Safety shoes.	
Clothing	Labcoat. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.	
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.	

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Liquid.
Appearance	Liquide incolore.
Odour	Distillats de pétrole.
Odour threshold	2.5ppm
pH	7.
Melting point / Freezing point	-108°C
Initial boiling point	65-67°C
Boiling range	Data not available
Flash point	-20°C
Evaporation rate	> 1 (n-butyl acetate = 1).
Flammability	Yes
Lower flammable / Explosive limit	2%
Upper flammable / Explosive limit	11.8%
Vapour pressure	17.5 kPa (131.3 mm Hg) at 20 °C.
Vapour density	2.5 (Air=1)-
Relative density	$0.889 g/cm^3$
Solubility	Miscible avec l'eau, l'alcool, les cétones, l'éther et les hydrocarbures.
Partition coefficient water/n-octanol	0.35-
Auto-ignition temperature	321°C
Decomposition temperature	Data not available
Viscosity	0.53 cP à 20°C.

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Non-reactive under normal conditions.	
Chemical stability	Stable under recommended storage conditions. Test for peroxide formation before distillation or evaporation. Test for peroxide formation or discard after 1 year. Hygroscopic.	
Possibility of hazardous reactions	Stable under normal conditions. Vapours may form explosive mixture with air.	
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Heat, flames and sparks. Avoid excessive heat and humidity. Exposure to moist air or water.	
Incompatible material	Strong oxidizing agents. Acids.	
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. Carbon oxides. Nitrogen oxides (NOx). Peroxides.	

SECTION 11 - TOXICOLOGICAL INFORMATION

TETRAHYDROFURAN (STABILISED BHT)

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Severe irritation and burning may cause permanent eye damage.
- Skin	Irritation and dermatitis.
- Inhalation	Irritation of the mucous membranes and respiratory tract. Drowsiness and loss of consciousness.
Acute toxicity (Ingestion)	Irritation of the mucous membranes. Narcotic effects, liver and kidney damage, gastrointestinal disorders, cramps, diarrhea, headache, paleness, nausea and vomiting, dizziness, drowsiness, tremor, salivation, seizures, hypotension, respiratory collapse, unconsciousness, coma and can lead to death.
Chronic exposure effects / symptoms	ls recognized as a possible carcinogen for humans (class 2B) by IARC. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Causes central nervous system depression.
DL50 (specify species and route of entry)	LD50 Oral - Rat - 1 650 mg/kg LD50 Dermal - Rat - > 2000 mg/kg
CL50 (specify species and route of entry)	CL50 inhalation - Rat 180 mg/L - 1 h 53.9 mg/L - 4 h

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity	EC50 - Daphnia (water flea) - 3485 mg/L - 48 h CL50 Pimephales promelas : 2160 mg/L - 96 h
Persistence and degradability	Persistence is unlikely based on information available.
Bioaccumulative potential	No bioaccumulation is to be expected (log Pow <= 4).
Mobility in soil	Probable mobility in the environment due to its solubility in water.
Other adverse effects	Data not available.

SECTION 13 - DISPOSAL CONSIDERATIONS

•	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	2056
UN Proper shipping name	TÉTRAHYDROFURANNE
Transport hazard class(es)	3 Flammable liquids
Packing group	II .
Limited quantity index	1L
ERAP Index	-
Special precautions	-

SECTION 15 - REGULATORY INFORMATION

WHIMS CANADA	Flammable liquids category 2 Acute toxicity - Oral category 4
	Serious eye damage/ Eye irritation category 2A
	Carcinogenicity category 2 Specific target organ toxicity - Single exposure category 3

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 2/3/2020