

Centre Anti-Poison pour le Québec: (800) 463-5060 Tél. (Qc): (418) 660-8666 / 800-890-8666 Fax. (Qc): (418) 660-8998

#### SAFETY DATA SHEET

## **SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION**

Product Identifier			Product Use		
ZINC "MOSSY"			Laboratory use		
Chemical formula				Product code	Molar weight
Zn				ZR-0101	65,37
Chemical name / Commercial name / Synonymous Zinc "Mossy", Zinc métallique, Zinc metal					
Supplier's name			Address-Street		
Laboratoire MAT			610, Adanac Street		
City			Province		
Québec		Québec			
Postal code Internet		Phone number			
G1C 7B7 www.labmat.com		418-660-8666 / 800-890-8666			
Emergency phone CANUTEC: 613-996-6666		CENTRE ANTI-POISON DU QUÉBEC 800-463-5060			
Date SDS	Date SDS SDS Prepared by			E-Mail	
9/3/2019 Laboratoire MA		Т	labmat@labmat.com		

#### **SECTION 02 - HAZARDS IDENTIFICATION**

Classification WHIMS / GHS	Not a hazardous substance according to WHMIS 2015	
Other dangers		NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)
	Health Fire Reactivity Special danger	1 1 0

## **SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS**

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Zinc	7440-66-6	>95

#### **SECTION 04 - FIRST AID MEASURES**

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	If the person is conscious, rinse the mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician. The use of EDTA as an antidote may be recommended, but first notify the medical staff.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

## **SECTION 05 - FIREFIGHTING MEASURES**

Flammability	No
Ignition conditions	Dusts or fine powders can ignite spontaneously when exposed to moisture.
Suitable extinguishing media	Use only a class D fire extinguisher to extinguish the fire. Flames can also be smothered with sand or soda ash.
Unsuitable extinguishing media	Do not use water.
Hazardous combustion / decomposition products	Hazardous decomposition products formed under fire conditions Zinc/zinc oxides.
Special fire and explosion hazards	In contact with acids, releases hydrogen: a flammable gas. Dust may form explosive mixtures with air. May react violently with incompatible products (Ref Section 10).
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.

#### **SECTION 06 - ACCIDENTAL RELEASE MEASURES**

	Evacuate personnel to safe areas. Cut off all sources of ignition. Pick up with a broom, taking care not to scatter dust. Dispose of residues in a container provided for the disposal of hazardous materials. When
3 1 /	handling, wear appropriate safety equipment. Avoid dust formation. Avoid breathing vapours, mist or
equipment	gas. Ensure adequate ventilation. Do not let product enter drains.

## **SECTION 07 - HANDLING AND STORAGE**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Keep container tightly closed and store away from heat, water, moisture, and incompatible products.
Provide appropriate exhaust ventilation at places where dust is formed. Avoid dust formation. Avoid contact with the skin, eyes and clothes. Avoid ingestion and inhalation. Wear personal protective equipment when handling. Always ensure good ventilation. Transport according to TDG (ref Section 14)

# **SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Workplace control parameters

Components	CAS- No.	Value	Control parameters	Basis
Zinc	7440- 66-6	No data available	TLV, TWA, STEL	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		No data available	TLV, TWA, STEL	Canada. British Columbia OEL
		No data available		Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants

Ventilation	Fan.	
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.	
Gloves	Handle with gloves.	
Eyes	Safety goggles with safety shutters.	
Shoes	Safety shoes.	
Clothing	Labcoat.	
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.	

## **SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES**

Physical state	Solid.
Appearance	Morceaux gris de diverses formes
Odour	Donnée non disponible.
Odour threshold	Data not available
pH	Donnée non-disponible.
Melting point / Freezing point	419.5°C
Initial boiling point	908°C
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	1.3 mbar @ 478°C.
Vapour density	Data not available
Relative density	7.14g/cm <sup>3</sup>
Solubility	Insoluble dans l'eau. Soluble dans les acides.
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	460°C
Decomposition temperature	Data not available
Viscosity	Data not available

#### **SECTION 10 - STABILITY AND REACTIVITY**

Reactivity	Non-reactive under normal conditions. Material may react violently with water.
Chemical stability	Stable under recommended storage conditions. Reacts with water.
Possibility of hazardous reactions	Reacts violently with water. Avoid dust formation. May form combustible dust concentrations in the air. In contact with an acid, releases hydrogen, a flammable gas.
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	Exposure to moist air or water. The presence of water or a source of moisture near this product can generate enough heat to ignite combustible materials nearby. Avoid contact with incompatible materials.
Incompatible material	Strong acids and bases, amines, chlorates, chlorides, chlorine, carbon disulfide, fluorine, hydroxylamine, alkali metals, nitrates, chromic oxide, chlorinated solvents, sulfur, water and humidity.
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions Zinc/zinc oxides.

## **SECTION 11 - TOXICOLOGICAL INFORMATION**

#### ZINC "MOSSY"

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Irritation. To our knowledge, the product has not been fully studied.
- Skin	Irritation. To our knowledge, the product has not been fully studied.
- Inhalation	Metal fume fever results from inhalation of fumes of zinc oxide produced when zinc is heated to high temperatures, such as during welding, metal cutting, or smelting zinc alloys. Nausea and vomiting, chills and fever, muscular aches and pains, and weakness. To our knowledge, the product has not been fully studied.
Acute toxicity (Ingestion)	Irritation of the mucous membranes. Acute ingestion of 2g or more of zinc produces gastro-intestinal irritation and vomiting. To our knowledge, the product has not been fully studied.
Chronic exposure effects / symptoms	Burning sensation and irritation. Continual excessive Zinc intake results in reductions in serum levels of copper (hypocupremia), sideroblastic anemia, and neutropenia. To our knowledge, the chemical, physical and toxicological properties have not been fully investigated.
DL50 (specify species and route of entry)	LD50 Oral - Rat - 630 mg/kg. LD50 Dermal - Data not available.
CL50 (specify species and route of entry)	LC50 - Inhalation - Data not available.

#### **SECTION 12 - ECOLOGICAL INFORMATION**

Available ecological information	INIa
Available ecological information i	INO

#### **SECTION 13 - DISPOSAL CONSIDERATIONS**

<u>-</u>	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

## **SECTION 14 - TRANSPORT INFORMATION**

UN Number	N/R
UN Proper shipping name	
Transport hazard class(es)	
Packing group	
Limited quantity index	
ERAP Index	
Special precautions	

#### **SECTION 15 - REGULATORY INFORMATION**

WHIMS CANADA	Not a hazardous substance according to WHMIS 2015
	· · · · · · · · · · · · · · · · · · ·

#### **SECTION 16 - OTHER INFORMATION**

#### **Further information**

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 9/3/2019