

Centre Anti-Poison pour le Québec: (800) 463-5060 Tél. (Qc): (418) 660-8666 / 800-890-8666 Fax. (Qc): (418) 660-8998

SAFETY DATA SHEET

SECTION 01 - PRODUCT AND COMPANY IDENTIFICATION

Product Identifier			Product Use		
ZINC NITRATE HEXAHYDRATE			Laboratory use		
Chemical formula				Product code	Molar weight
Zn(NO ₃) ₂ .6H ₂ O				ZR-0166 297,47	
Chemical name / Commercial name ZINC NITRATE HEXAHYD		INC SALT, ZINC D	INITRATE HEXAHTDI	RATE	
Supplier's name			Address-Street		
Laboratoire MAT			610, Adanac Street		
City			Province		
Québec			Québec		
Postal code	Postal code Internet		Phone number		
G1C 7B7 www.labmat.com		418-660-8666 / 800-890-8666			
Emergency phone CANUTEC: 613-996-6666		CENTRE ANTI-POISON DU QUÉBEC 800-463-5060			
Date SDS SDS Prepared by		SDS Prepared by		E-Mail	
10/9/2019 Laboratoire A		Laboratoire MA	ΛT	labmat@labmat.com	

SECTION 02 - HAZARDS IDENTIFICATION

Classification WHIMS / GHS	Skin corrosion/in	rritation - Skin irritation category 2	
	Serious eye dan	nage/ Eye irritation category 2A	
	Specific target o	organ toxicity - Single exposure category 3	
	Oxidizing solids	category 2	
	Acute toxicity - Oral category 4		
Signal Word	DANGER		
Hazards statements (H)	H272 May inter	nsify fire; oxidiser.	
	H302 Harmful if	• •	
	H315 Causes sk		
		rious eye irritation.	
		e respiratory irritation.	
Precautionary statements (P)			
rrecabilitiary statements (r)	P210	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.	
	P220	Keep/Store away from clothing and combustible materials.	
	P261	Avoid breathing dust / fume / gas / mist / vapours / spray.	
	P264	Wash the areas of the body that have been in contact with the product after handling.	
	P270	Do no eat, drink or smoke when using this product.	
	P271	Use only outdoors or in a well-ventilated area.	
	P280	Wear protective gloves/protective clothing/eye protection/face protection.	
	P302 + P352	IF ON SKIN: Wash with plenty of soap and water.	
	P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	
	P305 + P351 +	P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
	P312	Call a POISON CENTER or doctor/physician if you feel unwell.	
	P321	Specific treatment (see section 4 of the SDS and on this label).	
	P330	Rinse mouth.	
	P332 + P313	If skin irritation occurs: Get medical advice/attention.	
	P337 + P313	If eye irritation persists: Get medical advice/attention.	
	P362 + P364	Take off contaminated clothing and wash it before reuse.	
	P370 + P378	In case of fire: Use water spray or alcohol-resistant foam, or dry powder or carbon dioxide for extinction.	
	P403 + P233	Store in a well-ventilated place. Keep container tightly closed.	
	P405	Store locked up.	
	P501	Dispose of contents/container in accordance with local / regional / national / international regulations or contact a specialist waste disposal company.	
	P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.	
PICTOGRAMS	'		
Other dangers		NFPA (Risk: 0=No risk; 1=Slight; 2=Moderate; 3=Signifiant; 4=Extreme)	
	Health	2	
	Fire	0	
	Reactivity	0	
	Special danger	OX	

SECTION 03 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingrédients (Dénomination chimique / synonymes)	Numéro CAS et tout identificateur unique	Concentration (%)
Nitrate de zinc hexahydrate	10196-18-6	<=100

SECTION 04 - FIRST AID MEASURES

Eye contact	Wash eyes with large amounts of water for at least 15 minutes while holding eyelids apart to rinse eyes. If irritation persists, seek medical attention.
Skin contact	Wash skin with plenty of water for at least 15 minutes. Remove soiled clothing. If irritation persists, seek medical attention.
Inhalation	Move the unwell person to the fresh air. If breathing is difficult, give oxygen. Consult a physician.
Ingestion	Do NOT induce vomiting. If the person is conscious, give water to drink. Never give anything by mouth to an unconscious person. Consult a physician.
Most important symptoms and effects (acute and delayed)	Ref. section 11.
Immediate medical attention and special treatment, if necessary	In case of medical consultation, keep this sheet available.
General advice	Show this safety data sheet to the doctor in attendance.

SECTION 05 - FIREFIGHTING MEASURES

Flammability	No	
Ignition conditions	Non flammable. Risk of fire or explosion if heated or crushed in presence of combustible products.	
Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
Unsuitable extinguishing media	Data not available.	
Hazardous combustion / decomposition products	Hazardous decomposition products formed under fire conditions Zinc/zinc oxides. Nitrogen oxide.	
Special fire and explosion hazards	Oxidizer: Fire hazard in case of contact with combustible / organic substance. Contact with combustible products may cause fire. Violent reactions of metal nitrates in contact with the following products: strong reducing agents, aluminum powder + water, carbon, copper, esters, tin (II) chloride, nitrites + materials phosphinates, phosphorus, sulfur and metal sulphides. May react violently with incompatible products (Ref Section 10).	
Special protective equipment and precautions for firefighters	Discard incompatible substances if this can be done without risk. Firefighters should be equipped with standard protective equipment, fireproof clothing, face mask, gloves, protective boots and, where appropriate, self-contained breathing apparatus.	

SECTION 06 - ACCIDENTAL RELEASE MEASURES

Methods and materials for	Evacuate personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment. Pick
containment and cleaning up /	up with a shovel or broom, taking care not to scatter dust. Dispose of residues in a container provided for
Personnal precautions, protective	the disposal of hazardous materials. Do not let product enter drains. Discharge into the environment must
equipment	be avoided.

SECTION 07 - HANDLING AND STORAGE

Hygroscopic. Store in a cool, dry place. Store in a well-ventilated area. Do not store near combustible materials. Keep container tightly closed and store away from heat, moisture, combustible and organic products.
Avoid contact with the skin, eyes and clothes. Provide appropriate exhaust ventilation at places where dust or vapor is formed. Avoid formation of dust and aerosols. Avoid breathing dust, fumes, gases, mists, vapors, aerosols. Keep away from heat and sources of ignition. Avoid breathing dust, fumes, gases, mists, vapors, aerosols.

SECTION 08 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Workplace control parameters

Components	CAS- No.	Control	Value	Basis
ZINC NITRATE HEXAHYDRATE	10196- 18-6	TLV, TWA, STEL	No data available	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
		TLV, TWA, STEL	No data available	Canada. British Columbia OEL
		TLV, TWA, STEL	No data available	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants

Ventilation	Use fan.
Respiratory	If the permissible levels are exceeded, use a mechanical filter / cartridge against NIOSH vapors or a respirator with air supply.
Gloves	Handle with gloves.
Eyes	Safety goggles with safety shutters.
Shoes	Safety shoes.
Clothing	Labcoat. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
Engineering control	Have safety showers and eyewash stations in the workplace in case of an emergency and a ventilation system to maintain the level of concentrations in the air below the exposure limit values.

SECTION 09 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid.
Appearance	Cristaux déliquescents incolores.
Odour	inodore.
Odour threshold	Donnée non disponibleppm
pH	Solution aqueuse à 0.05% = pH 5.1.
Melting point / Freezing point	36.4°C
Initial boiling point	Data not available
Boiling range	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability	No
Lower flammable / Explosive limit	Data not available
Upper flammable / Explosive limit	Data not available
Vapour pressure	Data not available
Vapour density	10.3-
Relative density	2.065g/cm ³
Solubility	Soluble dans l'eau et l'alcool.
Partition coefficient water/n-octanol	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available

SECTION 10 - STABILITY AND REACTIVITY

Reactivity	Non-reactive under normal conditions.			
Chemical stability	Stable under recommended storage conditions.			
Possibility of hazardous reactions	Oxidizer.			
Conditions of instability (Including sensitivity to shock / static discharge / vibration)	This product quickly absorbs moisture from the air. Avoid moisture and excessive heat. Avoid dust formation. Reacts with combustible materials.			
Incompatible material	Oxidizer: Fire hazard in case of contact with combustible / organic substance. Strong reducing agents (potassium, sodium, metal hydrides), carbon, copper, cyanides, esters, tin (II) chloride, hypophosphites, isothiocyanates, phosphinates, phosphorus, sulfur, metal sulfides, thiocyanates, heat and moisture.			
Hazardous decomposition products	Hazardous decomposition products formed under fire conditions. Nitrogen oxides Zinc/zinc oxides.			

SECTION 11 - TOXICOLOGICAL INFORMATION

ZINC NITRATE HEXAHYDRATE

Routes of exposure	Ingestion, inhalation, skin and eyes.
Acute exposition effects / symptoms:	By exposure route below.
- Eyes	Severe irritation and burns that may cause permanent eye damage.
- Skin	Severe irritation and dermatitis.
- Inhalation	Spasms, irritation and inflammation of the nose, throat and lungs. Edema of the larynx and bronchi. Chemical pneumonitis and pulmonary edema that can lead to death.
Acute toxicity (Ingestion)	Irritation and burning of the mouth, throat, esophagus and abdominal wall. Dysphagia, abdominal pain, cramps, diarrhea, melena, headache, vertigo, sweating, salivation, convulsions, nausea and vomiting.
Chronic exposure effects / symptoms	Burning sensation, dermatitis, conjunctivitis, nervous disorders, lung damage, chest pain, cough, dyspnea, laryngitis, headache, dizziness, tearing, confusion, irritability, sweating, salivation, fatigue, weight loss and loss of appetite, convulsions, nausea and vomiting.
DL50 (specify species and route of entry)	LD50 Oral - Rat - 1190 mg / kg LD50 Dermal - Data not available.
CL50 (specify species and route of entry)	LC50 - Inhalation - Data not available.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Persistence and degradability	Data not available.
Bioaccumulative potential	Data not available.
Mobility in soil	Data not available.
Other adverse effects	Do not throw residues in the sewer. Do not flush into surface water or sanitary sewer system. The product must not contaminate groundwater.

SECTION 13 - DISPOSAL CONSIDERATIONS

•	Dispose of contents / container in accordance with local / regional / national / international regulations / or contact a specialist waste disposal company.
Contaminated Packaging	Dispose of as unused product.

SECTION 14 - TRANSPORT INFORMATION

UN Number	1514
UN Proper shipping name	NITRATE DE ZINC
Transport hazard class(es)	5.1 Oxidizing substances
Packing group	
Limited quantity index	1kg
ERAP Index	-
Special precautions	-

SECTION 15 - REGULATORY INFORMATION

Skin corrosion/irritation - Skin irritation category 2 Serious eye damage/ Eye irritation category 2A Specific target organ toxicity - Single exposure category 3 Oxidizing solids category 2 Acute toxicity - Oral category 4
Acute toxicity - Oral category 4

SECTION 16 - OTHER INFORMATION

Further information

The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It does not represent any guarantee of the properties of the product. Laboratoire MAT Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.

Last Update: 10/9/2019